

**SLEEP AID- diphenhydramine hcl solution**  
**Walgreen Company**

-----  
**Walgreens 44-002A-Sleep Aid**

***Active ingredient (in each 30 mL)***

Diphenhydramine HCl 50 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic beverages.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

***Other information***

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

NDC 0363-8020-02

***Walgreens***

Compare to the active ingredient in  
Vicks® ZzzQuil® Nighttime Sleep-Aid<sup>††</sup>

WALGREENS  
PHARMACIST RECOMMENDED<sup>†</sup>

***Sleep Aid***

DIPHENHYDRAMINE HCl 50 mg per 30 mL /  
NIGHTTIME SLEEP AID

Nighttime

- Non-habit forming

Ages 12 Years & Over

**12 FL OZ (355 mL)**

Berry  
flavor

## NOT FOR COLDS OR FOR PAIN

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
NECK WRAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand.

We invite you to compare to national brands.

††This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid.

**50844 REV0223A00202**

DISTRIBUTED BY: **WALGREEN CO., DEERFIELD, IL 60015**

**100% SATISFACTION GUARANTEED** walgreens.com ©2021 Walgreen Co.

**Drug Facts (continued)**

**Other information**

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

**Questions or comments?** 1-800-426-9391

†Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.  
††This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid.

50844 REV0223A00202

NDC 0363-8020-02

**Walgreens**

Compare to the active ingredient in  
Vicks® ZzzQuil® Nighttime Sleep-Aid®

**Sleep Aid**

DIPHENHYDRAMINE HCl 50 mg per 30 mL /  
NIGHTTIME SLEEP AID

Nighttime

• Non-habit forming

Ages 12 Years & Over

12 FL OZ (355 mL)

NOT FOR COLDS OR FOR PAIN

Berry flavor

**Drug Facts**

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic beverages.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over; take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
NECK WRAP IS BROKEN OR MISSING**

ITEM 957126 W00000-0000-0

3 11917 18817 1

REV-0623\_W3ORG0222-F

**Walgreens 44-002A**

## SLEEP AID

diphenhydramine hcl solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8020
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL
--	----------------------------------	-------------------

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8020-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2022	
2	NDC:0363-8020-02	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2022	
3	NDC:0363-8020-96	2 in 1 PACKAGE	03/10/2022	
3		355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	03/10/2022	

**Labeler** - Walgreen Company (008965063)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(0363-8020) , pack(0363-8020)

Revised: 9/2023

Walgreen Company