

THE TINTED SERUM BROAD SPECTRUM SPF 50- zinc oxide emulsion
Rationale Group Pty Ltd

The Tinted Serum Broad Spectrum SPF 50+

Drug Facts

Active Ingredient

Zinc Oxide 24%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings

For external use only.

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply
- At least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m -2p.m.
- Wear long sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Trisiloxane, Isoamyl Laurate, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Cyclopentasiloxane, PEG-10 Dimethicone, Ethylhexyl Methoxycrylene, Lauryl PEG-10 Tris (Trimethylsiloxy) silylethyl Dimethicone, Aqua (Water), Styrene/Acrylates Copolymer, Triacontanyl PVP, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Pentaerhthryl Tetraistearate, Methyl Methacrylate Crosspolymer, Propanediol, Isostearic Acid, Glyceryl Caprylate, CI 77891 (Titanium Dioxide), Polyhydroxystearic Acid, Boron Nitride, 1,2-Hexanediol, Mica, Distearidimonium Hectorite, Glycerin, Sodium Chloride, CI 77492 (Iron Oxides), Bisabolol, Propylene Carbonate, Camellia Sinensis Leaf Extract, Hydrolyzed Keratin, Caprylhydroxamic Acid, Sodium Potassium Aluminum Silicate, Limonene, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Citrus Aurantium Dulcis (Orange) Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, 7-Dehydrocholesterol, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Maltodextrin, Silica, CI 77491 (Iron Oxides), Anigozanthos Flavids Flower Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Aspalathus Linearis Leaf Extract, Butylene Glycol, Sodium Lactate, Sodium PCA, Melanin, CI 77499 (Iron Oxides), Pentylene Glycol, Ceteareth-25, Linalool, Dimethicone, Magnesium Aspartate, Zinc Gluconate, Cetyl Alcohol, Citronellol, Sodium Hyaluronate, Davidsonia Pruriens Fruit Extract, Sodium Benzoate, Glycine, Ethylhexylglycerin, Potassium Sorbate, Behenic Acid, Ceramide NP, Cholesterol, Copper Gluconate, Fructose, Inositol, Lactic Acid, Niacinamide, Urea, Phenoxyethanol, Citric Acid, Ceramide NS, Serine, Glutamic Acid, Ceramide AP, Ceramide EOP, Ceramide EOS, Asparic Acid, Leucine, Acetyl Tetrapeptide-22, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Propine, Threonine, Valine, Isoleucine, Histidine

Package Labeling:

RATIONALE

RATIONALE

The Tinted Serum
Broad Spectrum SPF50+



30mL / 1.0fl.oz e

Feet @
base

Drug Facts (Continued)

higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m.-2p.m. ● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.

Other Information

● Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Trisiloxane, Isoamyl Laurate, C12-15 Alkyl Benzoate, Butylcetyl Salicylate, Cyclopentasiloxane, PEG-10 Dimethicone, Ethylhexyl Methoxycrylene, Lauryl PEG-10 Tris(trimethylsilyloxy)silyl ethyl Dimethicone, Aqua (Water), Styrene/Acrylates Copolymer, Triaccontanyl PVP, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Pentaerythrityl Tetraisostearate, Methyl Methacrylate Crosspolymer, Propanediol, Isostearic Acid, Glyceryl Caprylate, CI 77891 (Titanium Dioxide), Polyhydroxystearic Acid, Boron Nitride, 1,2-Hexanediol, Mica, Distearidimonium Hectorite, Glycerin, Sodium Chloride, CI 77492 (Iron Oxides), Bisabolol, Propylene Carbonate, Camellia Sinensis Leaf Extract, Hydrolyzed Keratin, Caprylhydroxamic Acid, Sodium Potassium Aluminum Silicate, Limonene, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Citrus Aurantium Dulcis (Orange) Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil.

Drug Facts (Continued)

7-Dehydrocholesterol, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Malodextrin, Silica, CI 77491 (Iron Oxides), Anigozanthos Flavidius Flower Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Aspalathus Linearis Leaf Extract, Butylene Glycol, Sodium Lactate, Sodium PCA, Melanin, CI 77499 (Iron Oxides), Pentylene Glycol, Ceteareth-25, Linalool, Dimethicone, Magnesium Aspartate, Zinc Gluconate, Cetyl Alcohol, Citronellol, Sodium Hyaluronate, Davidsonia Pruriens Fruit Extract, Sodium Benzoate, Glycine, Ethylhexylglycerin, Potassium Sorbate, Behenic Acid, Ceramide NP, Cholesterol, Copper Gluconate, Fructose, Inositol, Lactic Acid, Niacinamide, Urea, Phenoxethanol, Citric Acid, Ceramide NS, Serine, Glutamic Acid, Ceramide AP, Ceramide EOP, Ceramide EOS, Aspartic Acid, Leucine, Acetyl Tetrapeptide-22, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.

RATIONALE
175-187 High St. Kyneton
VIC Australia 3444

RATIONALE.com
Made in Australia

Distributed by:
RATIONALE USA LLC
333 SE 2nd Ave,
Suite 2000,
Miami, FL 33131, USA



Drug Facts

Active Ingredient
Zinc Oxide 24%

Purpose
Sunscreen

Uses ● Helps prevent sunburn
● If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings

For external use only. Do not use ● On damaged or broken skin. **When using this product** ● Keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if** ● Rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or



Package Labeling:3ml

RATIONALE
175-187 High St, Kyneton
VIC Australia 3444

Distributed by:
RATIONALE USA LLC
333 SE 2nd Ave, Suite 2000,
Miami, FL 33131, USA

RATIONALE.com
Made in Australia

RATIONALE

The Brilliance Collection



#3 The Tinted Serum SPF50+ Broad Spectrum

This nourishing daily serum imparts a radiant, translucent finish while offering advanced environmental and solar protection with our proprietary Zinc Fusion technology.



3mL / 0.1fl.oz e
5mL / 0.2fl.oz e

Drug Facts	
Active Ingredient Zinc Oxide 24%	Purpose Sunscreen
Uses ● Helps prevent sunburn ● If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin ageing caused by the sun.	
Warnings For external use only. Do not use ● On damaged or broken skin. When using this product ● Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ● Rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m. - 2p.m. →	

Drug Facts (Continued)
● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.
Other Information ● Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Trisiloxane, Isoamyl Laurate, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Cyclopentasiloxane, PEG-10 Dimethicone, Ethylhexyl Methoxycrylene, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Aqua (Water), Styrene/Acrylates Copolymer, Triaccontanyl PVP, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Pentaerythrityl Tetraisostearate, Methyl Methacrylate Crosspolymer, Propanediol, Isostearic Acid, Glyceryl Caprylate, Ci 77891 (Titanium Dioxide), Polyhydroxystearic Acid, Boron Nitride, 1,2-Hexanediol, Mica, Distearidimonium Hectorite, Glycerin, Sodium Chloride, Ci 77492 (Iron Oxides), Bisabolol, Propylene Carbonate, Camellia Sinensis Leaf Extract, Hydrolyzed Keratin, Caprylhydroxamic Acid, Sodium Potassium Aluminum Silicate, Limonene, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Citrus Aurantium Dulcis (Orange) Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, 7-Dehydrocholesterol, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Maltodextrin, Silica, Ci 77491 (Iron Oxides), Anigozanthos Flavivus Flower Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Aspalathus Linearis Leaf Extract, Butylene Glycol, Sodium Lactate, Sodium PCA, Melanin, Ci 77499 (Iron Oxides), Pentylene Glycol, Ceteareth-25, Linalool, Dimethicone, Magnesium Aspartate, Zinc Gluconate, Cetyl Alcohol, Citronellol, Sodium Hyaluronate, Davidsonia Pruriens Fruit Extract, Sodium Benzoate, Glycine, Ethylhexylglycerin, Potassium Sorbate, Behenic Acid, Ceramide NP, Cholesterol, Copper Gluconate, Fructose, Inositol, Lactic Acid, Niacinamide, Urea, Phenoxyethanol, Citric Acid, Ceramide NS, Serine, Glutamic Acid, Ceramide AP, Ceramide EOP, Ceramide EOS, Aspartic Acid, Leucine, Acetyl Tetrapeptide-22, Caproyl Phytosphingosine, Caproyl Sphingosine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.

GL31533A / GL31559A

Distributed by
RATIONALE USA
 LLC 333 SE 2nd Ave,
 Suite 2000, Miami,
 FL 33131, USA
 RP. MSL, BL9 5NB. UK
 RP. MSL, STE 5385,
 27 Upper Pembroke St,
 Dublin, IE
RATIONALE.com

RATIONALE

The Tinted
 Serum
 SPF50+



3mL / 0.1fl.oz e

Made in Australia.
Sample only.
Not for resale.

仅作参考品用，
 禁止转卖。

(B) 704
 EXP 10/24
 GL3TSS3A704



Distributed by
RATIONALE USA
 LLC 600 Brickell Ave,
 Suite 1755, Miami,
 FL 33131, USA
 RP. MSL, BL9 5NB. UK
 RP. MSL, STE 5385,
 27 Upper Pembroke St,
 Dublin, IE
RATIONALE.com

RATIONALE

The Tinted
 Serum
 SPF50+



3mL / 0.1fl.oz e

Made in Australia.
Sample only.
Not for resale.

仅作参考品用，
 禁止转卖。

BXXXXXX
 EXPMM/YY
 GL3TSS3B



#3 The Tinted Serum SPF50+ Broad Spectrum

This nourishing daily serum imparts a radiant, translucent finish while offering advanced environmental and solar protection with our proprietary Zinc Fusion technology.



3mL / 0.1fl.oz e
 5mL / 0.2fl.oz e

Drug Facts	
Active Ingredient Zinc Oxide 24%	Purpose Sunscreen
Uses ● Helps prevent sunburn ● If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin ageing caused by the sun.	
Warnings For external use only. Do not use ● On damaged or broken skin. When using this product ● Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ● Rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m.- 2p.m. →	

Drug Facts (Continued) ● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.
Other Information ● Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Trisiloxane, Isoamyl Laurate, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Cyclopentasiloxane, PEG-10 Dimethicone, Ethylhexyl Methoxycrylene, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Aqua (Water), Styrene/Acrylates Copolymer, Triacetylantyl PVP, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Pentaerythrityl Tetraoisostearate, Methyl Methacrylate Crosspolymer, Propanediol, Isostearic Acid, Glyceryl Caprylate, CI 77891 (Titanium Dioxide), Polyhydroxystearic Acid, Boron Nitride, 1,2-Hexanediol, Mica, Distearidimonium Hectonite, Glycerin, Sodium Chloride, CI 77492 (Iron Oxides), Bisabolol, Propylene Carbonate, Camellia Sinensis Leaf Extract, Hydrolyzed Keratin, Caprylhydroxamic Acid, Sodium Potassium Aluminum Silicate, Limonene, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Citrus Aurantium Dulcis (Orange) Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, 7-Dehydrocholesterol, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Maltodextrin, Silica, CI 77491 (Iron Oxides), Anigozanthos Flavidus Flower Extract, Syzygium Luehmanni Fruit Extract, Tin Oxide, Aspalathus Linearis Leaf Extract, Butylene Glycol, Sodium Lactate, Sodium PCA, Melanin, CI 77499 (Iron Oxides), Pentylene Glycol, Ceteareth-25, Linalool, Dimethicone, Magnesium Aspartate, Zinc Gluconate, Cetyl Alcohol, Citronellol, Sodium Hyaluronate, Davidsonia Pruriens Fruit Extract, Sodium Benzoate, Glycine, Ethylhexylglycerin, Potassium Sorbate, Behenic Acid, Ceramide NP, Cholesterol, Copper Gluconate, Fructose, Inositol, Lactic Acid, Niacinamide, Urea, Phenoxylethanol, Citric Acid, Ceramide NS, Serine, Glutamic Acid, Ceramide AP, Ceramide EOP, Ceramide EOS, Aspartic Acid, Leucine, Acetyl Tetrapeptide-22, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.

GL3TSS3A / GL3TSS3B

Package Labeling:5ml

RATIONALE
175-187 High St, Kyneton
VIC Australia 3444

Distributed by:
RATIONALE USA LLC
333 SE 2nd Ave, Suite 2000,
Miami, FL 33131, USA

RATIONALE.com
Made in Australia

RATIONALE

The Brilliance Collection



#3 The Tinted Serum SPF50+ Broad Spectrum

This nourishing daily serum imparts a radiant, translucent finish while offering advanced environmental and solar protection with our proprietary Zinc Fusion technology.



3mL / 0.1fl.oz e
5mL / 0.2fl.oz e

Drug Facts	
Active Ingredient Zinc Oxide 24%	Purpose Sunscreen
Uses ● Helps prevent sunburn ● If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin ageing caused by the sun.	
Warnings For external use only. Do not use ● On damaged or broken skin. When using this product ● Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ● Rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m.-2p.m. →	

Drug Facts (Continued)
● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.
Other Information ● Protect the product in this container from excessive heat and direct sun.
Inactive ingredients Trisiloxane, Isoamyl Laurate, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Cyclopentasiloxane, PEG-10 Dimethicone, Ethylhexyl Methoxycrylene, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Aqua (Water), Styrene/Acrylates Copolymer, Triaccontanyl PVP, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Pentaerythritol Tetraistearate, Methyl Methacrylate Crosspolymer, Propanediol, Isostearic Acid, Glyceryl Caprylate, Ci 77891 (Titanium Dioxide), Polyhydroxystearic Acid, Boron Nitride, 1,2-Hexanediol, Mica, Distearidimonium Hectorite, Glycerin, Sodium Chloride, Ci 77492 (Iron Oxides), Bisabolol, Propylene Carbonate, Camellia Sinensis Leaf Extract, Hydrolyzed Keratin, Caprylhydroxamic Acid, Sodium Potassium Aluminum Silicate, Limonene, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Citrus Aurantium Dulcis (Orange) Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, 7-Dehydrocholesterol, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Maltodextrin, Silica, Ci 77491 (Iron Oxides), Anigozanthos Flavidus Flower Extract, Syzygium Luehmanni Fruit Extract, Tin Oxide, Aspalathus Linearis Leaf Extract, Butylene Glycol, Sodium Lactate, Sodium PCA, Melanin, Ci 77499 (Iron Oxides), Pentylene Glycol, Ceteareth-25, Linalool, Dimethicone, Magnesium Aspartate, Zinc Gluconate, Cetyl Alcohol, Citronellol, Sodium Hyaluronate, Davidsonia Pruriens Fruit Extract, Sodium Benzoate, Glycine, Ethylhexylglycerin, Potassium Sorbate, Behenic Acid, Ceramide NP, Cholesterol, Copper Gluconate, Fructose, Inositol, Lactic Acid, Niacinamide, Urea, Phenoxyethanol, Citric Acid, Ceramide NS, Serine, Glutamic Acid, Ceramide AP, Ceramide EOP, Ceramide EOS, Aspartic Acid, Leucine, Acetyl Tetrapeptide-22, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.


GL3TSS3A / GL3TSS3A

Distributed by
RATIONALE USA
 LLC 333 SE 2nd Ave,
 Suite 2000, Miami,
 FL 33131, USA

RP. MSL, BL9 5NB. UK
 RP. MSL, STE 5385,
 27 Upper Pembroke St,
 Dublin, IE

RATIONALE.com


RATIONALE
 The Tinted
 Serum
 SPF50+



Made in Australia.

Sample only.
 Not for resale.
 仅作样品用，
 禁止转卖。

(B) 705
 EXP 10/24
 GL3TS53A705




5mL / 0.2fl.oz e

Distributed by
RATIONALE USA
 LLC 600 Brickell Ave,
 Suite 1755, Miami,
 FL 33131, USA

RP. MSL, BL9 5NB. UK
 RP. MSL, STE 5385,
 27 Upper Pembroke St,
 Dublin, IE

RATIONALE.com


RATIONALE
 The Tinted
 Serum
 SPF50+



Made in Australia.

Sample only.
 Not for resale.
 仅作样品用，
 禁止转卖。

BXXXXXX
 EXPMM/YY
 GL3TS53B



5mL / 0.2fl.oz e

THE TINTED SERUM BROAD SPECTRUM SPF 50

zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83108-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	240 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
TRISILOXANE (UNII: 9G1ZW13R0G)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
WATER (UNII: 059QF0KO0R)	
TRICONTANYL POVIDONE (UNII: N0SS3Q238D)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PENTAERYTHRITYL TETRAISOSTEARATE (UNII: 9D7IK5483F)	
PROPANEDIOL (UNII: 5965N8W85T)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
MICA (UNII: V8A1AW0880)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
LEVOMENOL (UNII: 24WE03BX2T)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
CITRUS BERGAMIA LEAF OIL (UNII: ZVY874111V)	
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)	
JUNIPERUS DEPPEANA WOOD OIL (UNII: 4739QA5686)	
GERANIUM OIL, ALGERIAN TYPE (UNII: 5Q1I94P4WG)	
7-DEHYDROCHOLESTEROL (UNII: BK1IU07GKF)	
CITRUS AURANTIUM FLOWER OIL (UNII: D4BGE91OXH)	
CLOVE LEAF OIL (UNII: VCA5491KVF)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ANIGOZANTHOS FLAVIDUS FLOWERING TOP (UNII: RP2O43NDZC)	
SYZYGIUM LUEHMANNII FRUIT (UNII: 47QSB3L4KG)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
ASPALATHUS LINEARIS LEAF (UNII: H7UGK1GJCU)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CETEARETH-25 (UNII: 8FA93U5T67)	

LINALOOL, (+/-)- (UNII: D81QY6I88E)
DIMETHICONE (UNII: 92RU3N3Y1O)
MAGNESIUM ASPARTATE (UNII: R17X820ROL)
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)
CETYL ALCOHOL (UNII: 936JST6JCN)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DAVIDSONIA PRURIENS FRUIT (UNII: Q0AJF937HY)
SODIUM BENZOATE (UNII: OJ245FE5EU)
GLYCINE (UNII: TE7660XO1C)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BEHENIC ACID (UNII: H390488X0A)
CERAMIDE NP (UNII: 4370DF050B)
CHOLESTEROL (UNII: 97C5T2UQ7J)
COPPER GLUCONATE (UNII: RV823G6G67)
PHENYLALANINE (UNII: 47E5O17Y3R)
DIPIVEFRIN HYDROCHLORIDE (UNII: 5QTH9UHV0K)
THREONINE (UNII: 2ZD004190S)
VALINE (UNII: HG18B9YRS7)
ISOLEUCINE (UNII: 04Y7590D77)
HISTIDINE (UNII: 4QD397987E)
FRUCTOSE (UNII: 6YSS42VSEV)
INOSITOL (UNII: 4L6452S749)
LACTIC ACID (UNII: 33X04XA5AT)
NIACINAMIDE (UNII: 25X5118RD4)
UREA (UNII: 8W8T17847W)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
CERAMIDE NG (UNII: C04977SRJ5)
SERINE (UNII: 452VLY9402)
GLUTAMIC ACID (UNII: 3KX376GY7L)
CERAMIDE AP (UNII: F1X8L2B00J)
3-DEHYDROXY CERAMIDE 1 (UNII: CR0J8RN66K)
ASPARTIC ACID (UNII: 30KYC7MIAI)
LEUCINE (UNII: GMW67QNF9C)
CAPROOYL PHYTOSPHINGOSINE (UNII: 2FD4Y5XL2L)
N-HEXANOYLSPHINGOSINE (UNII: 038753E78J)
ALANINE (UNII: OF5P57N2ZX)
LYSINE (UNII: K3Z4F929H6)
ARGININE (UNII: 94ZLA3W45F)
TYROSINE (UNII: 42HK56048U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83108-001-00	1 in 1 BOX	11/25/2022	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

2	NDC:83108-001-03	3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/08/2022	
3	NDC:83108-001-05	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/08/2022	
4	NDC:83108-001-13	3 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2022	
5	NDC:83108-001-15	5 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/25/2022	

Labeler - Rationale Group Pty Ltd (756927393)

Revised: 10/2023

Rationale Group Pty Ltd