# **GENTAMICIN SULFATE-** gentamicin sulfate solution Preferred Pharmaceuticals Inc.

-----

Gentamicin Sulfate Ophthalmic Solution USP Sterile Rx Only

### **DESCRIPTION**

Gentamicin Sulfate is a water-soluble antibiotic of the aminoglycoside group. Gentamicin Sulfate Ophthalmic Solution is a sterile, aqueous solution buffered to approximately pH 7 for ophthalmic use. Gentamicin is obtained from cultures of *Micromonospora purpurea*. It is a mixture of the sulfate salts of gentamicin  $C_1$ ,  $C_2$ , and  $C_{1A}$ . All three components appear to have similar antimicrobial activities. Gentamicin sulfate occurs as white powder and is soluble in water and insoluble in alcohol. The structure is as follows:

Established name: Gentamicin Sulfate

Chemical name: 0-3-Deoxy-4-C-methyl-3-(methylamino)- $\beta$ -L-arabinopyranosyl-(1 $\rightarrow$ 6)-0-[2,6-diamino-2,3,4,6-tetradeoxy- $\alpha$ -D-erythro-hexopyranosyl-(1 $\rightarrow$ 4)]-2-deoxy-D-streptamine.

**Ingredients: Each mL contains: Active:** Gentamicin Sulfate USP (equivalent to 3 mg gentamicin). **Preservative:** Benzalkonium Chloride 0.1 mg (0.01%). **Inactives:** Sodium Chloride, Dried Sodium Phosphate, Tyloxapol, Sodium Hydroxide and/or Hydrochloric Acid (to adjust pH) and Purified Water.

### **CLINICAL PHARMACOLOGY**

Microbiology: Gentamicin sulfate is active in vitro against many strains of the following

microorganisms:

Staphylococcus aureus, Staphylococcus epidermidis, Streptococcus pyogenes, Streptococcus pneumoniae, Enterobacter aerogenes, Escherichia coli, Haemophilus influenzae, Klebsiella pneumoniae, Neisseria gonorrhoeae, Pseudomonas aeruginosa, and Serratia marcescens.

### INDICATIONS AND USAGE

Gentamicin Sulfate Ophthalmic Solution is indicated in the topical treatment of ocular bacterial infections, including conjunctivitis, keratitis, keratoconjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis, and dacryocystitis caused by susceptible strains of the following microorganisms: *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Streptococcus pyogenes*, *Streptococcus pneumoniae*, *Enterobacter aerogenes*, *Escherichia coli*, *Haemophilus influenzae*, *Klebsiella pneumoniae*, *Neisseria gonorrhoeae*, *Pseudomonas aeruginosa*, and *Serratia marcescens*.

### **CONTRAINDICATIONS**

Gentamicin Sulfate Ophthalmic Solution is contraindicated in patients with known hypersensitivity to any of the components.

### WARNINGS

NOT FOR INJECTION INTO THE EYE. Gentamicin Sulfate Ophthalmic Solution is not for injection. It should never be injected subconjunctivally, nor should it be directly introduced into the anterior chamber of the eye.

#### **PRECAUTIONS**

### General

Prolonged use of topical antibiotics may give rise to overgrowth of non-susceptible organisms including fungi. Bacterial resistance to gentamicin may also develop. If purulent discharge, inflammation or pain becomes aggravated, the patient should discontinue use of the medication and consult a physician. If irritation or hypersensitivity to any component of the drug develops, the patient should discontinue use of this preparation, and appropriate therapy should be instituted.

### **Information for Patients**

To avoid contamination, do not touch tip of container to the eye, eyelid, or any surface.

### Carcinogenesis, Mutagenesis, Impairment of Fertility

There are no published carcinogenicity or impairment of fertility studies on gentamicin. Aminoglycoside antibiotics have been found to be non-mutagenic.

### **Pregnancy**

Pregnancy Category C. Gentamicin has been shown to depress body weights, kidney

weights, and median glomerular counts in newborn rats when administered systemically to pregnant rats in daily doses approximately 500 times the maximum recommended ophthalmic human dose. There are no adequate and well-controlled studies in pregnant women. Gentamicin should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

### Pediatric Use

Safety and effectiveness in neonates have not been established.

### ADVERSE REACTIONS

Bacterial and fungal corneal ulcers have developed during treatment with gentamicin ophthalmic preparations. The most frequently reported adverse reactions are ocular burning and irritation upon drug instillation, non-specific conjunctivitis, conjunctival epithelial defects, and conjunctival hyperemia. Other adverse reactions which have occurred rarely are allergic reactions, thrombocytopenic purpura, and hallucinations.

To report SUSPECTED ADVERSE REACTIONS, contact Sandoz Inc. at 1-800-525-8747 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

### **DOSAGE AND ADMINISTRATION**

Instill one or two drops into the affected eye(s) every four hours. In severe infections, dosage may be increased to as much as two drops once every hour.

### **HOW SUPPLIED**

Gentamicin Sulfate Ophthalmic Solution: 5 mL in plastic dispenser. **NDC** 68788-7336-5

### **STORAGE**

Protect from light and store away from heat. Store at controlled room temperature  $15^{\circ}$  to  $25^{\circ}$ C ( $59^{\circ}$  to  $77^{\circ}$ F).

Manufactured by

Alcon Laboratories, Inc.

Fort Worth, Texas 76134 for

Sandoz Inc.

Princeton, NJ 08540

Rev. August 2021

300049859-0821

Relabeled By: Preferred Pharmaceuticals Inc.

#### PRINCIPAL DISPLAY PANEL

NDC 68788-7336-5

Gentamicin

**Sulfate** 

**Ophthalmic** 

Solution, USP

0.3%

Equivalent to 3 mg

Gentamicin per mL


**Rx Only** 

**STERILE** 

5 mL

**SANDOZ** 

Relabeled By: Preferred Pharmaceuticals Inc.



### **GENTAMICIN SULFATE**

gentamicin sulfate solution

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:68788-7336(NDC:61314-633)	
Route of Administration	OPHTHALMIC			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
GENTAMICIN SULFATE (UNII: 8X7386QRLV) (GENTAMICIN - UNII:T6Z9V48IKG)	GENTAMICIN	3 mg in 1 mL		

Inactive Ingredients				
Ingredient Name	Strength			
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SODIUM PHOSPHATE (UNII: SE337SVY37)				
TYLOXAPOL (UNII: Y27PUL9H56)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
WATER (UNII: 059QF0KO0R)				

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:68788- 7336-5	5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/12/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA062196	03/12/2019		

## Labeler - Preferred Pharmaceuticals Inc. (791119022)

## **Registrant - Preferred Pharmaceuticals Inc. (791119022)**

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-7336)	

Revised: 7/2023 Preferred Pharmaceuticals Inc.