

**K-POWER PATCH- achyranthes bidentata extract, achyranthes bidentata extract, patch
BCT**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

83404-301 K-Power Patch

Active Ingredients

- Achyranthes bidentata Extract 3%
- Lithospermum erythrorhizon S.et Z Extract 3%
- Xanthium strumarium L Extract 2%
- Eucomniiia ulmoides Extract 2%
- Harpagophytum prostrate 1%
- Capsaicin 0.4%

Purposes

- Achyranthes bidentata Extract 3% -----Topical analgesic
- Lithospermum erythrorhizon S.et Z Extract 3% -----Topical analgesic
- Xanthium strumarium L Extract 2% -----Topical analgesic
- Eucomniiia ulmoides Extract 2% -----Topical analgesic
- Harpagophytum prostrate 1% -----Topical analgesic
- Capsaicin 0.4% ----- Topical analgesic

Uses

temporarily relieves the minor aches and pains of muscles and joints associated with:
■ ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only

Warnings

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control center right away.

Warnings

- Stop use and ask a doctor if
- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

- excessive skin irritation occurs

Warnings

When using this product

- avoid contact with eyes or mucous membranes
- do not bandage tightly

Warnings

Do not use

- on wounds or damaged skin ■ with a healing pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area

Directions

- use only as directed
- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age □ ask a doctor

Inactive Ingredients

Water, Tourmaline, Surfactant(SR-10), n-Butyl acrylate Methylmethacrylate Copolymer

Label

Drug Facts

Active ingredients

Achyranthes bidentata Extract 3% Lithospermum erythrorhizon S.et Z Extract 3% Xanthium strumarium L Extract 2% Eucommia ulmoides Extract 2% Harpagophytum prostrata 1% Capsaicin 0.4%

Purpose

Topical analgesic
Topical analgesic
Topical analgesic
Topical analgesic
Topical analgesic
Topical analgesic

Uses temporarily relieves the minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

- on wounds or damage skin
 - with a healing pad
 - on a child under 12 years of age with arthritis-like conditions
- Ask a doctor before use if you have redness over the affected area

When using this product

- avoid contact with eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control center right away.

Directions ■ use only as directed

- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age : ask a doctor

Other information store at 20°C to 25°C (68°F to 77°F)

Inactive ingredients Water .Tourmaline. Surfactant(SR-10) n-Butyl acrylate Methylmethacrylate Copolymer

K-POWER PATCH

achyranthes bidentata extract, achyranthes bidentata extract, patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83404-301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LITHOSPERMUM ERYTHRORHIZON WHOLE (UNII: Y4JMM1JAWJ) (LITHOSPERMUM ERYTHRORHIZON WHOLE - UNII:Y4JMM1JAWJ)	LITHOSPERMUM ERYTHRORHIZON WHOLE	3 g in 100 mm
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.4 g in 100 mm
XANTHIUM STRUMARIUM LEAF (UNII: AW4S0K7ELS) (XANTHIUM STRUMARIUM LEAF - UNII:AW4S0K7ELS)	XANTHIUM STRUMARIUM LEAF	2 g in 100 mm
EUCOMMIA ULMOIDES WHOLE (UNII: 21176878UY) (EUCOMMIA ULMOIDES WHOLE - UNII:21176878UY)	EUCOMMIA ULMOIDES WHOLE	2 g in 100 mm
HARPAGOPHYTUM PROCUMBENS WHOLE (UNII: BY51E8JN4B)	HARPAGOPHYTUM	1 g

(HARPAGOPHYTUM PROCUMBENS WHOLE - UNII:BY51E8JN4B)	PROCUMBENS WHOLE	in 100 mm
ACHYRANTHES BIDENTATA WHOLE (UNII: 0B5LIZ2V2H) (ACHYRANTHES BIDENTATA WHOLE - UNII:0B5LIZ2V2H)	ACHYRANTHES BIDENTATA WHOLE	3 g in 100 mm

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DISODIUM DECYL PHENYL ETHER DISULFONATE (UNII: 57S4ZXM7XU)	
BUTYL ACRYLATE/METHYL METHACRYLATE/PERFLUOROHEXYLETHYL METHACRYLATE COPOLYMER (SALUS AF) (UNII: HLB263IJK9)	
SCHORL TOURMALINE (UNII: 173O8XLY6T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83404-301-01	85 mm in 1 PATCH; Type 0: Not a Combination Product	05/30/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/30/2023	

Labeler - BCT (695661890)

Registrant - BCT (695661890)

Establishment

Name	Address	ID/FEI	Business Operations
BCT		695661890	manufacture(83404-301)

Revised: 4/2023

BCT