

FOSTER AND THRIVE- lidocaine patch
STRATEGIC SOURCING SERVICES, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MeKesson Lidocaine Patch 6ct

Active ingredient Purpose

Lidocaine 4%.....Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time
- at the same time as other topical analgesics
- on damaged skin, or puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any ingredients of this product

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- avoid the patch getting wet for better adhesion
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain enough lidocaine to cause serious or life-threatening problems.

Stop use and ask a doctor if

- skin reactions occur, such as pain, swelling, rash, redness, itching, irritation, or blistering where the product was applied
- symptoms persist for more than 7 days or clear up and occur again within a few days
- condition worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- expose a portion of the patch by firmly grasping an edge or corner and gently pull

apart until backing separates

- position and apply exposed portion of the patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch at a time, not more than 3 to 4 times daily
- children under 12 years or younger: ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients

alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate (2,500,000 MW), tartaric acid, titanium dioxide

Distributed by: Mckesoon Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141

Product of China



FOSTER AND THRIVE

lidocaine patch

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1188
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE	40 mg in 1 g
Inactive Ingredients				
Ingredient Name				Strength
TARTARIC ACID (UNII: W4888I119H)				
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)				
ALCOHOL (UNII: 3K9958V90M)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
KAOLIN (UNII: 24H4NWX5CO)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1188-1	6 in 1 CARTON	09/01/2023	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part348	09/01/2023	

Labeler - STRATEGIC SOURCING SERVICES, LLC (116956644)