

**BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
Walgreen Company**

Walgreens Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts, scrapes and burns

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not store at temperature above 120°F
- intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

Other information

- cap bottle tightly
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

Walgreens

ANTISEPTIC

Liquid

Bandage

- For small cuts & wounds
- Helps prevent infection
- Invisible
- Flexible

1.0 FL OZ (29.6 mL)



Walgreens Liquid Bandage for small cuts and wounds is invisible and keeps out dirt and germs. Walgreens Liquid Bandage dries rapidly to form a tough protective cover that is antiseptic, flexible and waterproof.

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active ingredients
Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%
First aid antiseptic
Topical analgesic

Purpose
First aid to prevent bacterial contamination in minor cuts, scrapes and burns

Warnings
For external use only.

Flammable: do not use while smoking or near heat or flame.

Do not use ■ in the eyes ■ over large areas of the body ■ longer than 1 week unless directed by a doctor ■ on infected areas or wounds that are draining ■ with other first aid products such as lotions and creams ■ over sutures ■ on mucous membranes ■ deep puncture wounds ■ deep cuts ■ animal bites ■ serious bleeding ■ diabetes ■ poor circulation ■ serious burns

When using this product ■ do not store at temperature above 120°F ■ intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if ■ condition persists or gets worse ■ infection occurs

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

DO NOT USE IF NECKBAND IS BROKEN

Active ingredients: Benzethonium Chloride 0.2% and Dyclonine Hydrochloride 0.75% **Purpose:** First aid antiseptic and topical analgesic **Uses:** First aid to prevent bacterial contamination in minor cuts, scrapes, and burns. For the temporary relief of pain.

Warnings: For external use only. **Flammable:** Keep away from fire or flame. **Do not use** in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

Walgreens

Liquid Bandage

**BENZETHONIUM CHLORIDE 0.2%
DYCLONINE HYDROCHLORIDE 0.75%**

ANTISEPTIC

• For small cuts & wounds

1 FL OZ (29.6 mL)

Ask a doctor before use if you have deep or puncture wounds, deep cuts, animal bites and serious burns.

When using this product avoid contact with eyes.

Stop use and ask a doctor if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs.

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions: For adults and children 2 years of age and older. Clean affected area. Apply a small amount on the area 1 to 3 times daily and let dry. A second coating may be applied for extra protection. Children under 2 years of age: consult a doctor.

Other information: Cap bottle tightly. Store between 20° to 25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off.

Inactive ingredients: acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-866-964-0939

MADE IN USA WITH U S AND IMPORTED PARTS

Walgreens Pharmacist Recommended

ITEM 438429
W00000-0000-0
ORG0417-F
50-033WG-02

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.

BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0363-0210

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.06 mg in 29.6 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.23 mg in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0210-30	29.6 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/12/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/12/2012	

Labeler - Walgreen Company (008965063)

Revised: 2/2024

Walgreen Company