

## **UP AND UP ANTIBIOTIC PLUS PAIN RELIEF- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment**

### **Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Target Corporation Antibiotic Ointment + Pain Relief Drug Facts**

#### **Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

#### **Purpose**

First aid antibiotic

External analgesic

#### **Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

#### **Warnings**

For external use only.

#### **Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredient**

white petrolatum

**Questions or comments?**

Call 1-888-547-7400

**Principal Display Panel**

Compare to active ingredients in Neosporin® + Pain Relief

maximum strength

antibiotic ointment + pain relief

bacitracin zinc/neomycin sulfate/polymyxin B sulfate/pramoxine HCl

soothing infection protection for burns, cuts and scrapes

first aid antibiotic/pain-relieving ointment

NET WT 1 OZ (28 g)

NDC 11673-025-64



Compare to active ingredients in Neosporin® + Pain Relief\*

maximum strength  
**antibiotic ointment + pain relief**  
bacitracin zinc/neomycin sulfate/polymyxin B sulfate/pramoxine HCl



Compare to active ingredients in Neosporin® + Pain Relief\*

maximum strength  
**antibiotic ointment + pain relief**  
bacitracin zinc/neomycin sulfate/polymyxin B sulfate/pramoxine HCl

soothing infection protection for burns, cuts and scrapes  
first aid antibiotic/pain-relieving ointment

NET WT 1 OZ (28 g)



3 70030 62193 4

245 07 0070 R01 ID295422  
Distributed by Target Corporation  
Minneapolis, MN 55403  
©2017 Target Brands, Inc.  
Shop Target.com

\*This product is not affiliated with,  
manufactured by, or produced by the  
makers of Neosporin®.

**Drug Facts**

Active ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

**Uses** first aid to help prevent infection and for temporary relief of pain or discomfort in minor:  
 ■ cuts ■ scrapes ■ burns

**Warnings**

For external use only.

- Do not use**
- if you are allergic to any of the ingredients
  - in the eyes
  - over large areas of the body

- Ask a doctor before use if you have**
- deep or puncture wounds
  - animal bites
  - serious burns

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 2 years of age or older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information** ■ store at 20-25°C (68-77°F)

**Inactive ingredient** white petrolatum

**Questions or comments? Call 1-888-547-7400**

**UP AND UP ANTIBIOTIC PLUS PAIN RELIEF**

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:11673-025

<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USPU] in 1 g	
	NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g	
	POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USPU] in 1 g	
	PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	PETROLATUM (UNII: 4T6H12BN9U)			
<b>Product Characteristics</b>				
<b>Color</b>	YELLOW (Translucent)	<b>Score</b>		
<b>Shape</b>		<b>Size</b>		
<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11673-025-64	1 in 1 CARTON	04/15/2015	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part333B	04/15/2015		

**Labeler** - Target Corporation (006961700)

Revised: 6/2017

Target Corporation