

**BETADINE- povidone-iodine spray**  
**Atlantis Consumer Healthcare, Inc.**

-----  
**BETADINE® Spray**  
**5% Povidone-iodine**

***Drug Facts***

***Active ingredients***

Povidone-iodine, 5%(0.5% available iodine)

***Purpose***

First aid Antiseptic

***Uses***

First aid to help prevent infection in minor

- cuts
- scrapes
- burns

***Warnings***

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- If you are allergic to povidone-iodine or any other ingredients in this preparation

**Ask a doctor before use if you have**

- deep or puncture wounds
- serious burns
- animal bites

**Stop use and ask a doctor if**

- the condition persists or gets worse
- you need to use this product for more than 1 week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- spray a small amount of the product on the area 1 to 3 times a daily
- may be covered with sterile bandage
- if bandaged, let dry first

**Other information**

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) Do Not Freeze

**Inactive ingredients**

citric acid, disodium phosphate, glycerin, poloxamer 407, potassium iodate, purified water, sodium hydroxide

Dist. by: **Avrio Health L.P. Stamford, CT 06901-3431**

Betadine 3oz Spray  
NDC: 67618-160-03

**NEW LOOK!** HOSPITAL TRUSTED SINCE 1955

**BETADINE**  
ANTISEPTIC  
5% POVIDONE-IODINE

**First Aid Antiseptic Spray**

- ✓ Ideal for Minor Cuts, Wounds, Scrapes & Burns
- ✓ Kills 99.9% of Germs\* To Prevent Infection
- ✓ Works in Seconds†
- ✓ No Stinging or Burning

3 fl.oz (88.7 mL)

**Drug Facts**

**Active ingredient** Povidone-iodine, 5% (0.5% available iodine).....First aid antiseptic

**Purpose** First aid antiseptic

**Uses** first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns

**Warnings For external use only**  
Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation

**Ask a doctor before use if you have** ■ deep or puncture wounds ■ serious burns ■ animal bites

**Stop use and ask a doctor if** ■ the condition persists or gets worse ■ you need to use this product for more than 1 week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions** ■ clean the affected area ■ spray a small amount of product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

**Other information** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) Do Not Freeze

**Inactive ingredients** citric acid, disodium phosphate, glycerin, poloxamer 407, potassium iodate, purified water, sodium hydroxide

**Questions?** 1-833-288-2684

Helps protect against skin infection

Golden brown color indicates area treated

Visit [www.Betadine.com](http://www.Betadine.com) for more information.

\*commonly associated with skin infections. †based on in vitro lab data.

Dist. by: Atlantis Consumer Healthcare Inc. Bridgewater, NJ 08807 USA

©2023 Atlantis Consumer Healthcare Inc. Betadine is a registered trademark of Atlantis Consumer Healthcare Inc.

LOT/EXP UNVARNISHED

67618 16003 9

**BETADINE**

povidone-iodine spray

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:67618-160 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| <b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | IODINE            | 5 mg in 1 mL |

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)                |          |
| <b>SODIUM PHOSPHATE, DIBASIC, MONOHYDRATE</b> (UNII: BWZ7K44R51) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                               |          |
| <b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)                          |          |
| <b>POTASSIUM IODATE</b> (UNII: I139E44NHL)                       |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                  |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)                       |          |

**Packaging**

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:67618-160-03 | 89 mL in 1 BOTTLE; Type 0: Not a Combination Product | 04/15/1992           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003                                     | 04/15/1992           |                    |

**Labeler** - Atlantis Consumer Healthcare, Inc. (118983925)**Registrant** - Atlantis Consumer Healthcare, Inc. (118983925)

Revised: 12/2023

Atlantis Consumer Healthcare, Inc.