

DAIRY - GRAIN - NIGHTSHADES - cow milk, skim milk, cow milk fat, casein lactococcus lactis cultured aged, casein lactococcus lactis cultured penicillium roqueforti cultured aged, casein lactococcus lactis cultured penicillium camemberti cultured aged, barley, corn, wheat gluten, oat, white rice, rye, wheat, lycopersicum esculentum, sac. lac., solanum tuberosum, torula cerevisiae, ustilago maidis, antimon. crud., arg. nit., arsenicum alb., baptisia, bryonia, carduus benedictus, cinchona, gelsemium, ipecac., lachesis, lycopodium pellet

Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Dairy - Grain - Nights hades

INDICATIONS & USAGE SECTION

Formulated for symptoms associated with sensitivity and intolerance to dairy, grain and nightshade foods.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

OTC - ACTIVE INGREDIENT SECTION

Allersodes 60x, Allersodes 15x , Lycopersicum 15x, Sac. lac. 15x, Solanum tub. 15x, Torula cerevisiae 15x, Ustilago maidis 15x, Antimon. crud. 10x, Arg. nit. 10x, Arsenicum alb. 10x, Baptisia 10x, Bryonia 10x, Carduus ben. 10x, Cinchona 10x, Gelsemium 10x, Ipecac. 10x, Lachesis 10x, Lycopodium 10x, Nat. mur. 10x, Phos. 10x, Podoph. pelt.10x, Pulsatilla 10x, Rhus tox. 10x, Sepia 10x, Triticum 10x, Verbascum 10x, Iris vers. 3x, Solidago 3x.

OTC - PURPOSE SECTION

Formulated for symptoms associated with sensitivity and intolerance to dairy, grain and nightshade foods.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Keep our of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.



OTC - PREGNANCY OR BREAST FEEDING SECTION

If pregnant or breast-feeding, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL.



DAIRY - GRAIN - NIGHTSHADES

cow milk, skim milk, cow milk fat, casein lactococcus lactis cultured aged, casein lactococcus lactis cultured penicilium roqueforti cultured aged, casein lactococcus lactis cultured penicillium camemberti cultured aged, barley, corn, wheat gluten, oat, white rice, rye, wheat, lycopersicum esculentum, sac. lac., solanum tuberosum, torula cerevisiae, ustilago maidis, antimon. crud., arg.nit., arsenicum alb., baptisia, bryonia, carduus benedictus, cinchona, gelsemium, ipecac., lachesis, lycopodium pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2313
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cow Milk (UNII: 917J3173FT) (Cow Milk - UNII:917J3173FT)	Cow Milk	60 [hp_X] in 1 g

Skim Milk (UNII: 6A001Y4M5A) (Skim Milk - UNII:6A001Y4M5A)	Skim Milk	60 [hp_X] in 1 g
Cow Milk Fat (UNII: 463JZS0XJ3) (Cow Milk Fat - UNII:463JZS0XJ3)	Cow Milk Fat	60 [hp_X] in 1 g
Casein, Lactococcus Lactis Cultured, Aged (UNII: CJP9NL7JSJ) (Casein, Lactococcus Lactis Cultured, Aged - UNII:CJP9NL7JSJ)	Casein, Lactococcus Lactis Cultured, Aged	60 [hp_X] in 1 g
Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged (UNII: IYI0G2057S) (Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged - UNII:IYI0G2057S)	Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged	60 [hp_X] in 1 g
Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged (UNII: G44KTI7KIS) (Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged - UNII:G44KTI7KIS)	Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged	60 [hp_X] in 1 g
Barley (UNII: 5PWM7YLI7R) (Barley - UNII:5PWM7YLI7R)	Barley	60 [hp_X] in 1 g
Corn (UNII: 0N8672707O) (Corn - UNII:0N8672707O)	Corn	60 [hp_X] in 1 g
Wheat Gluten (UNII: 1534K8653J) (Wheat Gluten - UNII:1534K8653J)	Wheat Gluten	60 [hp_X] in 1 g
Oat (UNII: Z6J799EAJK) (Oat - UNII:Z6J799EAJK)	Oat	60 [hp_X] in 1 g
White Rice (UNII: A195V20H7A) (White Rice - UNII:A195V20H7A)	White Rice	60 [hp_X] in 1 g
Rye (UNII: 0R4AQI398X) (Rye - UNII:0R4AQI398X)	Rye	60 [hp_X] in 1 g
Wheat (UNII: 4J2I0SN84Y) (Wheat - UNII:4J2I0SN84Y)	Wheat	60 [hp_X] in 1 g
Atropa Belladonna (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	15 [hp_X] in 1 g
Capsicum (UNII: 00UK7646FG) (Capsicum - UNII:00UK7646FG)	Capsicum	15 [hp_X] in 1 g
Solanum Dulcamara Top (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	15 [hp_X] in 1 g
Hyoscyamus Niger (UNII: 4WRK2153H3) (Hyoscyamus Niger - UNII:4WRK2153H3)	Hyoscyamus Niger	15 [hp_X] in 1 g
Solanum Nigrum Whole (UNII: 0FMD6WV47M) (Solanum Nigrum Whole - UNII:0FMD6WV47M)	Solanum Nigrum Whole	15 [hp_X] in 1 g
Datura Stramonium (UNII: G6W4F0V8Z3) (Datura Stramonium - UNII:G6W4F0V8Z3)	Datura Stramonium	15 [hp_X] in 1 g
Tobacco Leaf (UNII: 6YR2608RSU) (Tobacco Leaf - UNII:6YR2608RSU)	Tobacco Leaf	15 [hp_X] in 1 g
Solanum Lycopersicum (UNII: 0243Q4990L) (Solanum Lycopersicum - UNII:0243Q4990L)	Solanum Lycopersicum	15 [hp_X] in 1 g
Lactose (UNII: J2B2A4N98G) (Anhydrous Lactose - UNII:3SY5LH9PMK)	Lactose	15 [hp_X] in 1 g
Solanum Tuberosum (UNII: 2A8I57T4MX) (Solanum Tuberosum - UNII:2A8I57T4MX)	Solanum Tuberosum	15 [hp_X] in 1 g
Saccharomyces Cerevisiae (UNII: 978D8U419H) (Saccharomyces Cerevisiae - UNII:978D8U419H)	Saccharomyces Cerevisiae	15 [hp_X] in 1 g
Ustilago Maydis (UNII: 4K7Z7K7SWG) (Ustilago Maydis - UNII:4K7Z7K7SWG)	Ustilago Maydis	15 [hp_X] in 1 g
Antimony Trisulfide (UNII: F79059A38U) (Antimony Cation (3+) - UNII:069647RPT5)	Antimony Trisulfide	10 [hp_X] in 1 g
Silver Nitrate (UNII: 95IT3W8JZE) (Silver Cation - UNII:57N7B0K90A)	Silver Nitrate	10 [hp_X] in 1 g
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	10 [hp_X] in 1 g
Baptisia Tinctoria Root (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	10 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	10 [hp_X] in 1 g

Centaurea Benedicta (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795)	Centaurea Benedicta	10 [hp_X] in 1 g
Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	10 [hp_X] in 1 g
Gelsemium Sempervirens Root (UNII: 639KR60Q1Q) (Gelsemium Sempervirens Root - UNII:639KR60Q1Q)	Gelsemium Sempervirens Root	10 [hp_X] in 1 g
Ipecac (UNII: 62I3C8233L) (Ipecac - UNII:62I3C8233L)	Ipecac	10 [hp_X] in 1 g
Lachesis Muta Venom (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	10 [hp_X] in 1 g
Sodium Chloride (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698)	Sodium Chloride	10 [hp_X] in 1 g
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	10 [hp_X] in 1 g
Podophyllum (UNII: 2S713A4VP3) (Podophyllum - UNII:2S713A4VP3)	Podophyllum	10 [hp_X] in 1 g
Pulsatilla Vulgaris (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	10 [hp_X] in 1 g
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	10 [hp_X] in 1 g
Sepia Officinalis Juice (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	10 [hp_X] in 1 g
Elymus Repens Root (UNII: 3IXW0F6P8W) (Elymus Repens Root - UNII:3IXW0F6P8W)	Elymus Repens Root	10 [hp_X] in 1 g
Verbascum Thapsus (UNII: C9TD27U172) (Verbascum Thapsus - UNII:C9TD27U172)	Verbascum Thapsus	10 [hp_X] in 1 g
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	3 [hp_X] in 1 g
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	3 [hp_X] in 1 g
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	10 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Packag e Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2313-1	28 g in 1 BOTTLE, GLASS		
2	NDC:55714-2313-2	57 g in 1 BOTTLE, GLASS		
3	NDC:55714-2313-0	7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-2313)

Revised: 3/2011

Newton Laboratories, Inc.