

**COLD AND FLU HBP- acetaminophen, chlorpheniramine maleate tablet, film coated**  
**WALMART INC.**

-----  
**Equate 44-692**

***Active ingredients (in each tablet)***

Acetaminophen 325 mg  
Chlorpheniramine maleate 2 mg

***Purpose***

Pain reliever/fever reducer  
Antihistamine

***Uses***

- temporarily relieves:
  - headache
  - sneezing
  - runny nose
  - minor aches and pains
  - sore throat
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleepy

**Ask a doctor before use if the user has**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if the user is**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

**When using this product**

- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days (children 6 to under 12 years) or 10 days (adults)
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**

adults and children 12 years and over	2 tablets every 4 to 6 hours; do not take more than 12 tablets in 24 hours
children 6 to under 12	1 tablet every 4 to 6 hours; do not take more than 5

years	tablets in 24 hours
children under 6 years	do not use unless directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-888-287-1915**

### ***Principal display panel***

***equate***<sup>™</sup>

NDC 79903-120-09

Compare to  
Coricidin® HBP  
Cold & Flu  
active  
ingredients\*

DECONGESTANT-FREE

### **Cold & Flu HBP**

**Acetaminophen** - Pain reliever/Fever reducer  
Chlorpheniramine maleate - Antihistamine

### **FOR PEOPLE WITH HIGH BLOOD PRESSURE**

Relieves:

- Runny nose
- Sneezing
- Body aches & pains
- Fever, sore throat

Actual Size

**20  
TABLETS**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Satisfaction guaranteed – For questions or comments please call **1-888-287-1915**.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coricidin® HBP Cold & Flu.  
50844 REV1020A69209

**Drug Facts** KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Chlorpheniramine maleate 2 mg	Antihistamine

**Drug Facts (continued)**

**Uses**

- temporarily relieves:
  - headache
  - sneezing
  - runny nose
  - minor aches and pains
  - sore throat
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleepy

**Ask a doctor before use if the user has**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if the user is**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

**When using this product**

- alcohol, sedatives, and tranquilizers may increase drowsiness

**Directions**

**do not take more than directed**

adults and children 12 years and over	2 tablets every 4 to 6 hours; do not take more than 12 tablets in 24 hours
children 6 to under 12 years	1 tablet every 4 to 6 hours; do not take more than 5 tablets in 24 hours
children under 6 years	do not use unless directed by a doctor


**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts (continued)**

see end flap for expiration date and lot number

NDC 79903-120-09



Compare to Coricidin® HBP Cold & Flu active ingredients\*

**DECONGESTANT-FREE**


## Cold & Flu HBP

Acetaminophen - Pain reliever/Fever reducer  
Chlorpheniramine maleate - Antihistamine

**FOR PEOPLE WITH HIGH BLOOD PRESSURE**

Relieves:

- Runny nose
- Sneezing
- Body aches & pains
- Fever, sore throat



Actual Size

**20**  
TABLETS

8-2203-692-09  
REV1020A69209

No Print/No Varnish Lot & EXP

**Equate 44-692**

## COLD AND FLU HBP

acetaminophen, chlorpheniramine maleate tablet, film coated

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:79903-120

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	19mm
Flavor		Imprint Code	44;692
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-120-09	2 in 1 CARTON	04/14/2022	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/14/2022	

**Labeler** - WALMART INC. (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(79903-120) , pack(79903-120)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(79903-120)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(79903-120)

Revised: 6/2024

WALMART INC.