# ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release WALGREEN CO.

\_\_\_\_\_

#### Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg\*

#### Drug Facts

Active ingredient (in each capsule)

\*Esomeprazole 20 mg (Each delayed-release capsule corresponds to 21.75 mg esomeprazole magnesium dihydrate USP)

#### Purpose

Acid reducer

#### Uses

- treats frequent heartburn (occurs **<u>2 or more</u>** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

#### Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

#### Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain.

These may be signs of a serious condition. See your doctor.

#### Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

#### Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

#### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

#### 14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

#### Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- Meets USP dissolution test 2

#### Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

#### **Questions or comments?**

call **1-855-274-4122** (Monday – Friday 8:30 AM to 5:00 PM EST)

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

#### MADE IN INDIA

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsules Container Label)

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT Walgreens

NDC 0363-0508-05

### 

Esomeprazole Magnesium DELAYED-RELEASE CAPSULES USP 20 mg\* CAPSULES 24 HOUR •Treats frequent heartburn 14 CAPSULES ONE 14-DAY COURSE OF TREATMENT



#### Warnings

LM-4646 P1428681

Allergy alert: Do not use if you are allergic to esomeprazole. Do not use if you have: = trouble or pain swallowing food, vomiting with blood, or bloody or black stools = heartburn with lightheadedness, sweating or dizziness = chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness = frequent chest pain. These may be signs of a serious condition. See your doctor, Ask a doctor before use if you have = had heartburn over 3 months. This may be a sign of a more serious condition. = frequent wheezing, particularly with heartburn = unexplained weight loss = nause ar or woniting = stomach pain. Ask a doctor or pharmacist before use if you are = taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if = your heartburn continues or worsens = you need to take this product for more than 14 days = you need to take more than 1 course of treatment every 4 months = you get diarrhea = you develop a rash or joint pain. If pregnant or breast-leeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1=800-222-1222) Directions = adults 18 years of age and older = this product is to be used once a day (every 24 hours), every day for 14 days = may take 1 to 4 days for full effect. 14-Day Course of Treatment = swallow 1

capsule with a glass of water before eating in the morning = take every day for 14 days = do not take more than 1 capsule a day = swallow whole. Do not crush or chew capsules. = do not use for more than 14 days unless directed by your doctor. Repeated 14-Day Courses (if needed) = you may repeat a 14-day course every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often than every 4 months = do not take for more than 14 days or more often take more than 14 days or more disclosed by a serious condition. Other information = read the directions and warnings before use = keep the carton. It contains important information. = store at 20-25°C (68-77°F) = Meets USP disclution test 2. Inactive ingredients colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid

LM-4646 P1428681

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsules Container Carton)

Walgreens


Compare to Nexiumr<sup>®</sup> 24HR active ingredient NDC 0363-0508-05

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

ACID REDUCER **Esomeprazole Magnesium** DELAYED-RELEASE CAPSULES USP 20 mg\* CAPSULES 24 HOUR •Treats frequent heartburn

#### 14 CAPSULES ONE 14-DAY COURSE OF TREATMENT

#### ACTUAL SIZE SEE NEW WARNING INFORMATION



### PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (28 Capsules Container Carton)

Walgreens 24HR Compare to Nexium<sup>®</sup>

active ingredient

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

0363-0508-08 ACID REDUCER Esomeprazole Magnesium DELAYED-RELEASE CAPSULES USP 20 mg\* CAPSULES 24 HOUR \*Treats frequent heartburn 28 CAPSULES TWO 14-DAY COURSE OF TREATMENT

ACTUAL SIZE SEE NEW WARNING INFORMATION

NDC



## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (42 Capsules Container Carton)

Walgreens

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

#### 0363-0508-10

ACID REDUCER **Esomeprazole Magnesium** DELAYED-RELEASE CAPSULES USP 20 mg\* CAPSULES 24 HOUR •Treats frequent heartburn 42 CAPSULES THREE 14-DAY COURSES OF TREATMENT Compare to Nexium<sup>®</sup> 24HR active ingredient

#### NDC

ACTUAL SIZE SEE NEW WARNING INFORMATION



ESOMEPRAZOLE MA	GNESIUM				
esomeprazole magnesium ca	apsule, delayed release	2			
Product Information					
Product Type	HUMAN OTC DRUG Item Code (Source) NDC:0363-05			8-0508	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
In	gredient Name		Basis Stren		Strength
ESOMEPRAZOLE MAGNESIUM D UNII:N3PA6559FT)	IHYDRATE (UNII: 36H71644	EQ) (ESOMEPRAZOLE -	ESOMEPRA	AZOLE	20 mg
Inactive Ingredients					
	Ingredient Name				
	ingreatent name			9	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XE		•		S	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XE FD&C BLUE NO. 1 (UNII: H3R47K3	3U4)			5	Strength
	BU4) BTBD)	3		5	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3	8U4) 8TBD) 86QN327L)				Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G	BU4) BTBD) B86QN327L) JNSPECIFIED (UNII: 9XZ8F			2	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U	3U4) 3TBD) 386QN327L) JNSPECIFIED (UNII: 9XZ8H (UNII: 3NXW29V3WO)			2	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U HYPROMELLOSE, UNSPECIFIED	3U4) 8TBD) 86QN327L) JNSPECIFIED (UNII: 9XZ8F (UNII: 3NXW29V3WO) 0E53J927NA)				Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U HYPROMELLOSE, UNSPECIFIED MAGNESIUM CARBONATE (UNII:	3U4) 3TBD) 386QN327L) JNSPECIFIED (UNII: 9XZ8H (UNII: 3NXW29V3WO) 0E53J927NA) GI71G)	16N6OH)			Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U HYPROMELLOSE, UNSPECIFIED MAGNESIUM CARBONATE (UNII: MAGNESIUM OXIDE (UNII: 3A3U00	3U4) 3TBD) 36QN327L) JNSPECIFIED (UNII: 9XZ8F (UNII: 3NXW29V3WO) 0E53J927NA) GI71G) ACRYLATE COPOLYMER	16N6OH)			Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U HYPROMELLOSE, UNSPECIFIED MAGNESIUM CARBONATE (UNII: MAGNESIUM OXIDE (UNII: 3A3U00 METHACRYLIC ACID AND ETHYL	3U4) 3TBD) 386QN327L) JNSPECIFIED (UNII: 9XZ8H (UNII: 3NXW29V3WO) 0E53J927NA) GI71G) ACRYLATE COPOLYMER II: 230OU9XXE4)	16N6OH)			Strength
FD&C BLUE NO. 1 (UNII: H3R47K3 GELATIN, UNSPECIFIED (UNII: 2G HYDROXYPROPYL CELLULOSE, U HYPROMELLOSE, UNSPECIFIED MAGNESIUM CARBONATE (UNII: MAGNESIUM OXIDE (UNII: 3A3U00 METHACRYLIC ACID AND ETHYL GLYCERYL MONOSTEARATE (UN	3U4) 3TBD) 36QN327L) JNSPECIFIED (UNII: 9XZ8H (UNII: 3NXW29V3WO) 0E53J927NA) GI71G) ACRYLATE COPOLYMER II: 230OU9XXE4) ZG8H)	16N6OH)			Strength

SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
AMMONIA (UNII: 5138Q19F1X)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ 35W2)	
STARCH, CORN (UNII: 08232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

Product Characteristics				
Color	WHITE	Score	no score	
Shape	CAPSULE	Size	14mm	
Flavor		Imprint Code	181	
Contains				

_			-			
Р	a	C	k a	ag	In	
	u	Ľ	N	49		9

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-0508- 05	1 in 1 CARTON	10/16/2017		
1		14 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:0363-0508- 08	2 in 1 CARTON	10/16/2017		
2		14 in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:0363-0508- 10	3 in 1 CARTON 10/16/2017			
3		14 in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information					
	Marketing	Application Number or Monograph	Marketing Start	Marketing End	

Category	Citation	Date	Date
ANDA	ANDA209339	10/16/2017	

Labeler - WALGREEN CO. (008965063)

Registrant - Aurohealth LLC (078728447)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Aurobindo Pharma Limited		650381903	ANALYSIS(0363-0508), MANUFACTURE(0363-0508)	