

OXYGEN - oxygen gas
Manilaq Association

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PRINCIPAL DISPLAY PANEL

MANILAQ HEALTH CENTER

USP 93% OXYGEN

H-01

50789-436-01 OXYGEN H CYLINDER 6900 LITER

OXYGEN 93%

U.S.P.

OXYGEN

2

Net Contents:

Oxygen (O₂): 93% ± 3%

Nitrogen (N₂): 4% ± 2%

Argon (Ar): 3% ± 1.5%

Carbon Dioxide (CO₂): <300 ppm

Carbon Monoxide (CO): <10 ppm

**WARNING: HIGH PRESSURE
OXIDIZING GAS. VIGOROUSLY
ACCELERATES COMBUSTION.**

Keep oil and grease away.

No smoking in cylinder area.

Open and Close valves slowly.

Secure cylinder in storage and use.

Close valve after each use and when empty.

Store and use with adequate ventilation.

Use a backflow preventative device in the piping.

Cylinder temperature should not exceed 52° C (125° F).

Use in accordance with Material Safety Data Sheet (MSDS).

Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

**WARNING: Federal Law prohibits filling this cylinder with Oxygen USP.
This cylinder may only be filled on the CFP oxygen generator system.**

**For emergency use only when administered by properly trained
personnel for oxygen deficiency and resuscitation. For all other
medical applications, Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood may be harmful

Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Use only with pressure reducing equipment and apparatus designed for oxygen.
Return with at least 25 PSIG pressure.

DO NOT REMOVE THIS PRODUCT LABEL

**MANILAQ HEALTH CENTER
 USP 93% OXYGEN
 H-01
 50789-436-01 OXYGEN H CYLINDER 6900 LITER**

**OXYGEN 93%
 U.S.P.**



Net Contents:

Oxygen (O₂): 93% ± 3%
 Nitrogen (N₂): 4% ± 2%
 Argon (Ar): 3% ± 1.5%
 Carbon Dioxide (CO₂): <300 ppm
 Carbon Monoxide (CO): <10 ppm

**WARNING: HIGH PRESSURE
 OXIDIZING GAS. VIGOROUSLY
 ACCELERATES COMBUSTION.**

Keep oil and grease away.
 No smoking in cylinder area.
 Open and Close valves slowly.
 Secure cylinder in storage and use.
 Close valve after each use and when empty.
 Store and use with adequate ventilation.
 Use a backflow preventative device in the piping.
 Cylinder temperature should not exceed 52° C (125° F).
 Use in accordance with Material Safety Data Sheet (MSDS).
 Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

**WARNING: Federal Law prohibits filling this cylinder with Oxygen USP.
 This cylinder may only be filled on the CFP oxygen generator system.**

**For emergency use only when administered by properly trained
 personnel for oxygen deficiency and resuscitation. For all other
 medical applications, Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without
 monitoring its effect on oxygen content of arterial blood may be harmful

Do not attempt to use on patients who have stopped breathing unless used in
 conjunction with resuscitative equipment.

Use only with pressure reducing equipment and apparatus designed for oxygen.
 Return with at least 25 PSIG pressure.

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50789-436
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	930 mL in 1 L

Inactive Ingredients

Ingredient Name	Strength
Nitrogen (UNII: N762921K75)	
Argon (UNII: 67XQY1V3KH)	
Carbon Dioxide (UNII: 142M471B3J)	
Carbon Monoxide (UNII: 7U1EE4V452)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50789-436-01	6900 L in 1 CYLINDER		
2	NDC:50789-436-02	660 L in 1 CYLINDER		
3	NDC:50789-436-03	400 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2012	

Labeler - Maniilaq Association (081923526)

Establishment

Name	Address	ID/FEI	Business Operations
Maniilaq Association		081923526	MANUFACTURE

Revised: 6/2012

Maniilaq Association