DIPHENHYDRAMINE HCL- diphenhydramine hcl solution A-S Medication Solutions

Major 44-015-DSP

Active ingredient (in each teaspoonful (5 mL))

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- do not take more than 6 doses in 24 hours
- mL = milliliter
- find right dose on chart below
- take every 4 to 6 hours, or as directed by a doctor

Age	Dose
adults and children	2 - 4 teaspoonsful (25
12 years and over	mg to 50 mg)
children 6 to 11 years	1 - 2 teaspoonsful
crillaren o to 11 years	(12.5 mg to 25 mg)
shildren 2 to E vests	do not use unless
children 2 to 5 years	directed by a doctor
children under 2 years	do not use

Other information

- each teaspoonful (5 mL) contains: sodium 4 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucrose

Questions or comments?

1-800-426-9391

HOW SUPPLIED

Product: 50090-6541

NDC: 50090-6541-0 118 mL in a BOTTLE, PLASTIC

DIPHENHYDRAMINE HCL solution



DIPHENHYDRAMINE HCL

diphenhydramine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50090-6541(NDC:0904-6985)

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) DIPHENHYDRAMINE | 12.5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)		
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090- 6541-0	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/03/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/27/2019	

Labeler - A-S Medication Solutions (830016429)

Establishment				
Name	Address	ID/FEI	Business Operations	
A-S Medication Solutions		830016429	RELABEL(50090-6541)	

Revised: 1/2024 A-S Medication Solutions