

**WALGREENS 100 SHEER BROAD SPECTRUM SPF 100- avobenzone,
homosalate, octisalate, octocrylene lotion
WALGREEN COMPANY**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

WALGREENS 100 SHEER LOTION BROAD SPECTRUM SPF 100

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

Water, Tridecyl salicylate , Butyloctyl Salicylate , Cyclopentasiloxane, Isodecyl Neopentanoate, Silica, Diisopropyl Sebacate, Lauryl Lactate, Glyceryl Stearate, PEG-100 Stearate, Acrylates/Dimethicone Copolymer, Arachidyl Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Cetearyl Glucoside, Cetearyl Alcohol, Caprylyl Glycol, cetearyl Olivat, Sorbitan Olivat, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Phenoxyethanol, Fragrance, Tocopherol, Dipotassium Glycyrrhizate, Hexylene Glycol, Triethanolamine, Disodium EDTA.

Label

Walgreens

Compare to the active ingredients in
Neutrogena® Ultra Dry Sheer Touch™



100 Sheer Lotion

BROAD SPECTRUM SPF 100
SUNSCREEN UVA/UVB

Lightweight

No oily feel

- Dermatologist tested
- Water resistant (80 minutes)
- Octinoxate & Oxybenzone free



3.4 FL OZ (100 mL)

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 5.0%, Octocrylene 10.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, triethyl salicylate, butyloctyl salicylate, cyclopentasiloxane, isodecyl neopentanoate, silica, diisopropyl sebacate, lauryl lactate, glyceryl stearate, PEG-100 stearate, acrylates/dimethicone copolymer, arachidyl alcohol, behenyl alcohol, arachidyl glucoside, cetearyl glucoside, cetearyl alcohol, caprylyl glycol, cetearyl olivate, sorbitan olivate, acrylates/C10-30 alkyl acrylate crosspolymer, phenoxyethanol, fragrance, tocopherol, dipotassium glycyrrhizate, hexylene glycol, triethanolamine, disodium EDTA

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

^{††}This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademarks Neutrogena® and Neutrogena Ultra Sheer®.

*No parabens separately added to preserve this product.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.



W3ORG0122-F / REV-0822



ITEM 471530 W12095-1122-0



Walgreens



110 Age Protection

FOR FACE

BROAD SPECTRUM SPF 110
SUNSCREEN UVA/UVB

No Oily Feel

Dries Clear

- Won't clog pores
- Water resistant (80 minutes)

3.4 FL OZ (100 mL)

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 5.0%, Octocrylene 10.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients water, triethyl salicylate, butyloctyl salicylate, cyclopentasiloxane, isodecyl neopentanoate, silica, diisopropyl sebacate, lauryl lactate, glyceryl stearate, PEG-100 stearate, acrylates/dimethicone copolymer, arachidyl alcohol, behenyl alcohol, arachidyl glucoside, cetearyl glucoside, cetearyl alcohol, caprylyl glycol, cetearyl olivate, sorbitan olivate, acrylates/C10-30 alkyl acrylate crosspolymer, phenoxyethanol, fragrance, tocopherol, dipotassium glycyrrhizate, hexylene glycol, triethanolamine, disodium EDTA

*Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.



W3ORG0122-F
REV-0822

Walgreens



110 Age Protection

FOR FACE

BROAD SPECTRUM SPF 110
SUNSCREEN UVA/UVB

No Oily Feel

Dries Clear

- Won't clog pores
- Water resistant (80 minutes)

3.4 FL OZ (100 mL)

Walgreens Age Protection Face Lotion provides broad spectrum UVA/UVB sun protection with this lightweight hydrating lotion that won't clog pores as it protects and moisturizes skin. This formula absorbs quickly, with no oily feeling and leaves skin feeling fresh.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: Ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients water, triethyl salicylate, butylcetyl salicylate, cyclopentasiloxane, isodecyl neopentanoate, silica, diisopropyl sebacate, lauryl lactate, glyceryl stearate, PEG-100 stearate, acrylates/dimethicone copolymer, arachidyl alcohol, behenyl alcohol, arachidyl glucoside, cetearyl glucoside, cetearyl alcohol, caprylyl glycol, cetearyl olivate, sorbitan olivate, acrylates/C10-30 alkyl acrylate crosspolymer, phenoxethanol, fragrance, tocopherol, dipotassium glycyrrhizate, hexylene glycol, triethanolamine, disodium EDTA



*Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2021 Walgreen Co.

Save this carton for complete product information.



WALGREENS 100 SHEER BROAD SPECTRUM SPF 100

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0228	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	30 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	150 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	100 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	50 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35JOOJ)				
DOCOSANOL (UNII: 9G1OE216XY)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)				
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
PEG-100 STEARATE (UNII: YD01N1999R)				
WATER (UNII: 059QF0KO0R)				
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)				
TROLAMINE (UNII: 9O3K93S3TK)				
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)				
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)				
CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)				
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)				
CETEARYL OLIVATE (UNII: 58B69Q84JO)				
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)				
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)				
HEXYLENE GLYCOL (UNII: KEH0A3F75J)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
SORBITAN OLIVATE (UNII: MDL271E3GR)				
LAURYL LACTATE (UNII: G5SU0BFK7O)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0228-	100 mL in 1 TUBE; Type 0: Not a Combination	05/06/2022	

66	Product	05/06/2022	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	05/06/2022	

Labeler - WALGREEN COMPANY (008965063)

Revised: 4/2023

WALGREEN COMPANY