BHI MUCUS- antimony potassium tartrate, atropa belladonna, bryonia alba root, anemone americana, hyos cyamus niger, ipecac, lobelia inflata, human sputum, bordetella pertussis infected, and lobaria pulmonaria tablet

Heel Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

BHI Mucus

KEEP OUT OF REACH OF CHILREN

Keep out of reach of children

INDICATIONS AND USAGE

Relieves:

- Chest Congestion
- Mucus Build-up
- Cough

WARNINGS

Warnings: If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Ask a doctor if you have a cough that occurs with too much phlegm (mucus) or a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema. **Stop and ask a doctor** if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. **Do not use** if known sensitivity to Mucus Relief or any of its ingredients exists.

DOSAGE

Directions: At first sign of symptoms: Adults and children 4 years and older: 1 tablet every 1/2 to 1 hour until symptoms lessen, then continue with standard dosage. Do not exceed 12 tablets in 24 hours.

Standard dos age: Adults and children 4 years and older: 3 tablets per day, taking 1 tablet every 4 to 6 hours.

For children under 4, consult your healthcare provider.

Allow tablets to dissolve completely in the mouth, do not swallow.

ACTIVE INGREDIENTS

Active Ingredients: Each tablet contains Antimonium tartaricum 5X, *Belladonna 6X, *Bryonia alba 6X, *Hepatica triloba 6X, *Hyoscyamus niger 5X, *Ipecacuanha 6X, *Lobelia inflata 4X, *Pertussinum 30X, *Sticta pulmonaria 5X 33.3 mg each.

*Natural ingredients

INACTIVE INGREDIENTS

Inactive Ingredients: Lactose, Magnesium stearate

PURPOSE

Uses: For the temporary relief of minor chest congestion and cough due to mucus build-up

Call weekdays 9am - 4pm MST 1.800.920.9203

Made and

Distributed by:

Albuquerque, NM 87123

Active Ingredients: Each tablet contains Antimonium tartaricum 5X, "Belladonna 6X, "Bryonia alba 6X, "Hepatica triloba 6X, "Hyoscyamus niger 5X, "Ipecacuanha 6X, "Lobella inflata 4X, "Pertussinum 30X, "Sticta pulmonaria 5X 33.3 mg each.

Inactive Ingredients: Lactose, Magnesium "Natural Incredients

Tamper Evident: Use this product only if imprinted shrink seal around neck and cap is intact.

Store tightly closed at room temperature. Protect from light and moisture.

X is a homeopathic dilution. For more Information, see www.HeelUSA.com

These statements have not been reviewed by the Food and Drug Administration. They are supported by traditional homeo-pathic principles.



100 Tablets

Uses: For the temporary relief of minor chest congestion and cough due to mucus build-up

cough due to mucus build-up.

Directions: At first sign of symptoms: Adults and children
4 years and older: 1 tablet every 1/2 to 1 hour until symptoms
lessen; then continue with standard dosage. Do not exceed 12
tablets in 24 hours. Standard dosage: Adults and children 4
years and older: 3 tablets per day, taking 1 tablet every 4 to 6
hours. For children under 4, consult your healthcare provider. Allow tablets to dissolve completely in the mouth, do not swallow.

not swallow.

Warnings: If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Ask a doctor if you have a cough that occurs with too much philegin (nucus) or a cough that lasts or is chronic such as occurs with smoking, astimia, chronic bronchins, or emphysema. Stop and ask, a doctor if cough lasts for more than 7 days, comes back, or is accompanied by lavet, rish or persistent healtache. These could be signs of a serious condition. Do not use if known sensitivity to Mucus Relief or any of its ingredients exists. Lot#



BHI MUCUS

antimony potassium tartrate, atropa belladonna, bryonia alba root, anemone americana, hyoscyamus niger, ipecac, lobelia inflata, human sputum, bordetella pertussis infected, and lobaria pulmonaria tablet

Cough

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50114-6922
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	5 [hp_X]		
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_X]		
BRYONIA ALBA ROOT (UNII: T7J046 YI2B) (BRYONIA ALBA ROOT - UNII:T7J046 YI2B)	BRYONIA ALBA ROOT	6 [hp_X]		
ANEMO NE AMERICANA (UNII: 6 ICN6 T7FEM) (ANEMO NE AMERICANA - UNII: 6 ICN6 T7FEM)	ANEMONE AMERICANA	6 [hp_X]		
HYOSCYAMUS NIGER (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)	HYOSCYAMUS NIGER	5 [hp_X]		
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	6 [hp_X]		
LOBELIA INFLATA (UNII: 9 PP1T3TC5U) (LOBELIA INFLATA - UNII:9 PP1T3TC5U)	LOBELIA INFLATA	4 [hp_X]		
HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)	HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED	30 [hp_X]		
LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	5 [hp_X]		

Inactive Ingredients	
Ingredient Name	Strength

LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	9mm	
Flavor		Imprint Code	BHI;O;M	
Contains				

]	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	1 NDC:50114-6922-2 100 in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		0 1/3 1/19 9 3	

Labeler - Heel Inc (102783016)

Establishment			
Name	Address	ID/FEI	Business Operations
Heel Inc		102783016	manufacture (50 114-6 9 22)

Revised: 4/2014 Heel Inc