

**STOPAIN EXTRA STRENGTH GEL- menthol gel**  
**Troy Manufacturing, Inc.**

-----  
**Stopain Extra Strength Gel**

***Drug Facts***

***Active Ingredient***

Menthol 8.0%

***Purpose***

Topical Analgesic

***Uses***

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache • arthritis • strains • bruises • sprains

***Warnings***

Avoid contact with eyes. **For external use only.**

**Flammable: Keep away from fire or flame.**

**When using this product**

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

**Stop use and ask a doctor if**

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

apply directly onto affected area without the need to bandage **Adults and children over 12 years:** •

- repeat if necessary, but do not apply more than 4 times daily.

ask a doctor. **Children 12 years or younger:**

***Other Information***

- Store at room temperature

***Inactive Ingredients***

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

**Package Labeling:**

**Fast Acting • Long Lasting**

**Drug Facts**

**Active Ingredient** *Purpose*  
Menthol 8.0%.....Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable:** Keep away from fire or flame.

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily. Children 12 years or younger: ask a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

**Stopain. Exactly what it does.®**



**Extra Strength PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

**with MSM & Glucosamine**

4 FL OZ (118mL)



Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246) • www.stopain.com

©2022 Troy Healthcare, LLC 2-908 REV 00 / 0122

**STOPAIN EXTRA STRENGTH GEL**

menthol gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63936-9506
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	80 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9506-1	118 mL in 1 TUBE; Type 0: Not a Combination Product	01/24/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/24/2022	

**Labeler** - Troy Manufacturing, Inc. (160075248)

Revised: 10/2023

Troy Manufacturing, Inc.