

TOPCARE PAIN RELIEF PATCHES- lidocaine patch
TOPCO ASSOCIATES, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TOPCARE PAIN RELIEF PATCHES

Active Ingredients

Lidocaine 4% Topical Anesthetic

Purpose

Temporarily relieves minor pain.

Dosage and Administration

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use one patch for up to 12 hours. Children under 12 years of age: consult a physician.

Warnings

For external use only.

Indications and Usage

Uses: Temporarily relieves minor pains.

When using this product

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes

- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Do not Use

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Other Safety Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions

TOLL-FREE

Customer Care Help Line

1-888-423-0139

Mon-Fri 8:30 am-4:30 pm CST

DIST. BY

TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

www.topcarebrand.com

Made in China

TopCare[®] health

Pain Relief Patch
4% Lidocaine TOPICAL ANESTHETIC

MAXIMUM STRENGTH

Drug Facts

Active ingredient **Purpose**
Lidocaine 4.0% Topical anesthetic

Use Temporarily relieves minor pain.

Warnings
For external use only.
Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical anesthetics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps pouch away from children and pets ■ Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if the condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-322-7222 right away.

Directions
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch, starting at a corner, apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Other information
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive ingredients
titanium dioxide, glycerin, lactin, methylparaben, polyacrylic acid, polyisobutyl 90, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO VROADGET QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com

MADE IN CHINA

Scan here for more information
or call 1-888-423-0139

36800-49240-0

TopCare[®] health

Pain Relief Patch
4% Lidocaine TOPICAL ANESTHETIC

MAXIMUM STRENGTH

COMPARE TO SALONPAS[®] MAXIMUM STRENGTH LIDOCAINE PATCH ACTIVE INGREDIENT*

Pain Relief Patch
4% Lidocaine TOPICAL ANESTHETIC

• Desensitizes Aggravated Nerves & Relieves Pain
• No-Mess, Single-Use Application
• Odor Free

LASTS UP TO 12 HOURS

6 PATCHES 3.93" X 5.51" (10 cm X 14 cm) EACH

TopCare[®] health

Pain Relief Patch
4% Lidocaine TOPICAL ANESTHETIC

MAXIMUM STRENGTH

Neck
Shoulder
Elbows & Knees
Back
Legs

*Salonpas is a registered trademark of Harnett Pharmaceuticals Co. Inc., Harnett Pharmaceuticals is not affiliated with Topco or this product.

Child-Resistant Packaging
Model E2-0115
92-52015 03/21 Y051 0046

LOT
EXP



TOPCARE PAIN RELIEF PATCHES

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-156
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM (UNII: CPD4NFA903)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-156-05	5 in 1 CARTON	07/01/2017	
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:36800-156-06	6 in 1 CARTON	09/01/2021	
2		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/01/2017	

Labeler - TOPCO ASSOCIATES, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(36800-156)

Revised: 1/2023

TOPCO ASSOCIATES, LLC