STRONTIUM FLUORATUM- strontium fluoratum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

STRONTIUM FLUORATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM FLUORATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, TWIST TO OPEN - USE ONLY IF SEA

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM FLUORATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

rwist to open - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM FLUORATUM 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

STRONTIUM FLUORATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM FLUORATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM FLUORATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM FLUORATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael
TWIST TO OPEN - USE ONLY IF SE.

STRONTIUM FLUORATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM FLUORATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM FLUORATUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM FLUORATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

STRONTIUM FLUORATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

STRONTIUM FLUORATUM

strontium fluoratum pellet

Product Information

Product Type HUMAN OTC DRUG

Item Code (Source)

NDC:37662-3058

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - UNII:EFY8GJS81Z)	STRONTIUM FLUORIDE	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3058-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
2	NDC:37662- 3058-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
3	NDC:37662- 3058-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			
4	NDC:37662- 3058-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/27/2023		
homeopathic		04/2//2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3059	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - UNII:EFY8GJS81Z)

STRONTIUM FLUORIDE

1 [hp_Q]

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

Contains

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37662-3059-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023	

Marketing Information

. Id. Keaming oraren					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		04/27/2023			
nomeopaulic					

STRONTIUM FLUORATUM

strontium fluoratum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3052
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUO UNII: EFY8GJS81Z)	RIDE - STRONTIUM FLUORIDE	6 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3052-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
2	NDC:37662- 3052-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			
3	NDC:37662- 3052-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			

	Marketing Information				
Marketing A Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		04/27/2023			

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3053
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - UNII:EFY8GJS81Z)	STRONTIUM FLUORIDE	12 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3053-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
2	NDC:37662- 3053-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			
3	NDC:37662- 3053-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/27/2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3054	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
STRONTIUM F UNII:EFY8GJS81	FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - LZ)	STRONTIUM FLUORIDE	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

hite	Score	no score
OUND	Size	3mm
	Imprint Code	
	UND	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3054-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
2	NDC:37662- 3054-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023			
3	NDC:37662- 3054-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			
4	NDC:37662- 3054-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/27/2023		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3055
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - UNII:EFY8GJS81Z)	STRONTIUM FLUORIDE	100 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3055-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023		
2	NDC:37662- 3055-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023		
3	NDC:37662- 3055-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023		
4	NDC:37662- 3055-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
unapproved homeopathic		04/27/2023		
nomeopatnic				

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3056
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
	STRONTIUM FLUORIDE	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

i ackaging		
Packaging		

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3056-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023	
2	NDC:37662- 3056-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023	
3	NDC:37662- 3056-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023	
4	NDC:37662- 3056-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/27/2023	
потпеоранне			

strontium fluoratum pellet

Product	Intorm	ation
FIUMULL		ativii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3057
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM FLUORIDE (UNII: EFY8GJS81Z) (STRONTIUM FLUORIDE - UNII:EFY8GJS81Z)	STRONTIUM FLUORIDE	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
	NDC-27662	200 in 1 MAL CLACC. Time O. Not a Combination					

1	3057-1	Product	04/27/2023	
2	NDC:37662- 3057-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/27/2023	
3	NDC:37662- 3057-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/27/2023	
4	NDC:37662- 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		04/27/2023	

Marketing Information						
Marketing End Date						

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment						
Name	Address	ID/FEI	Business Operations			
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3052, 37662-3053, 37662-3054, 37662-3055, 37662-3056, 37662-3057, 37662-3058, 37662-3059)			

Revised: 4/2023 Hahnemann Laboratories, INC.