

METZ SOFT KOTE TEAT DIP- chlorhexidine solution
Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Metz Soft Kote Teat Dip

METZ SOFT KOTE TEAT Dip

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS PRODUCT #: 630900

WARNING

Causes serious eye irritation.

DIRECTIONS:

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution.

At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Dip for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

PRECAUTIONARY STATEMENTS

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

INGREDIENTS:

ACTIVE: Chlorhexidine digluconate 2.5%

3% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IN CASE OF CONTACT: Wash skin with soap and water. Remove and wash

contaminated clothing before re-use. If skin irritation persists, call a physician.

IF INHALED: Move to fresh air.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

Surpass Chemical Company, Inc.

Phone: (518) 434-8101

24 HOUR EMERGENCY ASSISTANCE:

www.surpasschemical.com

Fax: (518) 434-2798

CHEMTREC 1-800-424-9300

1254 Broadway Albany NY, 12204

Email:

customerservice@surpasschemical.com

KEEP OUT OF REACH OF

CHILDREN!

KEEP OUT OF REACH OF CHILDREN!



SOFT-KOTE TEAT DIP

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



NPE FREE

LOT NUMBER

NET CONTENTS

WARNING
Causes serious eye irritation.

DIRECTIONS
Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution.
At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Dip, for four days after the last milking. Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

PRECAUTIONARY STATEMENTS
Prevention
Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.
Response
IF SPLASHED IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

FIRST AID
IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
IF ON SKIN (or hair): Wash skin with soap and water. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.
IF INHALED: Move to fresh air.
IF SWALLOWED: : Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

INGREDIENTS
ACTIVE: Chlorhexidine digluconate 2.5%
3% Emollients

KEEP OUT OF REACH OF CHILDREN!

PRODUCT #: 630900

Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204
Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300



METZ SOFT-KOTE TEAT DIP



KEEP OUT OF
REACH
OF CHILDREN!

NPE
FREE

PRODUCT #: 630900

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS

WARNING

Causes serious eye irritation.

DIRECTIONS

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Dip. for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Prep dip and individual towels.

INGREDIENTS

ACTIVE: Chlorhexidine digluconate 2.5%
3% Emollients

PRECAUTIONARY STATEMENTS

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.

Response

IF SPLASHED IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists. Get medical advice/attention.

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

IF INHALED: Move to fresh air.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician



Surpass Chemical Company, Inc.
www.surpasschemical.com

1254 Broadway Albany NY, 12204

Phone: (518)434-8101

Email: customerservice@surpasschemical.com

Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

**BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.**

LOT
NUMBER:

NET
CONTENTS:

METZ SOFT KOTE TEAT DIP

chlorhexidine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86067-0107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE (UNII: R4KO0DY52L) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE	0.025 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.9317 kg in 1 kg
CETYL HYDROXYETHYLCELLULOSE (350000 MW) (UNII: T7SWE4S2TT)	0.003 kg in 1 kg
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	0.01 kg in 1 kg
GLYCERIN (UNII: PDC6A3C0OX)	0.03 kg in 1 kg
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	0.0002 kg in 1 kg
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	0.0001 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86067-0107-2	4 in 1 CASE		
1	NDC:86067-0107-1	19.05 kg in 1 JUG		
2	NDC:86067-0107-3	19.05 in 1 PAIL		
2	NDC:86067-0107-1	19.05 kg in 1 JUG		
3	NDC:86067-0107-4	57.15 kg in 1 DRUM		
4	NDC:86067-0107-5	114.76 kg in 1 DRUM		
5	NDC:86067-0107-6	210.47 kg in 1 DRUM		
6	NDC:86067-0107-7	12223.79 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/15/2023	

Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment

Name	Address	ID/FEI	Business Operations
Surpass Chemical. Company, Inc.		002075133	manufacture, api manufacture

Revised: 5/2024

Surpass Chemical. Company, Inc.