

**OXYGEN - oxygen gas**  
**Garland Welding Supply Company**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**oxygen**

OXYGEN, REFRIGERATED LIQUID USP UN1073  
 PRODUCED BY AIR LIQUEFACTION  
 OXYGEN 2  
 13000L (05/01)

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long period of time without monitoring its effect on oxygen content of arterial blood may be harmful. Use with only pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS. OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.** Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). **FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.** Oxygen CAS: 7782-44-7. **DO NOT REMOVE THIS PRODUCT LABEL.**

GARLAND WELDING SUPPLY, INC. 1960 FOREST LANE GARLAND, TX 75042



**OXYGEN**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:66414-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66414-001-01	144302 L in 1 DEWAR		
2	NDC:66414-001-02	176810 L in 1 DEWAR		
3	NDC:66414-001-03	279090 L in 1 DEWAR		
4	NDC:66414-001-04	238767 L in 1 DEWAR		
5	NDC:66414-001-05	368288 L in 1 DEWAR		
6	NDC:66414-001-06	629030 L in 1 DEWAR		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		10/01/2003	

**Labeler** - Garland Welding Supply Company (066660275)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Garland Welding Supply Company		066660275	manufacture

Revised: 3/2010

Garland Welding Supply Company