

## **NATURAL ASPIRIN PLUS IMMUNE SUPPORTING DIETARY SUPPLEMENT- aspirin**

**Applied Biological Laboratories Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

### **Biovanta New & Improved Convenience Kit: Natural Aspirin Tablet + Immune Supporting Dietary Supplement Throat Spray**

#### ***Drug Facts***

##### ***Active ingredient***

Aspirin 325 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

##### ***Purpose***

Pain reliever and fever reducer

##### ***Uses***

For temporary relief of minor aches and pain associated with chills, headache, body aches, fever, and sore throat.

##### ***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:** Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed.

**Do not use if** allergic to milk, egg, wintergreen oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if** stomach bleeding warning applies to you, you have a

history of stomach problems, such as heartburn, you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, you have asthma, you are taking a diuretic.

**Ask a doctor or pharmacist before use** if you are taking a prescription drug for anticoagulation, diabetes, gout or arthritis.

**Stop use and ask a doctor if:** an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss or hearing occurs

**If Pregnant or Breast-feeding:** Ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### **KEEP OUT OF REACH OF CHILDREN**

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- Drink a full glass of water with each dose
- Adults and children 12 years and over: Take 1 to 2 tablets every 4 hours while symptoms last
- Do not take more than 12 tablets in 24 hours unless directed by a doctor
- Children under 12 years: do not use unless directed by a doctor

### **Inactive ingredients**

Bamboo extract, calcium carbonate, coconut oil, dicalcium phosphate, maize starch, pectin, sodium alginate, stearic acid, sugar, sunflower lecithin

biovanta<sup>®</sup>

(NSAID\*) Non-Drowsy | Sugar Free

MULTI-SYMPTOM RELIEF COLD

FOR PAIN RELIEF ASSOCIATED WITH: Chills, Headache, Fever, and Sore Throat

TAKE TABLET

1. Take Tablet to Treat Symptoms

4 TABLETS

Questions or Comments?

866-889-3959

info@appliedbioinc.com

Distributed by:

Applied Biological Laboratories

760 Parkside Ave., 317

Brooklyn, New York 11226

IMMUNE-SUPPORTING\* SPRAY

USE SPRAY

DIETARY SUPPLEMENT

2. Use Spray to Help Support Immunity

Net Wt. 10 mL (.338 fl oz)



**Drug Facts** (for plant-based aspirin tablet)

**Active Pharmaceutical Ingredient** (one pressed tablet) **Purpose**  
Aspirin 325 mg (NSAID)\* Pain Reliever and Fever Reducer  
\*nonsteroidal anti-inflammatory drug

**Uses**  
For temporary relief of minor aches and pain associated with chills, headache, body aches, fever, and sore throat.

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:** Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:  
• are age 60 or older  
• have had stomach ulcers or bleeding problems  
• take a blood thinning (anticoagulant) or steroid drug  
• take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)  
• have 3 or more alcoholic drinks every day while using this product  
• take more or for a longer time than directed

Do not use if allergic to milk, egg, whitefish oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if stomach bleeding warning applies to you, you have a history of stomach problems, such as heartburn, you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, you have asthma, you are taking a diuretic.

Ask a doctor or pharmacist before use if you are taking a prescription drug for anticoagulation, diabetes, gout or arthritis.

Stop use and ask a doctor if: an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: • feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding: ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**KEEP OUT OF REACH OF CHILDREN**  
In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions:** • Drink a full glass of water with each dose  
• Adults and children 12 years and over: take 1 to 2 tablets every 4 hours while symptoms last • Do not take more than 12 tablets in 24 hours unless directed by a doctor • Children under 12 years: do not use unless directed by a doctor

**Inactive Ingredients:** Bamboo Extract, Calcium Carbonate, Coconut Oil, Dicalcium Phosphate, Maltodextrin, Povidone, Sodium Alginate, Stearic Acid, Sugar, Sunflower Lecithin

**Supplement Facts** (for immune-supporting spray)

Serving Size: 2 sprays (0.4 mL)  
Servings Per Container: 25

Amount Per Serving	% DV
Wintergreen Leaf Oil	6.0 mg +
Lysozyme	5.2 mg +
Menthol	4.7 mg +
Lactoferrin	0.5 mg +
Aloe Vera Leaf Extract	0.1 mg +

\* Daily Value not established.

**Directions:**  
• Spray to the back of the throat, swirl, and swallow  
• Repeat every hour or as directed by a health care provider  
• Consult a health care provider • children under 6 • pregnant or nursing women  
• Limit usage to 8 times daily

**Other Ingredients:** Water, Glycerin, Spearmint Leaf Oil, Aloe Vera Leaf Oil, Sodium Hydroxide, Salt, Hydrochloric Acid, Sulfuric Acid (to preserve freshness), Sodium Phosphate, Sodium Propionate, Potassium Phosphate

Do not use if allergic to milk, egg, wintergreen oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients.  
Keep out of reach of children.

**biovanta**

The combination of the Biovanta tablet and dietary supplement throat spray has been proven in randomized double-blind placebo controlled (RDBPC) clinical trials to relieve common cold symptoms and in scientific studies in human respiratory tissue to effectively reduce upper respiratory inflammation.

NSAID Tablet

PLANT-BASED ASPIRIN  
Acetylsalicylic Acid

**Why plant-based aspirin?**

We isolate salicylate (found in many fruits and vegetables) and convert it into clean, plant-based aspirin through minimal processing. We use aspirin because it's a proven and effective anti-inflammatory.

Questions or Comments?  
866-889-3959  
info@appliedbioinc.com

Distributed by:  
Applied Biological Laboratories  
760 Parkside Ave., 317  
Brooklyn, New York 11226



**biovanta**

(NSAID\*)

Non-Drowsy | Alcohol Free

**MULTI-SYMPTOM RELIEF COLD**

FOR PAIN RELIEF ASSOCIATED WITH: Chills, Headache, Fever, and Sore Throat

**TAKE TABLET**

1. Take Tablet to Treat Symptoms  
4 TABLETS

**IMMUNE-SUPPORTING\* SPRAY**

**USE SPRAY**  
DIETARY SUPPLEMENT

2. Use Spray to Help Support Immunity  
Net Wt. 10 mL (.338 fl oz)

**Dietary Supplement Spray**

LACTOFERRIN LYSOZYME ALOE  
PROPRIETARY IMMUNE COMPLEX  
Strengthens Mucosal Immunity\*

MENTHOL Soothes WINTERGREEN OIL Cools



\*This statement has not been evaluated by the Food and Drug Administration. The dietary supplement component of this product is not intended to diagnose, treat, cure or prevent any disease.

www.biovanta.com to learn more

**NATURAL ASPIRIN PLUS IMMUNE SUPPORTING DIETARY SUPPLEMENT**

aspirin kit

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:73678-103

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73678-103-01	1 in 1 KIT; Type 0: Not a Combination Product	04/25/2023	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	0 BLISTER PACK	1

## Part 1 of 1

### NATURAL ASPIRIN

aspirin tablet

## Product Information

Item Code (Source)	NDC:73678-101
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
STARCH, CORN (UNII: O8232NY3SJ)	
PECTIN (UNII: 89NA02M4RX)	
SUCROSE (UNII: C151H8M554)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
COCONUT OIL (UNII: Q9L0O73W7L)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	

## Product Characteristics

Color	white	Score	score with uneven pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/25/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/25/2023	

**Labeler** - Applied Biological Laboratories Inc. (080512733)

Revised: 4/2023

Applied Biological Laboratories Inc.