

**NASAL DECONGESTANT PE AND PAIN RELIEF MAXIMUM STRENGTH-  
acetaminophen, phenylephrine hcl tablet  
WinCo Foods, LLC**

-----  
**Winco 44-502**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - minor aches and pains
  - nasal congestion
  - headache
  - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- diabetes
- liver disease
- heart disease
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not use more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

### ***Questions?***

Call **1-800-824-1706** Monday - Friday 9am - 4pm MST

### **Principal Display Panel**

**WinCo®**  
**FOODS**

MAXIMUM STRENGTH

**Nasal**  
**Decongestant PE**  
**& Pain Relief**

\*Compare to the active ingredients in  
SUDAFED PE® Pressure + Pain

Non-Drowsy

Relives: Sinus Headache,  
Sinus Pressure  
& Nasal Congestion

**ACETAMINOPHEN/**  
PAIN RELIEVER - FEVER REDUCER  
PHENYLEPHRINE HCl/NASAL DECONGESTANT

**24**  
Caplets

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**DISTRIBUTED BY:** WINCO FOODS, LLC, BOISE, ID 83704

\*This product is not manufactured or distributed by JOHNSON & JOHNSON CORPORATION,  
distributor of SUDAFED PE® Pressure + Pain.

50844 REV0820C50208 WF2208

**100% SATISFACTION GUARANTEE**  
Comments & Questions? 800-824-1706



**Drug Facts (continued)**  
Questions? Call 1-800-824-1706 Monday - Friday 9am - 4pm MST

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

No print/No varnish  
Lot & Exp date

**Drug Facts (continued)**

**Warnings**

- Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product
- Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash
- If a skin reaction occurs, stop use and seek medical help right away.
- Do not use
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- liver disease
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Drug Facts (continued)**

**Directions**

- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

croscarmellose sodium, microcrystalline cellulose, povidone, silicon dioxide, stearic acid, croscarmellose sodium, FD&C yellow #6 aluminum lake, magnesium stearate.

**Drug Facts**

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Active ingredients (in each caplet)**

- Acetaminophen 325 mg
- Phenylephrine HCl 5 mg

**Purpose**

Pain reliever/fever reducer  
Nasal decongestant

**Drug Facts (continued)**

**Uses**

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
- fever
- minor aches and pains
- nasal congestion
- headache
- sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

**DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704**  
\*This product is not manufactured or distributed by JOHNSON & JOHNSON CORPORATION, distributor of SUDAFED PE® Sinus Pressure + Pain.  
50844 REV0820C50208 WF2208  
**100% SATISFACTION GUARANTEE**  
Comments & Questions? 800-824-1706

B-2150-502-08  
REV0820C50208

**WinCo  
FOODS**

# MAXIMUM STRENGTH Nasal Decongestant PE & Pain Relief

**ACETAMINOPHEN/  
PAIN RELIEVER - FEVER REDUCER  
PHENYLEPHRINE HCl/NASAL DECONGESTANT**

\*Compare to the active ingredients in  
SUDAFED PE® Sinus Pressure + Pain

Non-Drowsy

Relieves: Sinus Headache,  
Sinus Pressure  
& Nasal Congestion



**24**  
Caplets

**Winco 44-502**

# NASAL DECONGESTANT PE AND PAIN RELIEF MAXIMUM STRENGTH

acetaminophen, phenylephrine hcl tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-209
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

## Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-209-24	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/23/2005	

**Labeler** - WinCo Foods, LLC (056098817)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(67091-209) , pack(67091-209)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(67091-209)

Revised: 5/2024

WinCo Foods, LLC