

CHILDRENS PAIN RELIEF- acetaminophen tablet, chewable
Better Living Brands, LLC

Drug Facts

Active ingredient (in each tablet)

Acetaminophen USP 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash.

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- chew tablets completely before swallowing; do not swallow tablets whole
- find right dose on chart below. If possible, use weight to dose; otherwise, use age
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets)*
under 24	under 2 years	ask a doctor
24 to 35	2 to 3 years	1 tablet
36 to 47	4 to 5 years	1½ tablets
48 to 59	6 to 8 years	2 tablets
60 to 71	9 to 10 years	2½ tablets
72 to 95	11 years	3 tablets

*or as directed by a doctor

Other information

- store between 20° to 25°C (68° to 77°F). Avoid high humidity. Protect from light.
- **do not use if carton is open or if printed seal on blister is broken or missing.**

Inactive ingredients

citric acid anhydrous, colloidal silicon dioxide, copovidone, crospovidone, D&C red No. 27 lake, D&C red 30 aluminum lake, dextrose monohydrate, ethylcellulose, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

Questions or comments?

call 1-855-274-4122

DISTRIBUTED BY:

BETTER LIVING BRANDS LLC
P.O.BOX 99 PLEASANTON,
CA 94566-0009
‡1-888-723-3929

Made in India

Code: TS/DRUGS/16/2014

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 160 mg (24 Chewable Tablets Blister Carton Label)

Signature

care ®
Quality
Guaranteed

**Compare to the
Children's Tylenol** ®
Chewables
active ingredient **

NDC 21130-223-76

AGES 2-11

**DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN**

Childrens's Pain Relief Acetaminophen Chewable Tablets 160 mg

Pain Reliever/Fever Reducer

- Aspirin Free
- Ibuprofen Free

BUBBLE GUM Flavor

Actual Size

24 CHEWABLE TABLETS
160 mg each

Drug Facts (continued)

Active ingredient (in each tablet)
Acetaminophen USP 160 mg

Purpose
Pain reliever/fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning: The product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (or prescription or nonprescription). If you are not sure whether a drug contains acetaminophen,

Drug Facts (continued)

ask a doctor or pharmacist:

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ This product does not contain directions or complete warnings for adult use.

- do not give more than directed (see overdose warning)
- chew tablets completely before swallowing; do not swallow whole

Drug Facts (continued)

Other information

- store between 20° to 25° C (68° to 77° F). Avoid high humidity. Protect from light
- do not use if carton is open or if printed seal on blister is broken or missing

Inactive ingredients
citric acid, anhydrous, colloidal silicon dioxide, copovidone, croscarmellose, D&C Red No. 27 Blue, D&C Red 30 aluminum lake, dextrose monohydrate, ethylcellulose, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

Drug Facts (continued)

Questions or comments? call 1-855-274-4122

P1052463 LM-5343

Lot:
EXP:

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Scan here for more information

5 1 4 7 8 7 1 0 5 0 1 1 1 2 3 N

RD 23130

86286

TAMPER EVIDENT SEAL BEGINS ON TABS. OPENING AND CLOSING OF THIS BOX OF TABLETS WILL DESTROY THE SEAL. IF THE SEAL IS BROKEN, DO NOT USE THE PRODUCT.

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0009
+1-888-723-3929
Made in India





CHILDRENS PAIN RELIEF

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-223
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE (4 MPA.S) (UNII: KC5472WRJK)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

STEARIC ACID (UNII: 4ELV7Z65AP)

SUCRALOSE (UNII: 96K6UQ3ZD4)

Product Characteristics

Color	pink	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	F8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-223-76	4 in 1 CARTON	11/15/2023	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/15/2023	

Labeler - Better Living Brands, LLC (009137209)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	manufacture(21130-223)

Revised: 11/2023

Better Living Brands, LLC