

**SENNA LAXATIVE- sennosides tablet, film coated
Meijer, Inc.**

Senna Laxative Tablets

Drug Facts

Active ingredient(in each tablet)
Sennosides 8.6 mg

Purpose Stimulant laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use ■ laxative products for longer than 1 week
unless directed by a doctor

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that continues
over a period of 2 weeks

**Stop use and ask a doctor if you have rectal bleeding or
fail to have a bowel movement after use of a laxative.
These may indicate a serious condition.**

**If pregnant or breast-feeding,ask a health professional
before use.**

**Keep out of reach of children.In case of overdose, get
medical help or contact a Poison Control Center
(1-800-222-1222) right away.**

Directions ■ take preferably at bedtime or as
directed by a doctor

age dosage	starting dosage	maximum
adults and a day children 12 years of age and over	2 tablets once a day	4 tablets twice
children 6 to day under 12 years	1 tablet once a day	2 tablets twice a
children 2 to day under 6 years	1/2 tablet once a day	1 tablet twice a
children under 2 years	ask a doctor	ask a doctor

Other information

■ each tablet contains:calcium 25 mg, sodium 3 mg
Very Low Sodium

■ Store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredientscolloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, hypromellose, liquid paraffin, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate, stearic acid

Questions or comments? 1-888-333-9792

PRINCIPAL DISPLAY PANEL

meijer
Senna Laxative

COMPARE TO SENOKOT®
ACTIVE INGREDIENT*

NATURAL VEGETABLE
LAXATIVE INGREDIENT

Sennosides 8.6 mg-
Stimulant Laxative

Gentle, overnight relief

100 TABLETS Actual Size

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING**

Drug Facts
Active ingredient(in each tablet) Purpose
Sennosides 8.6 mg.....Stimulant laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use ■ laxative products for longer than 1 week
unless directed by a doctor

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that continues
over a period of 2 weeks

Drug Facts (continued under label)

*This product is not manufactured or distributed by Avrio Health L.P., owner of the registered trademark Senokot®. DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 495 www.meijer.com 418289

PRODUCT OF INDIA
ORIG 05/24

LOT:
EXP:

7 19283 78838 2

PEEL HERE

47.6
1.875

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

■ each tablet contains: calcium 25 mg, sodium 3 mg

Very Low Sodium

■ Store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, hypromellose, liquid paraffin, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate, stearic acid

Questions or comments? 1-888-333-9792

SENNALAXATIVE

sennosides tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0059
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	S8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0059-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/14/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/14/2024	

Labeler - Meijer, Inc. (006959555)

Revised: 6/2024

Meijer, Inc.