MAGNESIUM CITRATE- cvs magnesium citrate oral solution - lemon liquid CVS Pharmacy, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Magnesium Citrate Oral Solution - Lemon

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline Laxtive

Use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

kidney disease a magnesium restricted diet abdorominal pain, nausea, or vomiting noticed a sudden change in bowel habits that persists over a period of 2 weeks already used a laxative for a period longer than 1 week

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any other drug.

Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

STOP USE AND ASK A DOCTOR IF

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

IF PREGNANT OR BREAST-FEEDING

ask health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away.

Other Information

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

shake well before using drink a full glass (8 ounces) of liquid with each dose may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours children under 2 years of age - ask a doctor

Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

Inactive Ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water



Drug Facts

Active ingredient (in each fl oz) Purpose Magnesium citrate 1.745 gSaline laxative

Uses: ■ For relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours

Warnings:
Ask a doctor before use if you have
■ Kidney disease ■ a magnesium restricted diet
■ Abdominal pain, nausea, or vomiting
■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
Taking any other drug.
Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN, OR SEPARATED FROM NECK RING.

Drug Facts (continued)

Store at temperatures between 46° and 86°F (8° and 30°C)

Directions: ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses 6.5 to 10 fl oz maximum 10 fl oz in 24 hours adults and children 12 years of age and over children 6 to under 12 3 to 7 fl oz maximum 7 fl oz in 24 hours years of age 2 to 3 fl oz maximum 3 fl oz in 24 hours children 2 to under 6 years of age

ask a doctor

Other Information:

children under 2 years

■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg

Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-30224

#209452



MAGNESIUM CITRATE

10 FL 0Z (296 mL)

cvs magnesium citrate oral solution - lemon liquid

Product Information

ALCOHOL 0.025%

Product Type

HUMAN OTC DRUG Item Code (Source) NDC:51316-880

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO2601T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients			
Ingredient Name	Strength		
BENZOIC ACID (UNII: 85KN0B0MIM)			
WATER (UNII: 059QF0KO0R)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)			

Packaging			
# Hom Codo	Packago Doccrintion	Marketing Start	Marketing End

#	item code	Package Description	Date	Date	
1		296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/12/2023		
Marketing Information					
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
01	ΓC monograph no	x +			
fin		part334	05/12/2023		

Labeler - CVS Pharmacy, Inc. (062312574)

Revised: 5/2023 CVS Pharmacy, Inc.