

**OXYGEN - oxygen gas**  
**H & C Oxygen, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

**Oxygen Compressed USP Label**

OXYGEN COMPRESSED USP UN1072 C.A.S. NO. 7782-44-7 OXYGEN-2 WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS **Rx ONLY**. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

**OXYGEN,  
COMPRESSED  
USP**

**UN1072**

**R<sub>x</sub> ONLY**



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx ONLY**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.** Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Close valve after each use and when empty. Cylinder temperature should not exceed 32°C (125°F). Use in accordance with the **Material Safety Data Sheet (MSDS)**. CAS-7782-44-7. **DO NOT REMOVE THIS PRODUCT LABEL.**

# H & C OXYGEN, INC.

107 Stull Road  
Brandon, MS 39047  
(601) 624-4703

<u>Size</u>	<u>Contents</u>	<u>Size</u>	<u>Contents</u>
<input type="checkbox"/> "E"	648 Liters	<input type="checkbox"/> "M-6"	157 Liters
<input type="checkbox"/> "D"	394 Liters	<input type="checkbox"/> "H"	6088 Liters
<input type="checkbox"/> "C"	236 Liters	<input type="checkbox"/> Other _____ Ltrs.	

## Oxygen Refrigerated Liquid USP Label

OXYGEN REFRIGERATED LIQUID USP UN1073 CONTENTS \_\_\_\_\_ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS CONTAINER TEMPERATURE SHOULD NOT EXCEED 52C (125 F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS

OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

## Oxygen Refrigerated Liquid U.S.P.

**UN1073**

### **WARNING!**

High Pressure Oxidizing Liquid and gas under pressure. Vigorously Accelerates Combustion. May explode on ignition or impact. Can cause severe Frostbite.

**PRODUCED BY AIR LIQUEFACTION**



**WARNING! Always Keep Containers in Upright Position.**

# **RX ONLY**

Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid Spills. Do not walk or roll equipment over spills. Close valve after each use and when empty.

**In Case of Frostbite**, obtain medical treatment IMMEDIATELY.

**KEEP OUT OF REACH OF CHILDREN.** Contents under pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen services. Federal law requires that this container be refilled with Liquid Oxygen, U.S.R. only be established registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

**H & C OXYGEN, INC.**

107 Stull Road  
Brandon, MS 39047  
(601) 624-4703

**DO NOT REMOVE THIS LABEL**

**OXYGEN**

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:469 11-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:469 11-001-01	113 L in 1 CYLINDER		
2	NDC:469 11-001-02	170 L in 1 CYLINDER		
3	NDC:469 11-001-03	139 L in 1 CYLINDER		
4	NDC:469 11-001-04	1724 L in 1 CYLINDER		
5	NDC:469 11-001-05	255 L in 1 CYLINDER		
6	NDC:469 11-001-06	426 L in 1 CYLINDER		
7	NDC:469 11-001-07	671 L in 1 CYLINDER		
8	NDC:469 11-001-08	7981 L in 1 CYLINDER		
9	NDC:469 11-001-09	180 L in 1 DEWAR		
10	NDC:469 11-001-10	200 L in 1 DEWAR		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		01/01/1992	

**Labeler** - H & C Oxygen, Inc. (021253726)

**Registrant** - H & C Oxygen, Inc. (021253726)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
H & C Oxygen, Inc.		021253726	manufacture

Revised: 2/2011

H & C Oxygen, Inc.