

**ACETAMINOPHEN- acetaminophen tablet**  
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS Pharmacy, Inc. Acetaminophen Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>• take 2 caplets every 6 hours while symptoms last</li> <li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>• do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to the active ingredient in Extra Strength Tylenol®

Caplets

EXTRA STRENGTH

Acetaminophen Caplets 500 mg

Pain reliever/Fever reducer

For adults

24 CAPLETS

Actual Size

Package Contains One Bottle

CVS Health™

Compare to the active ingredient  
in Extra Strength Tylenol®†

Caplets

NDC 69842-484-62

EXTRA STRENGTH

# Acetaminophen

Caplets 500 mg

Pain reliever/Fever reducer

For adults

24 CAPLETS



Actual  
Size

Package  
Contains  
One Bottle



DO NOT USE IF PRINTED SEAL UNDER CAP  
IS BROKEN OR MISSING

†This product is not manufactured or distributed by  
Johnson & Johnson Consumer Inc., distributor of  
Extra Strength Tylenol®.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
©2019 CVS Pharmacy  
CVS.com® 1-800-SHOPCVS  
V-17160



### Drug Facts

**Active ingredient**      **Purpose**  
(in each caplet)

Acetaminophen 500 mg.....Pain reliever/  
fever reducer

**Uses** ■ temporarily relieves minor  
aches and pains due to:

- the common cold
- minor pain of arthritis
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever
- headache
- backache
- toothache

### Warnings

**Liver warning:** This product contains  
acetaminophen. Severe liver damage may  
occur if you take

- more than 4,000 mg of acetaminophen  
in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day  
while using this product

**Allergy alert:** Acetaminophen may cause  
severe skin reactions. Symptoms may include:

- skin reddening
  - blisters
  - rash
- If a skin reaction occurs, stop use and seek  
medical help right away. ▶

### Drug Facts (continued)

**Do not use** ■ with any other drug  
containing acetaminophen (prescription or  
nonprescription). If you are not sure whether  
a drug contains acetaminophen, ask a doctor  
or pharmacist.

■ if you have ever had an allergic reaction to  
this product or any of its ingredients

**Ask a doctor before use if you have**  
liver disease

**Ask a doctor or pharmacist before use if you**  
are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health  
professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose,  
get medical help or contact a Poison Control  
Center right away (1-800-222-1222). Quick  
medical attention is critical for adults as well  
as for children even if you do not notice any  
signs or symptoms. ▶

### Drug Facts (continued)

**Directions** ■ do not take more  
than directed (see overdose warning)

adults and  
children  
12 years  
and over

- take 2 caplets every  
6 hours while  
symptoms last
- do not take more than  
6 caplets in 24 hours,  
unless directed by  
a doctor
- do not use for more  
than 10 days unless  
directed by a doctor

children under  
12 years

ask a doctor

### Other information

- store at 20-25°C (68-77°F)

**Inactive ingredients** carnauba  
wax, corn starch\*, croscarmellose sodium\*,  
hypromellose, polyethylene glycol,  
povidone, pregelatinized starch, sodium  
starch glycolate\*, stearic acid \*may  
contain one or more of these ingredients

### Questions or comments?

1-800-719-9260

#172351



LOT NO.

EXP.

: ADB63 17 C1

**ACETAMINOPHEN**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-484
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3S)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	L484
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-484-93	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2018	02/28/2022
2	NDC:69842-484-62	1 in 1 CARTON	06/12/2018	
2		24 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-484-71	1 in 1 CARTON	06/12/2018	
3		50 in 1 BOTTLE; Type 0: Not a Combination Product		

4	NDC:69842-484-78	1 in 1 CARTON	06/12/2018	
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:69842-484-83	1 in 1 CARTON	06/12/2018	
5		225 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:69842-484-90	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2018	12/31/2021
7	NDC:69842-484-87	2 in 1 CARTON	06/12/2018	08/31/2020
7		150 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:69842-484-47	1 in 1 CARTON	06/12/2018	06/12/2018
8		150 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	06/12/2018	

**Labeler** - CVS Pharmacy (062312574)

Revised: 4/2023

CVS Pharmacy