DE LA CRUZ SODIUM BICARBONATE ANTACID- sodium bicarbonate powder DLC Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DE LA CRUZ ® SODIUM BICARBONATE ANTACID

Drug Facts

Active ingredient (in each dose = 1/2 teaspoon)

Sodium bicarbonate USP 2,616 mg

Purpose

Antacid

Uses

relieves:

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

FOR ORAL USE ONLY

STOMACH WARNING

TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL POWDER IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.

Do not use in children under 12 years of age.

Ask a doctor before use if you have

• a sodium-restricted diet.

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have used the maximum dosage for 2 weeks
- severe stomach pain occurs after using this product

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

Directions

take ½ level teaspoon in ½ glass (4 fl. oz.) of water every 2 hours up to maximum dosage or as directed by a doctor. Dissolve completely in water before drinking.

Age	Maximum Dosage			
Adults 60 years and over	Do not exceed three doses of 1/2 teaspoon in a 24 hour period.			
Adults and children 12 years and over	Do not exceed six doses of 1/2 teaspoon in a 24 hour period.			
Children under 12 years	Do not use.			

Do not exceed recommended dosage. See warnings.

Other information

• each 1/2 teaspoon dose contains: sodium 716 mg

Distributed by: De La Cruz Products A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA

Questions

1-800-858-3889

Inactive Ingredient

none

PRINCIPAL DISPLAY PANEL - 113 g Bottle Label

De La Cruz_® OVER 40 DOSES

Sodium Bicarbonate

USP

- Oral Powder -

SUGAR FREE

Antacid

NET WT 4 OZ (113g)

End and a second s	DelaCruz Sodium Sodium Bicarbonate USP Oral Powder - Oral Powder -	Drug Facts A confroncie logradient (in each dose = 1/2 teaspoon) Pupose Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Uses Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Uses Uses Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Jane Solum bioatonoise USP 26 6 mg Uses EVEN MARNING: TO AVOID SERBOUS NULICKY, DO NOT TAKE UNIT NOT TO TAKE THIS PRODUCT WHEN OVERTY FULL FROM FOOD OF DRIVING Distribution Markings Do not use in fortier unit or total set or total manufacts before use. Distribution Distribution Markings Do not use in fortier In provide word of the Solum second before use. Distribution Distribution Markings Even Science for or pharamedia before use. Distribution to treaset or ordones of a colume second before use. Markings Even Science for ordones of a colume second before use. Distribution Distribution Markings Even Science for ordones of a colume second before use. Distribution Distribution Markings Even Science for ordones of a colume second before use. Distribution Distribution Markings Even Science for ordo	
NET WT 4 OZ (113g) O the end of	Antuca Antuca	Drug Facts Active injergedient (in each dose = 1/2 teaspoon) Put Sodum bioenbraie USP 26 is mg. Uses Uses Uses Sodum bioenbraie USP 26 is mg. Uses Sodum Lusc ONL USE ONL Sodum restricted diet Varmings Sodum restructure in other and induction under 2 years of age. Varmings Sodum restricted diet. Mannings Ast a doctor of pharmackit before use if you have as ordum restricted diet. Ast a doctor of pharmackit before use if you have as ordum restricted diet. Mat a doctor of pharmackit before use if you have as ordum restricted diet. Ast a doctor of trach of children. Neekis as eaver as and ask a doctor. Disocle complexity in weiks as eaver as and and thildren. Stop out of reach of children. Do not use. Age Math B60 years Do not use. Agains for out on. Agains for out on. Adains for out on. Agains of ond one out on out use. Do not use of out ones of 1/2 bespoon Children on one. Do not use Do not use. Do not use. Agains for one mouth of bothole one mouth of bothole on thone one on thole mainser of thom on	

DE LA CRUZ SODIUM BICARBONATE ANTACID

sodium bicarbonate powder

Contains

Product Information						
Product Type	HUMAN OTC DRUG Item Code (Source)			NDC:2428	NDC:24286-1537	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name Basis of Strength					Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)			ION -	SODIUM BICARBONA	TE	2.6 g in 2.6 g
Product Characteristics						
Color	white	Sco	re			
Shape		Size				
Flavor		Imp	rint Code			

Pc	Packaging						
#	ltem Code	Package Description Marketing Start Marketing Start Date Date Date Date Date Date Date Dat					
		113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/25/2013				
/		226 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/2019				
		Marketing Information					
Μ	arketing	Information					
Μ	arketing Marketing Category	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			

Labeler - DLC Laboratories, Inc. (093351930)

Establishment						
Name	Address	ID/FEI	Business Operations			
DLC Laboratories, Inc.		093351930	label(24286-1537) , manufacture(24286-1537)			

Revised: 1/2023

DLC Laboratories, Inc.