

**COLLOIDAL IODINE SOLUTION- sodium iodide solution**  
**JCI Colloidal Iodine Laboratory Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Drug Facts**

iodine

potassium iodide, hydrogen water

increase level of immunity, digestive trouble

keep out of reach of the children

it is better to dose on an empty stomach

the dosage on undiluted solution is possibly recommended

do eat nothing within five minutes after the dosage

unit dose is 30ml

do take unit dose three times a day before each meal

(morning, daylight, evening)

keep this dose guide for a month

if effective, do change the unit dose twice a day before each meal

(morning, evening)

do discuss with your doctor for further dose

do possibly avoid the food containing an antioxidant and color additives

do take the greatest possible care to eggs, milk, cheese and tuna

do take before meal. in case of other medicine dose, do take colloidal

iodine within on hour before you take other medicine

do eat nothing within five minutes after the dosage

keep out of the direct sunlight

for oral use only

# Colloidal Iodine Solution 500ml

## Drug Facts

### Active ingredients

Sodium Iodide

### Uses

increase level of immunity, digestive trouble

### Warning

do possibly avoid the food containing an antioxidant and color additives

do take the greatest possible care to eggs, milk, cheese and tuna

do take before meal. in case of other medicine dose, do take colloidal iodine within one hour before you take other medicine

do eat nothing within five minutes after the dosage

keep out of the direct sunlight

### Direction

it is better to dose on an empty stomach

the dosage on undiluted solution is possibly recommended

do eat nothing within five minutes after the dosage

unit dose is 30ml

do take unit dose three times a day before each meal

(morning, daylight, evening)

keep this dose guide for a month

if effective, do change the unit dose twice a day before each meal

(morning, evening)

do discuss with your doctor for further dose



### Other Information

keep in a room temperature keep out of the direct sunlight

### Inactive Ingredient

potassium iodide, hydrogen water

## COLLOIDAL IODINE SOLUTION

sodium iodide solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69164-0003
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69164-0003-1	500 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package	05/18/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/18/2023	

**Labeler** - JCI Colloidal Iodine Laboratory Co., Ltd. (717705036)

**Registrant** - JCI Colloidal Iodine Laboratory Co., Ltd. (717705036)

## Establishment

Name	Address	ID/FEI	Business Operations
JCI COLLOIDAL IODINE LABORATORY CO., LTD.		717705036	manufacture(69164-0003)

Revised: 5/2023

JCI Colloidal Iodine Laboratory Co., Ltd.