STRONTIUM METALLICUM- strontium metallicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

STRONTIUM METALLICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use

such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEAL

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM METALLICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use

such as headache. Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

STRONTIUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM METALLICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



STRONTIUM METALLICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, (

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

STRONTIUM METALLICUM 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, o TWIST TO OPEN - USE ONLY IF SEAI

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

STRONTIUM METALLICUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

STRONTIUM METALLICUM 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

STRONTIUM METALLICUM

strontium metallicum pellet

				ation	

Product Type HUMAN OTC DRUG

RUG Item Code (Source)

NDC:37662-3254

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	10 [hp_M]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 3254-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023				
2	NDC:37662- 3254-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023				
3	NDC:37662- 3254-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023				
4	NDC:37662- 3254-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023				

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	05/25/2023					
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date				

STRONTIUM METALLICUM

strontium metallicum pellet

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3249				
Route of Administration	ORAL						

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	30 [hp_C]				

Inactive Ingredients						
Ingredient Name	Strength					
SUCROSE (UNII: C151H8M554)						

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 3249-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023				
2	NDC:37662- 3249-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023				
3	NDC:37662- 3249-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023				
4	NDC:37662- 3249-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023				

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	05/25/2023					
4		Citation Date				

strontium metallicum pellet

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3252				
Route of Administration	ORAL						

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3252-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023		
2	NDC:37662- 3252-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023		
3	NDC:37662- 3252-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023		
4	NDC:37662- 3252-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2023	

strontium metallicum pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3253		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	1 [hp_M]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

ı	Packaging					
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
:	NDC:37662- 3253-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023			
2	NDC:37662- 3253-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023			
3	NDC:37662- 3253-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023			
4	NDC:37662- 3253-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023			

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/25/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

strontium metallicum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3247	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	6 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	

Contains

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3247-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023		
2	NDC:37662- 3247-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023		
3	NDC:37662- 3247-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2023	

STRONTIUM METALLICUM

strontium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3248
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 3248-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023	
2	NDC:37662- 3248-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023	
3	NDC:37662- 3248-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2023	

strontium metallicum pellet

Product	Inform	ation
Product	mom	ation

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3250
---------------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	100 [hp C]

Inactive Ingredients

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code Contains

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3250-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023		
2	NDC:37662- 3250-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023		

l	3 NDC:37662-3250-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023	
	4 NDC:37662- 3250-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		05/25/2023		

strontium metallicum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3251	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3251-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023			
2	NDC:37662- 3251-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/25/2023			
3	NDC:37662- 3251-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023			
4	NDC:37662- 3251-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/25/2023			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	05/25/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3247, 37662-3248, 37662-3249, 37662-3250, 37662-3251, 37662-3252, 37662-3253, 37662-3254)

Revised: 5/2023 Hahnemann Laboratories, INC.