

**SCANDIUM IODATUM- scandium iodatum pellet**  
**Hahnemann Laboratories, INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 6C

Min. net wt: 5g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc.

**SCANDIUM  
IODATUM  
30C**

**Min. net wt: 1g**  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**SCANDIUM  
IODATUM  
100C**

**Min. net wt: 1g**  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.  
**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once  
*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**



Hahnemann Labs Inc.

**SCANDIUM  
IODATUM  
200C**

**Min. net wt: 1g**  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc.

# SCANDIUM IODATUM 500C

Min. net wt: 1g  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.

Keep out of reach  
of children

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc.

**SCANDIUM  
IODATUM  
1M**

**Min. net wt: 1g**  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.  
**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once  
*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED



Hahnemann Labs Inc.

**SCANDIUM  
IODATUM  
10M**

**Min. net wt: 1g**  
HOMEOPATHIC  
MEDICINE

*Active ingredient:*  
Listed above

*Use:* Traditional use  
such as headache.  
**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once  
*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# SCANDIUM IODATUM 10M

Min. net wt: 100g of pellets

## HOMEOPATHIC MEDICINE

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

## SCANDIUM IODATUM

scandium iodatum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3263 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  |  | Basis of Strength  | Strength             |                    |
|--|--|--|----------------------|--------------------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) |  | SCANDIUM IODIDE  | 6 [hp_C]             |                    |
| <b>Inactive Ingredients</b>  |  |  |                      |                    |
| Ingredient Name  |  | Strength   |                      |                    |
| SUCROSE (UNII: C151H8M554)   |  |  |                      |                    |
| <b>Product Characteristics</b>   |  |  |                      |                    |
| Color  | white                                    | Score  | no score             |                    |
| Shape  | ROUND                                    | Size   | 3mm                  |                    |
| Flavor   |  | Imprint Code   |                      |                    |
| Contains   |  |  |                      |                    |
| <b>Packaging</b>   |  |  |                      |                    |
| #  | Item Code                                | Package Description  | Marketing Start Date | Marketing End Date |
| 1  | NDC:37662-3263-1                         | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 05/26/2023           |                    |
| 2  | NDC:37662-3263-2                         | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| 3  | NDC:37662-3263-3                         | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| <b>Marketing Information</b>   |  |  |                      |                    |
| Marketing Category   | Application Number or Monograph Citation |  | Marketing Start Date | Marketing End Date |
| unapproved homeopathic   |  |  | 05/26/2023           |                    |

| <b>SCANDIUM IODATUM</b>  |                |                    |                |
|--|----------------|--------------------|----------------|
| scandium iodatum pellet  |                |                    |                |
| <b>Product Information</b>   |                |                    |                |
| Product Type   | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3265 |
| Route of Administration  | ORAL           |                    |                |
| <b>Active Ingredient/Active Moiety</b>                                 |                |                    |                |
| Ingredient Name  |                | Basis of Strength  | Strength       |
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) |                | SCANDIUM IODIDE    | 30 [hp_C]      |
| <b>Inactive Ingredients</b>  |                |                    |                |

| Ingredient Name                |  | Strength   |                      |                    |
|--------------------------------|--|--|----------------------|--------------------|
| SUCROSE (UNII: C151H8M554)     |  |  |                      |                    |
| <b>Product Characteristics</b> |  |  |                      |                    |
| Color                          | white                                    | Score  | no score             |                    |
| Shape                          | ROUND                                    | Size   | 3mm                  |                    |
| Flavor                         |  | Imprint Code   |                      |                    |
| Contains                       |  |  |                      |                    |
| <b>Packaging</b>               |  |  |                      |                    |
| #                              | Item Code                                | Package Description  | Marketing Start Date | Marketing End Date |
| 1                              | NDC:37662-3265-1                         | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 2                              | NDC:37662-3265-2                         | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 05/26/2023           |                    |
| 3                              | NDC:37662-3265-3                         | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| 4                              | NDC:37662-3265-4                         | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| <b>Marketing Information</b>   |  |  |                      |                    |
| Marketing Category             | Application Number or Monograph Citation | Marketing Start Date                                       | Marketing End Date   |                    |
| unapproved homeopathic         |  | 05/26/2023   |                      |                    |

| SCANDIUM IODATUM  |                   |                    |                |
|---|-------------------|--------------------|----------------|
| scandium iodatum pellet   |                   |                    |                |
| <b>Product Information</b>  |                   |                    |                |
| Product Type  | HUMAN OTC DRUG    | Item Code (Source) | NDC:37662-3264 |
| Route of Administration   | ORAL              |                    |                |
| <b>Active Ingredient/Active Moiety</b>                                  |                   |                    |                |
| Ingredient Name   | Basis of Strength | Strength           |                |
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII: QVJ18SK04T) | SCANDIUM IODIDE   | 12 [hp_C]          |                |
| <b>Inactive Ingredients</b>   |                   |                    |                |
| Ingredient Name   | Strength          |                    |                |
| SUCROSE (UNII: C151H8M554)  |                   |                    |                |



## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 3mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:37662-3264-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 05/26/2023           |                    |
| 2 | NDC:37662-3264-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| 3 | NDC:37662-3264-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

## SCANDIUM IODATUM

scandium iodatum pellet

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:37662-3266 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength   |
|--|-------------------|------------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) | SCANDIUM IODIDE   | 100 [hp_C] |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

## Product Characteristics

|               |       |                     |          |
|---------------|-------|---------------------|----------|
| <b>Color</b>  | white | <b>Score</b>        | no score |
| <b>Shape</b>  | ROUND | <b>Size</b>         | 2mm      |
| <b>Flavor</b> |       | <b>Imprint Code</b> |          |

**Contains****Packaging**

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3266-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 2 | NDC:37662-3266-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 3 | NDC:37662-3266-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 05/26/2023           |                    |
| 4 | NDC:37662-3266-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |

**Marketing Information**

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

**SCANDIUM IODATUM**

scandium iodatum pellet

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:37662-3267 |
| <b>Route of Administration</b> | ORAL           |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength   |
|--|-------------------|------------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) | SCANDIUM IODIDE   | 200 [hp_C] |

**Inactive Ingredients**

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

**Product Characteristics**

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 2mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3267-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 2 | NDC:37662-3267-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 3 | NDC:37662-3267-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 05/26/2023           |                    |
| 4 | NDC:37662-3267-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

## SCANDIUM IODATUM

scandium iodatum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3268 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength   |
|--|-------------------|------------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) | SCANDIUM IODIDE   | 500 [hp_C] |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

### Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | white | Score        | no score |
| Shape    | ROUND | Size         | 2mm      |
| Flavor   |       | Imprint Code |          |
| Contains |       |              |          |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

|   |                  |   |            |  |
|---|------------------|---|------------|--|
| 1 | NDC:37662-3268-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023 |  |
| 2 | NDC:37662-3268-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023 |  |
| 3 | NDC:37662-3268-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 05/26/2023 |  |
| 4 | NDC:37662-3268-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023 |  |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

## SCANDIUM IODATUM

scandium iodatum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3269 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) | SCANDIUM IODIDE   | 1 [hp_M] |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

### Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | white | Score        | no score |
| Shape    | ROUND | Size         | 2mm      |
| Flavor   |       | Imprint Code |          |
| Contains |       |              |          |

### Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3269-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |
| 2 | NDC:37662-3269-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |



|   |                  |   |            |  |
|---|------------------|---|------------|--|
| 3 | NDC:37662-3269-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 05/26/2023 |  |
| 4 | NDC:37662-3269-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023 |  |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

## SCANDIUM IODATUM

scandium iodatum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3270 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength  |
|--|-------------------|-----------|
| SCANDIUM IODIDE (UNII: QVJ18SK04T) (SCANDIUM IODIDE - UNII:QVJ18SK04T) | SCANDIUM IODIDE   | 10 [hp_M] |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

### Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | white | Score        | no score |
| Shape    | ROUND | Size         | 2mm      |
| Flavor   |       | Imprint Code |          |
| Contains |       |              |          |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3270-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 2 | NDC:37662-3270-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 05/26/2023           |                    |
| 3 | NDC:37662-3270-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 05/26/2023           |                    |
| 4 | NDC:37662-3270-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/26/2023           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/26/2023           |                    |

**Labeler** - Hahnemann Laboratories, INC. (147098081)

## Establishment

| Name                         | Address | ID/FEI    | Business Operations   |
|------------------------------|---------|-----------|---|
| Hahnemann Laboratories, INC. |         | 147098081 | manufacture(37662-3263, 37662-3264, 37662-3265, 37662-3266, 37662-3267, 37662-3268, 37662-3269, 37662-3270) |

Revised: 5/2023

Hahnemann Laboratories, INC.