

**CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid
DeMoulas Market Basket**

Children's Allergy - 505

**Drug Facts Active ingredient
(in each 5 mL teaspoon)**

Diphenhydramine HCL 12.5 mg

Purpose

Antihistamine

Keep out of reach of children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 - sneezing
 - itching of the nose or throat
 - runny nose
 - itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
 - sneezing
 - runny nose

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use Ask a doctor or pharmacist before use

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Directions

- if needed, take every 4-6 hours
- do not take more than 6 doses in 24 hours

Children under 4 years of age:

do not use

Children 4 to under 6 years of age:
doctor

do not use unless directed by a

Children 6 to under 12 years of age:

1 to 2 teaspoonfuls
(12.5 mg to 25 mg)

Other Information

- **Keep carton for full directions for use**
- each teaspoonful contains: sodium 10 mg
- store at 20-25 ° C (68-77 ° F)
- dosage cup provided

Inactive ingredients

Citric acid, D and C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call weekdays from 9:30 AM to 4:30 PM EST at

1-877-798-5944

Product Label

**“MORE FOR YOUR DOLLAR”
MARKET BASKET ®**

*COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL® ALLERGY LIQUID

Children's Allergy

Diphenhydramine HCL Oral Solution Antihistamine

Relieves:

- **Sneezing**
- **Runny Nose**

- Itchy Watery Eyes
- Itchy Throat

Alcohol-free

Cherry Flavor

4 FL OZ (118 mL)

Lot:

Exp:

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

*This product is not manufactured or distributed by McNeil-PPC, Inc. distributor of Benadryl® Allergy Liquid.

DISTRIBUTED BY
 DEMOULAS SUPERMARKETS INC.
 875 EAST STREET
 TEWKSBURY MA 01876

BX-014 Rev 01



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts	
Active ingredient (in each 5 mL teaspoonful) Diphenhydramine HCl 12.5mg	Purpose Antihistamine
Uses <ul style="list-style-type: none"> temporarily relieves these symptoms due to hay fever or other respiratory allergies: <ul style="list-style-type: none"> sneezing itching of the nose or throat runny nose itchy watery eyes temporarily relieves these symptoms due to the common cold: <ul style="list-style-type: none"> sneezing runny nose 	
Warnings <ul style="list-style-type: none"> Do not use with any other product containing diphenhydramine, even one used on skin to make a child sleepy 	
Ask a doctor before use if the child has <ul style="list-style-type: none"> glaucoma a breathing problem such as chronic bronchitis 	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers	
When using this product <ul style="list-style-type: none"> marked drowsiness may occur excitability may occur, especially in children sedatives and tranquilizers may increase drowsiness 	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions <ul style="list-style-type: none"> if needed, take every 4-6 hours do not take more than 6 doses in 24 hours 	
Children under 4 years of age:	do not use
Children 4 to under 6 years of age:	do not use unless directed by a doctor
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)





Drug Facts

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Active ingredient (in each 5 mL teaspoonful) **Purpose**
Diphenhydramine HCl 12.5mg..... Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other respiratory allergies: ▶ sneezing ▶ itching of the nose or throat ▶ runny nose ▶ itchy watery eyes ■ temporarily relieves these symptoms due to the common cold: ▶ sneezing ▶ runny nose

Warnings

Do not use ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy

Ask a doctor before use if the child has ■ glaucoma ■ a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

When using this product ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ if needed, take every 4-6 hours ■ do not take more than 6 doses in 24 hours

Children under 4 years of age: do not use

Children 4 to under 6 years of age: do not use unless directed by a doctor

Children 6 to under 12 years of age: 1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Other Information ■ each teaspoonful contains: sodium 10 mg ■ store at 20° - 25° C (68° - 77° F) ■ dosage cup provided

Inactive ingredients Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944.

*This product is not manufactured or distributed by McNeil-PPC, Inc., the distributor of Benadryl® Allergy Liquid.

DISTRIBUTED BY
DEMOULAS SUPERMARKETS INC.
875 EAST STREET
TEWKSBURY, MA 01876

LOT:

EXP:

LR-033 Rev 01

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Diphenhydramine HCl 12.5mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 - sneezing
 - itching of the nose or throat
 - runny nose
 - itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
 - sneezing
 - runny nose

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- if needed, take every 4-6 hours
- do not take more than 6 doses in 24 hours

Children under 4 years of age:	do not use
Children 4 to under 6 years of age:	do not use unless directed by a doctor
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Diphenhydramine HCl 12.5mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 - sneezing
 - itching of the nose or throat
 - runny nose
 - itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
 - sneezing
 - runny nose

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

... make a child sleepy

Ask a doctor before use if the child has ■ glaucoma
■ a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is taking
sedatives or tranquilizers

When using this product ■ marked drowsiness may occur
■ excitability may occur, especially in children
■ sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help
or contact a Poison Control Center right away.

Directions ■ if needed, take every 4-6 hours

■ do not take more than 6 doses in 24 hours

Children under 4 years of age: do not use

Children 4 to under 6 years of age: do not use unless directed by a doctor

Children 6 to under 12 years of age: 1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Other Information ■ each teaspoonful contains: sodium 10 mg
■ store at 20° - 25° C (68° - 77° F) ■ dosage cup provided

Inactive ingredients Citric acid, D&C Red # 33, FD&C Red #
40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate,
sodium chloride, sodium citrate, sucrose

Questions or comments? Call weekdays from 9:30 AM to
4:30 PM EST at 1-877-798-5944.

*This product is not manufactured or distributed by McNeil-PPC, Inc.,
the distributor of Benadryl® Allergy Liquid.

DISTRIBUTED BY
DEMOULAS SUPERMARKETS INC.
875 EAST STREET
TEWKSBURY, MA 01876

LOT:

EXP:

LR-033 Rev 01

CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53942-505
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53942-505-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/11/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	09/11/2012	

Labeler - DeMoulas Market Basket (007869647)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(53942-505)

Revised: 12/2023

DeMoulas Market Basket