

**AST INC. IO-DERM TEAT DIP- iodine solution**  
**Advanced Skin Technologies Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**AST Inc. Io-Derm TEAT DIP/SPRAY**

**DANGER:**

**Keep Out of Reach of Children**

**Can Cause Eye Damage**

Protect eyes when handling. DO NOT get in eyes or on clothing, Harmful if swallowed. Avoid contamination of food.

**FIRST AID:**

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

**Internal:** DO NOT TAKE INTERNALLY. If swallowed, drink large quantities of water, and call a physician immediately.

**CAUTION : AVOID FREEZING--**

If frozen, let thaw and shake thoroughly before using.

**INGREDIENTS:**

Active Ingredient - Iodine 2.5% Iodine complex yielding 0.5% titratable Iodine Also contains - Glycerin

**DIRECTIONS FOR USE:**

Immediately after each cow is milked, dip/spray teats in an undiluted solution of AST lo-Derm Teat Dip/Spray. Teats should be dipped/sprayed to the base of the udder. At the end of lactation, teats should be dipped/sprayed in AST Lo-Derm Teat Dip.Spray for 4 days after milking. Teats and udders should be thoroughly washed and dried before milking\*, using potable water and individual paper towels to prevent contamination of milk. Blot dry. If the dip/spray becomes visibly dirty or contains sediment, use a fresh solution.

(\*with AST Udder Wash or similar)

**Pre-Dipping/Pre-Spraying:**

Dip/spray most of the teat into AST lo-Derm Teat Dip/Spray. Wait 30 seconds to one

minute, then gently wipe off.

Teats should be thoroughly washed and dried before milking, using potable water, a suitable cleanser\* and individual paper towels to remove soil and to prevent contamination of milk.


### Package Labeling:

**DIRECTIONS FOR USE:**

Immediately after each cow is milked, dip/spray teats in an undiluted solution of AST lo-Derm Teat Dip/Spray. Teats should be dipped/sprayed to the base of the udder. At the end of lactation, teats should be dipped/sprayed in AST lo-Derm Teat Dip/Spray for 4 days after milking. Teats and udders should be thoroughly washed and dried before milking\*, using potable water and individual paper towels to prevent contamination of milk. Blot dry. If the dip/spray becomes visibly dirty or contains sediment, use a fresh solution. (\*with AST Udder Wash or similar)

**Pre-Dipping/Pre-Spraying:** Dip/spray most of the teat into AST lo-Derm Teat Dip/Spray. Wait 30 seconds to one minute, then gently wipe off.

**Teats should be thoroughly washed and dried before milking, using potable water, a suitable cleanser\* and individual paper towels to remove soil and to prevent contamination of milk.**



**DANGER: Keep Out of Reach of Children Can Cause Eye Damage**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:**

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

**Internal:** DO NOT TAKE INTERNALLY. If swallowed, drink large quantities of water, and call a physician immediately.

**CAUTION: AVOID FREEZING--**

If frozen, let thaw and shake thoroughly before using.

**INGREDIENTS:**

Active Ingredient - Iodine...2.5% Iodine complex yielding 0.5% titratable Iodine  
Also contains - Glycerin



Emergency Telephone Number (24 hours)  
(CHEMTREC) 800-424-9300

**Manufactured By:**  
AST Inc.

P.O. Box 579  
Bernville, PA 19506  
610-488-7643 FAX 610-488-0336

U.S. Patent Pending. lo-Derm is a trademark of AST, Inc.

## AST INC. IO-DERM TEAT DIP

iodine solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:52657-0102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	25 mg in 0.001 L

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52657-0102-0	56.7811768 L in 1 JUG		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/18/2022	

**Labeler** - Advanced Skin Technologies Inc. (176084556)

## Establishment

Name	Address	ID/FEI	Business Operations
Advanced Skin Technologies Inc.		176084556	manufacture, api manufacture

Revised: 2/2022

Advanced Skin Technologies Inc.