

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 TINTED  
MINERAL SUNSCREEN BROAD SPECTRUM SPF 50- titanium dioxide lotion  
Cosmetique Active Production**

-----

**Drug Facts**

**Active ingredient**

Titanium dioxide 11%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use

- apply generously 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsiloxylethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonim hectorite, cassia alata leaf extract, alumina, aluminum hydroxide

### **Questions or comments?**

**1-888-577-5226 1-888-LRP LABO**

Monday - Friday (9 a.m. - 5 p.m. EST)

Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**.

They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Aging** or **Skin Allergies**.

They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of **skin cancer**.

A pioneer in UV protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit [www.laroche-posay.us](http://www.laroche-posay.us) or check our Facebook: [@facebook.com/LaRochePosay/USA](https://www.facebook.com/LaRochePosay/USA)



FACE  
**50**

SUNSCREEN

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF50

TINTED

**ANTHELIOS 50**  
**MINERAL**

Avec de l'eau thermale de La Roche-Posay

**ULTRA LIGHT SUNSCREEN FLUID**  
100% mineral UV filter system  
Matte finish. Universal tint

Advanced Protection

with **CELL-OX SHIELD™**

**UVA/UVB + ANTIOXIDANT**



**WATER RESISTANT (40 MINUTES)**

Fragrance-free. Paraben-free

Tested on sensitive skin

1.7 FL OZ - 50 ml

**ANTHELIOS 50 MINERAL**  
sunscreen with **CELL-OX SHIELD™**.

A unique patent pending combination of a mineral sun filter with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

**Properties:**

• **100% mineral UV filter system**

- An optimized blend of titanium dioxide to offer broad-spectrum protection with demonstrated efficacy against UVA rays.

- A patent pending dispersion technology to help assure uniform protection.

• **Powerful antioxidant complex.**

- Senna Alata, a tropical leaf extract known to defend skin cells!

- Additional antioxidants to help protect skin from environmental aggressors.

• **Breakthrough texture:**

Fast-absorbing fluid, tinted for a natural glow. Universal tint matches most every skin tone for a uniform complexion. Skin feels hydrated with a matte finish.

**Results:** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**Dermatological safety:**

**ANTHELIOS 50** sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT  
(40 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN

upper layers of skin



Distributed by La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay  
Laboratoire Pharmaceutique  
86270 La Roche-Posay France  
TSA 10007 F 92667 ASNIERES CEDEX  
[www.laroche-posay.com](http://www.laroche-posay.com)

## Drug Facts

### Active ingredient

Titanium dioxide 11%

### Purpose

Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentyleneglycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsiloxylethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonium hectorite, cassia alata leaf extract, alumina, aluminum hydroxide

### Questions or comments?

1-888-LRP LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

8582023

US Pat. Pending

Code F.I.L.: D50867/10



Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**. They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Aging** or **Skin Allergies**. They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of **skin cancer**.

A pioneer in UV protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit [www.laroche-posay.us](http://www.laroche-posay.us) or check our Facebook! [@facebook.com/LaRochePosay/USA](https://www.facebook.com/LaRochePosay/USA)

FACE  
**50**

SUNSCREEN

16.25

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF50

TINTED

**ANTHELIOS 50**  
MINERAL

Avec de l'eau thermale de La Roche-Posay

7.25

ULTRA LIGHT SUNSCREEN FLUID  
100% mineral UV filter system  
Matte finish. Universal tint

Advanced Protection  
with **CELL-OX SHIELD™**  
UVA/UVB + ANTIOXIDANT

SHAKE

SHAKE

WATER RESISTANT (40 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

1.7 FL OZ - 50 ml

14.75

**ANTHELIOS 50 MINERAL**  
sunscreens with **CELL-OX SHIELD™**.

A unique patent pending combination of a mineral sun filter with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

**Properties:**

- **100% mineral UV filter system**
  - An optimized blend of titanium dioxide to offer broad-spectrum protection with demonstrated efficacy against UVA rays.
  - A patent pending dispersion technology to help assure uniform protection.
- **Powerful antioxidant complex**
  - Senna Alata, a tropical leaf extract known to defend skin cells!
  - Additional antioxidants to help protect skin from environmental aggressors.
- **Breakthrough texture:** Fast-absorbing fluid, tinted for a natural glow. Universal tint matches most every skin tone for a uniform complexion. Skin feels hydrated with a matte finish.

**Results:** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**Dermatological safety:** **ANTHELIOS 50** sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT (40 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN

upper layers of skin

Made in France

Distributed by La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay  
Laboratoire Pharmaceutique  
86270 La Roche-Posay France  
TSA 10007 F 92667 ASNIERES CEDEX  
[www.laroche-posay.com](http://www.laroche-posay.com)

**Drug Facts**

Active ingredient	Purpose
Titanium dioxide 11%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**  
water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentyleneglycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsiloxylethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonium hectorite, cassia alata leaf extract, alumina, aluminum hydroxide

**Questions or comments?**  
**1-888-LRP LABO** 1-888-577-5226  
Monday - Friday (9 a.m. - 5 p.m. EST)

8582023 Code F.I.L.: D50867/10  
US Pat. Pending

## LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 TINTED MINERAL SUNSCREEN BROAD SPECTRUM SPF 50

titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69625-899
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	110 mg in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69625-899-01	1 in 1 CARTON	06/01/2012	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69625-899-02	1 in 1 CARTON	06/01/2012	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M020	06/01/2012	

**Labeler** - Cosmetique Active Production (282658798)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(69625-899) , pack(69625-899)

Revised: 1/2024

Cosmetique Active Production