OXYGEN- oxygen gas California O2 Services Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Principal for Oxygen Product

OXYGEN, COMPRESSED USP UN 1072

C.A.S No. 7782-44-7

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in the piping.

Close valve after each use and when empty. Cylinder temperatures should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS).

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

OXYGEN, COMPRESSED USP

OXYGEN

UN 1072

C.A.S. NO. 7782-44-7

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this box

A WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in the piping.
Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F).
Use in accordance with Material Safety Data Sheet (MSDS).

DO NOT REMOVE THIS PRODUCT LABEL

▲ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only, Unintercupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefection.

Contents Size Size Contents "M6" 170 Liters 682 Liters "C" 248 Liters "H" 6910 Liters "D" 415 Liters Other Liters

Representative Labeling pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:69756-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69756-001-01	682 L in 1 CYLINDER; Type 0: Not a Combination Product		
2	NDC:69756-001- 02	415 L in 1 CYLINDER; Type 0: Not a Combination Product		
3	NDC:69756-001- 03	248 L in 1 CYLINDER; Type 0: Not a Combination Product		
4	NDC:69756-001- 04	170 L in 1 CYLINDER; Type 0: Not a Combination Product		
5	NDC:69756-001- 05	7080 L in 1 CYLINDER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		04/01/2015	

Labeler - California O2 Services Inc (079726629)

Registrant - California O2 Services Inc (079726629)

Establishment				
Name	Address	ID/FEI	Business Operations	
California O2 Services Inc		079726629	manufacture (69756-001)	

Revised: 4/2015 California O2 Services Inc