

**MEIJER NIGHTTIME SLEEP AID NON HABIT FORMING- diphenhydramine
hydrochloride liquid
MEIJER DISTRIBUTION INC**

Meijer Nighttime Sleep Aid Berry Flavor 12 FL OZ (354 mL)

Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- take only one dose per day (24 hours)
- measure with dosing cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL dose contains:** sodium 10 mg
- store at room temperature

Inactive ingredients

anhydrous citric acid, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

meijer®

Compare to ZzzQuil® Nighttime Sleep-Aid active ingredient*

NDC# 41250-853-12

Nighttime sleep-aid

Diphenhydramine HCl 50 mg

Non-Habit Forming

Berry Flavor

Naturally and Artificially Flavored

Sugar-Free, Dye-Free, Aspartame-Free, Alcohol-Free

Makes you fall asleep fast

Not for Pain. Not for Colds. Just for Sleep

12 FL OZ (354 mL)

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

OUR QUALITY GUARANTEE

WWW.MEIJER.COM/SATISFACTION

DIST. BY MEIJER DISTRIBUTION, INC.

GRANDS RAPIDS, MI 49544

www.meijer.com

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

Drug Facts (continued)

Other information

- each 30 mL dose contains: sodium 10 mg
- store at room temperature

Inactive Ingredients anhydrous citric acid, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by Procter & Gamble, the distributor of ZzzQuil® Nighttime Sleep-Aid.

meijer

NDC 41250-853-12

Compare to ZzzQuil[™] Nighttime Sleep-Aid active ingredient*

nighttime sleep-aid

Diphenhydramine HCl 50 mg

Non-Habit Forming

Berry Flavor
Naturally and Artificially Flavored

Sugar-Free, Dye-Free, Aspartame-Free, No Added Alcohol

Makes you fall asleep fast

Not for Pain, Not for Colds, Just for Sleep

12 FL. OZ. (354 mL)

Drug Facts

Active ingredient (in each 30 mL dose cup)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Uses ■ for the relief of occasional sleeplessness

■ reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions ■ take only one dose per day (24 hours)

■ only use dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

75312MJRLR PID 3672313

LOT: 08820 05997 9

EXP: 7

Non - Varnish Area

MEIJER NIGHTTIME SLEEP AID NON HABIT FORMING

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-853
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

GLYCERIN (UNII: PDC6A3C0OX)				
POTASSIUM CITRATE (UNII: EE90ONI6FF)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-853-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/25/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M010	04/25/2019		

Labeler -
MEIJER DISTRIBUTION INC (006959555)