# ALAHIST DM- dextromethorphan hbr, pheniramine maleate, phenylephrine hcl liquid

Poly Pharmaceuticals, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

# **ALAHIST DM**

#### **ALAHIST DM LIQUID**

#### **Drug Facts**

#### **Active ingredients**

#### (in each 5 mL teaspoonful)

#### **Purpose**

**Antitussive** 

**Antihistamine** 

Nasal Decongestant

#### Uses

temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of nose or throat
- itchy, watery eyes
- cough due to minor throat and bronchial irritation
- nasal congestion
- reduces swelling of nasal passages

# Warnings

Do not exceed recommended dosage.

#### Do not use

#### this product

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use

#### if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a cough that occurs with too much phlegm (mucus)
- heart disease
- high blood pressure
- thyroid disease
- diabetes

#### Ask a doctor or pharmacist before use

#### if you are

taking sedatives or tranquilizers.

#### When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- be careful when driving a motor vehicle or operating machinery

# Stop use and ask a doctor if

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

# Do not exceed recommended dosage.

Adults and	2 teaspoonful (10 mL)
	every 4 to 6 hours,
children 12	not to exceed 12
years of age	teaspoonfuls in a 24

and over:

hours

1 teaspoonful

Children 6 to

(5 mL) every 4 to 6

under 12 years

hours, not to exceed

of age:

6 teaspoonfuls in 24 hours

Children under

Consult a doctor.

6 years of age:

#### Other information

Store at 59° - 86°F (15° - 30°C)

## **Inactive ingredients**

Citric Acid, Flavor, Methylparaben, Potassium Citrate, Propylene Glycol, Propylparaben, Purified water, Sucralose, Sorbitol


### **Questions? Comments?**

Serious side effects associated with use of this product may be reported to this number.

Call 1-800-882-1041

Mon. - Fri. (8 a.m. to 5 p.m. CST).

#### PRINCIPAL DISPLAY PANEL



#### **ALAHIST DM**

dextromethorphan hbr, pheniramine maleate, phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50991-444
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL
PHENIRAMINE MALEATE (UNII: NYW905655B) (PHENIRAMINE - UNII:134FM9ZZ6M)	PHENIRAMINE MALEATE	12.5 mg in 5 mL

#### **Inactive Ingredients**

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POTASSIUM CITRATE (UNII: EE900NI6FF)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50991-444- 16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2023	
2	NDC:50991-444- 15	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/08/2023	

Marketing Information			
Marketing End Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category
	06/08/2023		unapproved drug other
		Citation	unapproved drug

# Labeler - Poly Pharmaceuticals, Inc. (198449894)

Revised: 1/2024 Poly Pharmaceuticals, Inc.