

FS IOBLEND 10- iodine solution
Genex Cooperative, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FS IoBlend 10

FS IoBlend10

Mix Instructions

1 part IO Blend 10™ to 4 parts of water for 1% teat dip with 10% emollients.

1 part IO Blend 10™ to 9 parts of water for .5% teat dip with 5% emollients.

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: None Known

FIRST AID MEASURES:

General Advice: May cause eye irritation with corneal injury and result in impairment of vision.

First Aid:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any: None known

IoBlend 10™ is a Concentrate Iodine teat dip designed to aid in the prevention of the spread of mastitis causing organisms.

Directions: Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted EDX-1000™. Allow to soak for 15-30 seconds. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted EDX-1000™. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300

FS IoBlend 10

FARM SYSTEMS™

Active Ingredients:

Iodine.....5%

Contains 50% Skin Emollients (Triple) In Concentrate

FOR FARM USE ONLY

KEEP OUT OF REACH OF CHILDREN

IoBlend 10™ is a Concentrate Iodine teat dip designed to aid in the prevention of the spread of mastitis causing organisms.

Directions: Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted EDX-1000™. Allow to soak for 15-30 seconds. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted EDX-1000™. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.



Manufactured by:
ProActive Solutions® USA, LLC • 1-800-279-7761
301 Bridge St Green Bay, WI



FS IoBlend-10™ Iodine Concentrate Teat Dip

Mix Instructions

1 part IO Blend 10™ to 4 parts of water for 1% teat dip with 10% emollients.
1 part IO Blend 10™ to 9 parts of water for .5% teat dip with 5% emollients.

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: None Known

FIRST AID MEASURES:

General Advice: May cause eye irritation with corneal injury and result in impairment of vision.

First Aid:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any: None known

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**

Manufactured For:
Farm Systems
58 Interstate Dr NW
Melrose, MN 56352



FARM SYSTEMS™

Active Ingredients:

Iodine.....5%

Contains 50% Skin Emollients (Triple) In Concentrate

FOR FARM USE ONLY

KEEP OUT OF REACH OF CHILDREN

IoBlend 10™ is a Concentrate Iodine teat dip designed to aid in the prevention of the spread of mastitis causing organisms.

Directions: Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted EDX-1000™. Allow to soak for 15-30 seconds. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted EDX-1000™. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.



Manufactured by:
ProActive Solutions® USA, LLC • 1-800-279-7761
301 Bridge St Green Bay, WI



FS IoBlend-10™ Iodine Concentrate Teat Dip

Mix Instructions

1 part IO Blend 10™ to 4 parts of water for 1% teat dip with 10% emollients.
1 part IO Blend 10™ to 9 parts of water for .5% teat dip with 5% emollients.

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: None Known

FIRST AID MEASURES:

General Advice: May cause eye irritation with corneal injury and result in impairment of vision.

First Aid:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any: None known

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**

Manufactured For:
Farm Systems
58 Interstate Dr NW
Melrose, MN 56352



FS IOBLEND 10

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86193-4666
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86193-4666-1	1192.20 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/03/2024	

Labeler - Genex Cooperative, Inc. (003437378)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Genex Cooperative, Inc.		003437378	repack

Revised: 4/2024

Genex Cooperative, Inc.