

**ASPEN QM GOLD - bronopol liquid**  
**EXL Laboratories, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Usage Directions Active Ingredient**

**QM Gold™** is a very gentle post-milking barrier teat dip with excellent skin conditioning properties. When using as directed, QM Gold is an effective aid in controlling the spread of mastitis-causing micro-organisms. QM Gold has a unique ability to protect the teats between milking with a long lasting flexible film.

**DIRECTIONS FOR USE:**

Teats should be clean and dry before dipping. Use a high-quality teat dip designed for use before milking, and thoroughly dry teats with individual towels before applying the milking unit.

**POST-DIPPING:** Immediately after milking and before cows are released, dip teats with undiluted QM Gold. Allow to dry. If the teat dip becomes visibly dirty, replace with fresh solution. Do not return used solution to the container. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip teats once a day for 3-4 days following the last milking. **DURING COLD WEATHER** do not turn out cows until teats are dry.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT.**

**ACTIVE INGREDIENTS:** Bronopol .....0.20%  
Contains 5% Glycerin, Lanolin, and other skin conditioners

**Caution First Aid Storage and Disposal**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**HARMFUL IF SWALLOWED – HARMFUL IF INHALED – CAUSES EYE IRRITATION**

**SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET**

**TOLL FREE EMERGENCY NUMBER: 1-800-424-9300**

**PRECAUTIONS:** Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

**FIRST AID:**

**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.

**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EYES:** Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

**STORAGE AND DISPOSAL:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

**SPILLAGE:** In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

**KEEP FROM FREEZING**

**Product Label**

**Aspen®  
Dairy Solutions™  
QUALITY MILK CONTROL™**

**QM Gold**

**NON-IODINE POST-MILKING BARRIER TEAT DIP**

EXL Laboratories, LLC.  
1001 Glenwood Ave.  
Minneapolis, MN 55405

Net Contents:  
15 Gals. (56.8 L)      55 Gals. (208 L)  
265 Gals. (1003 L)

Control: 25504243A

Lot Number/Expires:

**QM Gold**  
NON-IODINE POST-MILKING BARRIER TEAT DIP

QM Gold™ is a very gentle post-milking barrier teat dip with excellent skin conditioning properties. When used as directed, QM Gold is an effective aid in controlling the spread of mastitis-causing micro-organisms. QM Gold has a unique ability to protect the teats between milkings with a long lasting flexible film.

**DIRECTIONS FOR USE:**  
Teats should be clean and dry before dipping. Use a high-quality teat dip designed for use before milking, and thoroughly dry teats with individual towels before applying the milking unit.

**POST-DIPPING:** Immediately after milking and before cows are released, dip teats with undiluted QM Gold. Allow to air dry. If the dip becomes visibly dirty, replace with fresh solution. Do not return used solution to the container. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip teats once a day for 3-4 days following the last milking. **DURING COLD WEATHER** do not turn out cows until teats are dry.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT**  
**ACTIVE INGREDIENTS:** Bronopol..... 20%  
Contains 5% Glycerin, Lanolin, and other skin conditioners.

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION  
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT SDS SHEET

**TOLL FREE EMERGENCY NUMBER: 1-800-424-9300**

**PRECAUTIONS:** Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

**FIRST AID:**  
**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.  
**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**  
**EYES:** Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

**STORAGE AND DISPOSAL:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.  
**SPILLAGE:** In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

**KEEP FROM FREEZING**

EXL Laboratories, LLC  
1001 Glenwood Ave.  
Minneapolis, MN 55405

Net Contents:  15 Gals. (56.8 L)       55 Gals. (208 L)  
 265 Gals. (1003 L)  
Lot Number/Expires:  
Control: 25504243A

**ASPEN QM GOLD**  
bronopol liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:50 138-243
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
BRONOPOL (UNII: 6PU1E16C9W) (BRONOPOL - UNII:6PU1E16C9W)	BRONOPOL	2000 mg in 1 L

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50 138-243-01	9.5 L in 1 JUG		
2	NDC:50 138-243-02	19 L in 1 JUG		
3	NDC:50 138-243-03	56.8 L in 1 DRUM		
4	NDC:50 138-243-04	114 L in 1 DRUM		
5	NDC:50 138-243-05	208.2 L in 1 DRUM		
6	NDC:50 138-243-06	946 L in 1 DRUM		
7	NDC:50 138-243-07	1003 L in 1 DRUM		
8	NDC:50 138-243-08	1040 L in 1 DRUM		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		09/01/2012	

**Labeler** - EXL Laboratories, LLC (927483458)**Registrant** - EXL Laboratories, LLC (927483458)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 11/2013

EXL Laboratories, LLC