

**ALLERGY RELIEF- levocetirizine dihydrochloride tablet, coated**  
**AMERISOURCEBERGEN DRUG CORPORATION**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Levocetirizine dihydrochloride USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

**Ask a doctor before use if you have**

- ever had trouble urinating or emptying your bladder

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask doctor if**

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

## Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

adults 65 years of age and older	<ul style="list-style-type: none"><li>ask a doctor</li></ul>
adults and children 12-64 years of age	<ul style="list-style-type: none"><li>take 1 tablet (5 mg) once daily in the evening</li><li>do not take more than 1 tablet (5 mg) in 24 hours</li><li>1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li></ul>
children 6-11 years of age	<ul style="list-style-type: none"><li>take 1/2 tablet (2.5 mg) once daily in the evening</li><li>do not take more than 1/2 tablet (2.5 mg) in 24 hours</li></ul>
children under 6 years of age	<ul style="list-style-type: none"><li>do not use</li></ul>
consumers with kidney disease	<ul style="list-style-type: none"><li>do not use</li></ul>

## Other information

- store between 20° and 25°C (68° and 77°F)
- safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

## Questions or comments?

Call **1-888-375-3784**

## Carton Label

Compare to Xyzal<sup>®</sup> Allergy 24HR  
active ingredient\*

Good  
Neighbor

Pharmacy®

NDC 46122-531-05

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
**levocetirizine dihydrochloride**  
**tablets USP, 5 mg**  
**Antihistamine**

Relief of:

- Sneezing
- Runny Nose
- Itchy Nose or Throat
- Itchy, Watery Eyes

24 HOUR

35 TABLETS

**GOOD NEIGHBOR PHARMACY®** NDC 46122-531-05  
ORIGINAL PRESCRIPTION STRENGTH  
**Allergy Relief**  
levocetirizine dihydrochloride tablets USP, 5 mg  
**Antihistamine**

**GOOD NEIGHBOR PHARMACY®** NDC 46122-531-05  
Compare to Xyzal® Allergy 24HR active ingredient\*  
ORIGINAL PRESCRIPTION STRENGTH  
**Allergy Relief**  
levocetirizine dihydrochloride tablets USP, 5 mg  
**Antihistamine**  
**24 HOUR**  
actual size  
**35 tablets**

Relief of:  
• Sneezing  
• Runny Nose  
• Itchy Nose or Throat  
• Itchy, Watery Eyes

**24 HOUR**  
actual size  
**35 tablets**

**Drug Facts**

Active ingredient (in each tablet)	Purpose
Levocetirizine dihydrochloride USP, 5 mg... Antihistamine	

**Uses**  
temporarily relieves these symptoms due to hay fever or other respiratory allergies:  
• runny nose  
• sneezing  
• itchy, watery eyes  
• itching of the nose or throat

**Warnings**  
Do not use  
• if you have kidney disease  
• if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine  
Ask a doctor before use if you have  
• ever had trouble urinating or emptying your bladder  
When using this product  
• drowsiness may occur  
• avoid alcohol, drugs,  
• alcohol, sedatives, and tranquilizers may increase drowsiness  
• be careful when driving a motor vehicle or operating machinery  
Stop use and ask a doctor if  
• you have trouble urinating or emptying your bladder  
• an allergic reaction to this product occurs. Seek medical help right away.  
If pregnant or breast-feeding:  
• If breast-feeding, not recommended  
• If pregnant, ask a health professional before use  
Keep out of reach of children.  
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**  
adults 65 years of age and older  
• ask a doctor  
adults and children 12-64 years of age  
• take 1 tablet (5 mg) once daily in the evening  
• do not take more than 1 tablet (5 mg) in 24 hours  
• 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms  
children 6-11 years of age  
• take 1/2 tablet (2.5 mg) once daily in the evening  
• do not take more than 1/2 tablet (2.5 mg) in 24 hours  
children under 6 years of age  
• do not use  
consumers with kidney disease  
• do not use

**Other information**  
• store between 20° and 25° (68° and 77°)  
• safety sealed; do not use if cap has been opened or if printed foil liner seal on bottle is torn or missing

**Inactive ingredients**  
colloidal silicon dioxide, hydroxymethylcellulose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions or comments?**  
Call 1-888-378-3784

Read directions and warnings before use. Keep this carton. It has important information.

\*This product is not manufactured or distributed by Chattem, Inc. (part of the Sanofi Group), distributor of Xyzal® Allergy 24HR Tablets. Xyzal® is a registered trademark of UCB Group of companies.

Made in India

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
Questions or Concerns?  
www.gnp.com

ABC# 10185578  
0 877 01 4 5092 3

LOT  
EXP

**Bottle Label**


Good  
Neighbor  
Pharmacy®

NDC 46122-531-05

ORIGINAL PRESCRIPTION STRENGTH

**Allergy Relief**  
**levocetirizine**  
**dihydrochloride**  
**tablets USP, 5 mg**  
**Antihistamine**

35 TABLETS 24 HOUR


 NDC 46122-531-05

**ORIGINAL PRESCRIPTION STRENGTH**  
**Allergy Relief**  
**levocetirizine**  
**dihydrochloride**  
**tablets USP, 5 mg**  
**Antihistamine**  
**35 tablets** **24 HOUR**

**Active Ingredient (in each tablet)**  
Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

**Purpose**  
**Uses** temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat **Warnings** **Do not use** ■ if you have **kidney disease** ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use** if you have ■ ever had trouble urinating or emptying your bladder **When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery **Stop use and ask a doctor if** ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use

**Distributed By:** AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
**Made in India**  
LOT / EXP 150071911

Peel Here 

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Directions** **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms **children 6-11 years of age** ■ take 1/2 tablet (2.5 mg) once daily in the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours **children under 6 years of age** ■ do not use **consumers with kidney disease** ■ do not use **Other information** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing **inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide **Questions or comments?** call 1-888-375-3784

**ALLERGY RELIEF**

levocetirizine dihydrochloride tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-531
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>levocetirizine dihydrochloride</b> (UNII: SOD6A38AGA) (levocetirizine - UNII:6U5EA9RT2O)	levocetirizine dihydrochloride	5 mg

## Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)	

## Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	9mm
Flavor		Imprint Code	L
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-531-05	1 in 1 CARTON	04/20/2018	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-531-52	2 in 1 CARTON	07/06/2018	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210375	04/20/2018	

**Labeler** - AMERISOURCEBERGEN DRUG CORPORATION (007914906)