

**SATOHAP COOL TYPE- camphor, menthol, methyl salicylate lotion**  
**Sato Pharmaceutical Co., Ltd.**

-----  
**Satohap Lotion (Cool Type)**

**Active ingredients**

Camphor

Menthol

Methyl salicylate

**Purpose**

Camphor External analgesic

Menthol External analgesic

Methyl salicylate External analgesic

☐ **Uses** Temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- bruises
- sprains

☐ **Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame

**Do not use**

- on wounds
- on irritated, broken, or damaged skin
- otherwise than as directed

**When using this product**

- avoid contact with the eyes or mucous membranes
- do not bandage tightly and do not apply local heat (heating pads, lamps, hot water in bags or bottles) because doing so can increase the risk of serious burns

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
- when using for pain of arthritis:
  - pain persists for more than 10 days
  - redness is present
  - in conditions affecting children under 12 years of age

- you experience pain, swelling, or blistering of the skin (this product should not cause pain or skin damage)

**Warning-Rare cases of serious burns** have been reported to occur on the skin where OTC external analgesics were applied. Read and follow all directions and warnings on this label.

**Keep out of reach of children** to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

**▣ Directions**

- adults and children 3 years of age and older: apply to the affected area not more than 3 to 4 times daily
- children under 3 years of age: consult your physician
- refer to the above warnings; use otherwise than as directed may be dangerous

**▣ Other information**

- keep container tightly closed
- store at room temperature (20° to 25° C or 68° to 77° F)

**▣ Inactive ingredients**

alcohol, propylene glycol, water.

For Bruises  
Sprains Arthritis

# SATOHAP LOTION

EXTERNAL ANALGESIC LOTION

★FOR YOUR SAFETY  
Use only if carton is sealed.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Camphor 5%.....	External analgesic
Menthol 5%.....	External analgesic
Methylsalicylate 10%.....	External analgesic
<b>Uses</b> Temporarily relieves minor aches and pains of muscles and joints due to: <input type="checkbox"/> simple backache <input type="checkbox"/> arthritis <input type="checkbox"/> strains <input type="checkbox"/> bruises <input type="checkbox"/> sprains	
<b>Warnings</b> For external use only <b>Flammable:</b> keep away from fire or flame. <b>Do not use</b> <input type="checkbox"/> on wounds <input type="checkbox"/> on irritated, broken, or damaged skin <input type="checkbox"/> otherwise than as directed <b>When using this product</b> <input type="checkbox"/> avoid contact with the eyes or mucous membranes <input type="checkbox"/> do not bandage tightly and do not apply local heat (heating pads, lamps, hot water in bags or bottles) because doing so can increase the risk of serious burns <b>Stop use and ask a doctor if</b> <input type="checkbox"/> condition worsens <input type="checkbox"/> symptoms persist for more than 7 days <input type="checkbox"/> symptoms clear up and occur again within a few days <input type="checkbox"/> excessive irritation of the skin develops <input type="checkbox"/> nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs <input type="checkbox"/> when using for pain of arthritis: <input type="checkbox"/> pain persists for more than 10 days <input type="checkbox"/> redness is present <input type="checkbox"/> in conditions affecting children under 12 years of age <input type="checkbox"/> you experience pain, swelling, or blistering of the skin (this product should not cause pain or skin damage) <b>Warning:</b> Rare cases of serious burns have been reported to occur on the skin where OTC external analgesics were applied. Read and follow all directions and warnings on this label. <b>Keep out of reach of children</b> to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. <b>Directions</b> <input type="checkbox"/> adults and children 3 years of age and older: apply to the affected area not more than 3 to 4 times daily <input type="checkbox"/> children under 3 years of age: consult your physician <input type="checkbox"/> refer to the above warnings; use otherwise than as directed may be dangerous <b>Other information</b> <input type="checkbox"/> keep container tightly closed <input type="checkbox"/> store at room temperature (20° to 25° C or 68° to 77° F) <b>Inactive ingredients</b> alcohol, propylene glycol, water.	

sato

For Bruises  
Sprains Arthritis

# SATOHAP LOTION

EXTERNAL ANALGESIC LOTION

- Camphor
- Menthol
- Methyl Salicylate



★Do not keep the bottle lying side ways.  
 Manufactured by  
**SATO PHARMACEUTICAL CO., LTD.**  
 1-5-27 MOTOKASAKA MINATO-KU TOKYO, JAPAN  
 Reports of serious side effects associated with use of this product can be sent to:  
**SATO PHARMACEUTICAL, INC.**  
 20665 S. Western Ave., Suite 240, Torrance, CA 90501

sato

NDC 49873-620-01

For Bruises  
Sprains Arthritis

# SATOHAP LOTION

EXTERNAL ANALGESIC LOTION

- Camphor
- Menthol
- Methyl Salicylate



1.5 FL OZ (45 mL)

Child-resistant  
Packaging



Push and Turn



Features convenient  
applicator tip

sato NDC 49873-620-01

For Bruises  
Sprains Arthritis

# SATOHAP LOTION

Camphor, Menthol,  
Methyl Salicylate:  
External analgesic

1.5 FL OZ (45 mL)

EXP.  
DATE  
LOT



3 49873 06503 8

## SATOHAP COOL TYPE

camphor, menthol, methyl salicylate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49873-620
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	5 g in 100 mL
<b>LEVOMENTHOL</b> (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	6 g in 100 mL
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49873-620-01	1 in 1 CARTON	01/10/2019	
1		45 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/10/2019	

**Labeler** - Sato Pharmaceutical Co., Ltd. (690575642)

### Establishment

Name	Address	ID/FEI	Business Operations
Sato Pharmaceutical Co., Ltd.		715699133	manufacture(49873-620) , pack(49873-620) , label(49873-620)

Revised: 11/2023

Sato Pharmaceutical Co., Ltd.