

**ALLERGY RELIEF D- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release**  
**CVS Pharmacy**

-----  
**CVS Pharmacy, Inc. Allergy Relief-D Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

## Questions or comments?

call **1-800-719-9260**

## Package/Label Principal Display Panel

CVSHealth®

Compare to the active ingredients in Zyrtec-D®

Indoor + Outdoor Allergies

Original Prescription Strength

Allergy + Sinus

Allergy Relief-D

12 HOUR

CETIRIZINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED RELEASE TABLETS, 5 mg/120 mg

Antihistamine/Nasal decongestant

12 Hour relief

Nasal congestion + sinus pressure

Sneezing; Runny nose; itchy, watery eyes; Itchy nose or throat

24 EXTENDED RELEASE TABLETS

Actual Size

14762 17 C3

**Drug Facts (continued)**  
**Inactive ingredients** colidal siton doxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, m-crotylcellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide  
**Questions or comments?** call 1-800-719-9280

#444386  
5042832521  
6

**Drug Facts**  
**Active ingredients** (in each extended release tablet)  
Cetirizine HCl 5 mg.....Antihistamine  
Pseudoephedrine HCl 120 mg.....Nasal decongestant  
**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
runny nose ■ sneezing ■ itchy, watery eyes  
itching of the nose or throat ■ nasal congestion  
reduces swelling of nasal passages  
temporarily relieves sinus congestion and pressure  
temporarily relieves itchy breathing through the nose  
**Warnings**  
Do not use  
■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have  
■ heart disease ■ thyroid disease ■ diabetes  
■ glaucoma ■ high blood pressure  
■ trouble urinating due to an enlarged prostate gland  
■ liver or kidney disease. Your doctor should determine if you need a different dose.

**Directions** ■ do not break or chew tablet; swallow tablet whole  
adults and children take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.  
adults 65 years and over ask a doctor  
children under 12 years of age ask a doctor  
ask a doctor  
consumers with liver or kidney disease  
**Other information** ■ store between 20° to 25°C (68° to 77°F)  
■ do not use if blister unit is broken or torn  
■ see side panel for lot number and expiration date  
■ meets USP Dissolution Test 2

**Stop use and ask a doctor if**  
■ an allergic reaction to this product occurs. Seek medical help right away.  
■ you get nervous, dizzy, or sleepless  
■ symptoms do not improve within 7 days or are accompanied by fever  
■ if pregnant or breast-feeding; not recommended  
■ if pregnant, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-222-1222)  
**Drug Facts (continued)**  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
When using this product ■ do not use more than directed  
■ drowsiness may occur ■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
**Stop use and ask a doctor if**  
■ an allergic reaction to this product occurs. Seek medical help right away.  
■ you get nervous, dizzy, or sleepless  
■ symptoms do not improve within 7 days or are accompanied by fever  
■ if pregnant or breast-feeding; not recommended  
■ if pregnant, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
When using this product ■ do not use more than directed  
■ drowsiness may occur ■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
**Stop use and ask a doctor if**  
■ an allergic reaction to this product occurs. Seek medical help right away.  
■ you get nervous, dizzy, or sleepless  
■ symptoms do not improve within 7 days or are accompanied by fever  
■ if pregnant or breast-feeding; not recommended  
■ if pregnant, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-222-1222)

Important: Read all product information before using. Keep this box for important information.

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.  
Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2025 CVS/Pharmacy  
CVS.com® 1-800-SHOP CVS  
V-456827  
100% money back guarantee.  
CVS.com/returnpolicy




**CVSHealth.**  
Original Prescription Strength  
**Allergy Relief-D**  
CETIRIZINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED RELEASE TABLETS, 5 mg/120 mg  
Antihistamine/Nasal decongestant  
Indoor + Outdoor Allergies



**CVSHealth.**  
Original Prescription Strength  
**Allergy + Sinus Allergy Relief-D**  
CETIRIZINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED RELEASE TABLETS, 5 mg/120 mg  
Antihistamine/Nasal decongestant  
12 Hour relief  
Nasal congestion + sinus pressure  
Sneezing; Runny nose; Itchy, watery eyes; Itchy nose or throat  
Compare to the active ingredients in Zyrtec-D®.  
Indoor + Outdoor Allergies  
NDC 69842-415-62





## ALLERGY RELIEF D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-415
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 2165RE0K14)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L147
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69842-415-53	12 in 1 CARTON	04/01/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-415-62	24 in 1 CARTON	04/01/2020	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	04/01/2020	

**Labeler** - CVS Pharmacy (062312574)

Revised: 2/2025

CVS Pharmacy