

**LIDOCAINE NUMBING CREAM- lidocaine cream**  
**Yyba Corp**

-----  
**Lidocaine Numbing Cream topical anesthetic cream with vitamin E**

**DRUG FACTS:**

**Active Ingredient:**

Lidocaine HCl 5.0%

**Purpose**

- External Analgesic

**Uses:**

For the temporary relief of pain and discomfort associated with anorectal disorders.

**Warnings:**

- **For external use only.** If condition worsens or does not improve within 7 days, consult a doctor.

**When using this product,**

- Do not exceed the recommended daily dosage unless directed by a doctor.
- In case of bleeding, consult a doctor promptly.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Keep out of reach of children.
- If swallowed, get medical help or contact the Poison Control Center immediately.
- If pregnant or breast feeding, ask a health professional before use.

**Directions:**

**Children under 12:** Consult a doctor.

**Adults and children 12 years and older:** For optimum results cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a clean, soft cloth before application of this product. Apply externally up to 6 times per day.

**Keep out of reach of children.**

# Inactive Ingredients

Benzyl Alcohol, Carbomer 940, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate

## Other Information:

Store at room temperature. Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing. See bottom of this jar for lot number and expiry date.


Distributed by: Wellspring Airmont, NY 10952 U.S.A.

## Packaging label

<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b> Lidocaine (5% w/w)</p> <p><b>Purpose</b> External Anesthetic</p> <p><b>Uses</b> For the temporary relief of pain and discomfort associated with anorectal disorders.</p> <p><b>Warnings</b> For external use only. If condition worsens or does not improve within 7 days, consult a doctor. Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any mechanical device or applicator. Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center immediately. If pregnant or breastfeeding, ask a health professional before use.</p>	<p><b>Strongest non-prescription lidocaine</b></p> <p><b>Lidocaine Numbing Cream</b> topical anesthetic cream with vitamin E</p> <p><b>5% lidocaine</b> works faster lasts longer</p> <p><b>5.50Z VALUE SIZE!</b></p> <p>welmate® child resistant packaging 5.5oz / 156g</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b> Children under 12: Consult a doctor. Adults and children 12 years and older: For optimum results cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a clean, soft cloth before application of this product. Apply externally up to 6 times per day.</p> <p><b>Inactive Ingredients</b> Benzyl Alcohol, Carbomer 940, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate</p> <p><b>Other Information</b> Store at room temperature. Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing. See bottom of this jar for lot number and expiry date.</p>	<p>Distributed by: <b>Wellspring</b> Airmont, NY 10952 U.S.A.</p> <p><b>Why pay more?</b> wellspringmeds.com</p> <p>Lic# UK/Drugs/39/UA/2016</p> <p>3 73581 00028 9</p>
---	--	---	---

←
→
115mm

<p>Lidocaine 5% Topical Anesthetic Cream-Anorectal NET WT 1 oz (30 g)</p>	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <h2 style="margin: 0;">Lidocaine 5%</h2> <h3 style="margin: 0;">Topical Anorectal Cream</h3> </div> <div style="width: 40%; padding-left: 20px;"> <p><b>Child-Resistant &amp; Tamper Evident:</b> Do not use if tube seal is not intact or if the tube is damaged.</p> <p><b>To open child-resistant cap:</b> Push down and turn counterclockwise.</p> </div> </div>	<p>30mm</p>											
<p><b>KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION</b></p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td style="width: 15%;"><b>Drug Facts</b></td> <td style="width: 15%;"><b>Warnings</b></td> <td style="width: 15%;"><b>Directions</b></td> <td style="width: 15%;"><b>Other Information</b></td> <td style="width: 15%;"><b>Inactive Ingredients</b></td> <td style="width: 15%;"><b>Questions? see-see-see</b></td> </tr> <tr> <td> <p><b>Active ingredient:</b> Lidocaine (5% w/w)</p> <p><b>Purpose:</b> External Anesthetic Cream</p> </td> <td> <p><b>Use:</b> Relieve the pain, itching and burning associated with hemorrhoids and other anorectal disorders.</p> <p><b>Warnings:</b> For external use only.</p> <p><b>When using this product:</b></p> <ul style="list-style-type: none"> <li>• do not exceed recommended dosage unless directed by a doctor.</li> <li>• do not use if the seal is broken or if the applicator is damaged.</li> <li>• do not use if the applicator is damaged or if the applicator is not used as directed.</li> </ul> <p><b>Stop use and ask a doctor if:</b></p> <ul style="list-style-type: none"> <li>• condition worsens or does not improve within 7 days.</li> <li>• pain occurs to ingredients in this product.</li> <li>• symptoms being treated does not improve.</li> <li>• you experience dizziness, lightheadedness, or fainting.</li> <li>• you experience severe pain or other symptoms developing or increasing.</li> <li>• you experience clear up and return within a few days.</li> </ul> <p><b>If pregnant or breastfeeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> </td> <td> <p><b>Directions:</b></p> <ul style="list-style-type: none"> <li>• When practical, clean area with mild soap and warm water and pat dry thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth.</li> <li>• Apply externally to the affected area up to 6 times per day.</li> <li>• Adults and children 12 years and older: apply externally to the affected area up to 6 times per day.</li> <li>• Children under 12 years of age: consult a doctor.</li> </ul> <p><b>Other Information:</b> Store at room temperature. Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing.</p> </td> <td> <p><b>Inactive ingredients:</b> Benzyl Alcohol, Carbomer 940, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.</p> </td> <td> <p><b>Why pay more?</b> wellspringmeds.com</p> <p>Distributed by: Wellspring Airmont, NY 10952 U.S.A. Lic# UK/Drugs/39/UA/2016</p> </td> </tr> </table>	<b>Drug Facts</b>	<b>Warnings</b>	<b>Directions</b>	<b>Other Information</b>	<b>Inactive Ingredients</b>	<b>Questions? see-see-see</b>	<p><b>Active ingredient:</b> Lidocaine (5% w/w)</p> <p><b>Purpose:</b> External Anesthetic Cream</p>	<p><b>Use:</b> Relieve the pain, itching and burning associated with hemorrhoids and other anorectal disorders.</p> <p><b>Warnings:</b> For external use only.</p> <p><b>When using this product:</b></p> <ul style="list-style-type: none"> <li>• do not exceed recommended dosage unless directed by a doctor.</li> <li>• do not use if the seal is broken or if the applicator is damaged.</li> <li>• do not use if the applicator is damaged or if the applicator is not used as directed.</li> </ul> <p><b>Stop use and ask a doctor if:</b></p> <ul style="list-style-type: none"> <li>• condition worsens or does not improve within 7 days.</li> <li>• pain occurs to ingredients in this product.</li> <li>• symptoms being treated does not improve.</li> <li>• you experience dizziness, lightheadedness, or fainting.</li> <li>• you experience severe pain or other symptoms developing or increasing.</li> <li>• you experience clear up and return within a few days.</li> </ul> <p><b>If pregnant or breastfeeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Directions:</b></p> <ul style="list-style-type: none"> <li>• When practical, clean area with mild soap and warm water and pat dry thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth.</li> <li>• Apply externally to the affected area up to 6 times per day.</li> <li>• Adults and children 12 years and older: apply externally to the affected area up to 6 times per day.</li> <li>• Children under 12 years of age: consult a doctor.</li> </ul> <p><b>Other Information:</b> Store at room temperature. Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing.</p>	<p><b>Inactive ingredients:</b> Benzyl Alcohol, Carbomer 940, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.</p>	<p><b>Why pay more?</b> wellspringmeds.com</p> <p>Distributed by: Wellspring Airmont, NY 10952 U.S.A. Lic# UK/Drugs/39/UA/2016</p>	<p>3 73581 00028 9</p>
<b>Drug Facts</b>	<b>Warnings</b>	<b>Directions</b>	<b>Other Information</b>	<b>Inactive Ingredients</b>	<b>Questions? see-see-see</b>								
<p><b>Active ingredient:</b> Lidocaine (5% w/w)</p> <p><b>Purpose:</b> External Anesthetic Cream</p>	<p><b>Use:</b> Relieve the pain, itching and burning associated with hemorrhoids and other anorectal disorders.</p> <p><b>Warnings:</b> For external use only.</p> <p><b>When using this product:</b></p> <ul style="list-style-type: none"> <li>• do not exceed recommended dosage unless directed by a doctor.</li> <li>• do not use if the seal is broken or if the applicator is damaged.</li> <li>• do not use if the applicator is damaged or if the applicator is not used as directed.</li> </ul> <p><b>Stop use and ask a doctor if:</b></p> <ul style="list-style-type: none"> <li>• condition worsens or does not improve within 7 days.</li> <li>• pain occurs to ingredients in this product.</li> <li>• symptoms being treated does not improve.</li> <li>• you experience dizziness, lightheadedness, or fainting.</li> <li>• you experience severe pain or other symptoms developing or increasing.</li> <li>• you experience clear up and return within a few days.</li> </ul> <p><b>If pregnant or breastfeeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Directions:</b></p> <ul style="list-style-type: none"> <li>• When practical, clean area with mild soap and warm water and pat dry thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth.</li> <li>• Apply externally to the affected area up to 6 times per day.</li> <li>• Adults and children 12 years and older: apply externally to the affected area up to 6 times per day.</li> <li>• Children under 12 years of age: consult a doctor.</li> </ul> <p><b>Other Information:</b> Store at room temperature. Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing.</p>	<p><b>Inactive ingredients:</b> Benzyl Alcohol, Carbomer 940, Cholesterol, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.</p>	<p><b>Why pay more?</b> wellspringmeds.com</p> <p>Distributed by: Wellspring Airmont, NY 10952 U.S.A. Lic# UK/Drugs/39/UA/2016</p>									
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <h2 style="margin: 0;">Lidocaine 5%</h2> <h3 style="margin: 0;">Topical Anorectal Cream</h3> </div> <div style="width: 40%; padding-left: 20px;"> <p><b>Pain Relief for Hemorrhoids &amp; other Anorectal Disorders</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Relieves Pain</li> <li><input checked="" type="checkbox"/> Relieves Itching</li> <li><input checked="" type="checkbox"/> Relieves Burning</li> </ul> <p style="text-align: right;"><b>1 Tube</b> <b>NET WT. 1 oz (30 g)</b></p> </div> </div>												
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <h2 style="margin: 0;">Lidocaine 5%</h2> <h3 style="margin: 0;">Topical Anorectal Cream</h3> </div> <div style="width: 40%; padding-left: 20px;"> <p style="text-align: right;"><b>1 Tube</b> <b>NET WT. 1 oz (30 g)</b></p> </div> </div>												



## LIDOCAINE NUMBING CREAM

lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73581-105
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-105-55	156 mL in 1 JAR; Type 0: Not a Combination Product	06/17/2022	
2	NDC:73581-105-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	12/11/2023	
3	NDC:73581-105-02	60 mL in 1 TUBE; Type 0: Not a Combination Product	12/11/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	06/17/2022	

**Labeler** - Yyba Corp (006339772)

**Registrant** - Yyba Corp (006339772)

## Establishment

Name	Address	ID/FEI	Business Operations
YASH PHARMACEUTICALS		871409551	manufacture(73581-105)

Revised: 12/2023

Yyba Corp