

MAYBELLINE NEW YORK MASTER PRIME BY FACE STUDIO PRIMER BROAD SPECTRUM SPF 30 SUNSCREEN- octinoxate lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredient

Octinoxate 7.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclohexasiloxane, propylene glycol, glycerin, octyldodecanol, stearic acid, potassium cetyl phosphate, palmitic acid, PEG-100 stearate, glyceryl stearate, triethanolamine, phenoxyethanol, cetyl alcohol, talc, dimethicone, silica, methylparaben, caprylyl glycol, carbomer, fragrance, ethylparaben, capryloyl salicylic acid, xanthan gum, disodium EDTA, butylphenyl methylpropional, hexyl cinnamal, linalool, sodium palmitoyl proline, limonene, benzyl salicylate, benzyl alcohol, citronellol, hydroxycitronellal, prunus cerasus (bitter cherry) extract, rosa centifolia flower extract, nymphaea alba flower extract; may contain: mica, titanium dioxide, bismuth oxychloride, iron oxides, red 4, yellow 5

Questions or comments?

1-800-944-0730

MAYBELLINE®
NEW YORK

MASTER
prime®
BY FACESTUDIO®

PRIMER
OCTINOXATE SUNSCREEN
BROAD SPECTRUM SPF 30

BLUR + ILLUMINATE
200

30 ml 1.0 FL. OZ.

- Visually blurs tone imperfections and smoothes fine lines
 - Primes skin for an illuminated start
 - Light weight non-oily formula
 - Does not clog pores
- Application:
Wear alone or under makeup to refine wear



MADE IN U.S.A. MAYBELLINE LLC, NEW YORK, NY 10017
2052720



MAYBELLINE®
NEW YORK

MASTER prime® BY FACESTUDIO®

PRIMER
OCTINOXATE SUNSCREEN
BROAD SPECTRUM SPF 30

BLUR + ILLUMINATE
200

30 ml 1.0 FL. OZ.

- Visually blurs tone imperfections and smoothes fine lines
 - Primes skin for an illuminated start
 - Light weight non-oily formula
 - Does not clog pores
- Application:
Wear alone or under makeup to refine wear



MADE IN U.S.A. MAYBELLINE LLC, NEW YORK, NY 10017
20152720



PEEL FOR DRUG FACTS

Drug Facts

Active ingredient Purpose
Octinoxate 7.5%.....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun



FPO
0000000001

Warnings
For external
use only

200
Blur + Illuminate

0.898"
(22.800)

1.016"
(25.800)



Drug Facts (continued)

sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months

PEEL

Drug Facts (continued)

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- + apply liberally 15 minutes before sun exposure
- + reapply at least every 2 hours
- + use a water resistant



Drug Facts (continued)

capryloyl salicylic acid, xanthan gum, disodium EDTA, butylphenyl methylpropional, hexyl cinnamal, linalool, sodium palmitoyl proline, limonene, benzyl salicylate, benzyl alcohol, citronellol, hydroxycitronellal, prunus cerasus (bitter cherry) extract, rosa centifolia flower extract, nymphaea alba flower extract; may contain: mica, titanium dioxide, bismuth oxychloride, iron oxides, red 4, yellow 5

Questions?

1-800-944-0730

[G853195 4 _ _ D164842/4]

Drug Facts (continued)

of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclohexasiloxane, propylene glycol, glycerin, octyldodecanol, stearic acid, potassium cetyl phosphate, palmitic acid, PEG-100 stearate, glyceryl stearate, triethanolamine, phenoxyethanol, cetyl alcohol, talc, dimethicone, silica, methylparaben, caprylyl glycol, carbomer, fragrance, ethylparaben, ▼

PEEL FOR DRUG FACTS

Drug Facts

Active ingredient Purpose

Octinoxate 7.5% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

200

Blur + Illuminate

0.898"

(22.800)

1.016"

(25.800)

Drug Facts (continued)

sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from

10 a.m. – 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months



PEEL 

Drug Facts (continued)

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant



Drug Facts (continued)

capryloyl salicylic acid,

xanthan gum, disodium EDTA, butylphenyl methylpropional, hexyl cinnamal, linalool, sodium palmitoyl proline, limonene, benzyl salicylate, benzyl alcohol, citronellol, hydroxycitronellal, prunus cerasus (bitter cherry) extract, rosa centifolia flower extract, nymphaea alba flower extract; may contain: mica, titanium dioxide, bismuth oxychloride, iron oxides, red 4, yellow 5

Questions?

1-800-944-0730

[G853195 4 _ _ D164842/4]

Drug Facts (continued)

of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclohexasiloxane, propylene glycol, glycerin, octyldodecanol, stearic acid, potassium cetyl phosphate, palmitic acid, PEG-100 stearate, glyceryl stearate, triethanolamine, phenoxyethanol, cetyl alcohol, talc, dimethicone, silica, methylparaben, caprylyl glycol, carbomer, fragrance, ethylparaben, ▼

MAYBELLINE NEW YORK MASTER PRIME BY FACE STUDIO PRIMER BROAD SPECTRUM SPF 30 SUNSCREEN

octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-196
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PALMITIC ACID (UNII: 2V16EO95H1)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
TROLAMINE (UNII: 9O3K93S3TK)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
ETHYLPARABEN (UNII: 14255EXE39)	
CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
SODIUM PALMITOYL PROLINE (UNII: 64L053FRFO)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
BENZYL SALICYLATE (UNII: WAO5MKN9TU)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
PRUNUS CERASUS FLOWER BUD (UNII: 1MG3D59XD7)	
ROSA CENTIFOLIA FLOWER (UNII: CS4TE8FF7O)	
NYMPHAEA ALBA FLOWER (UNII: 40KQ7Q535O)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FD&C RED NO. 4 (UNII: X3W0AM1JLX)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-196-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	07/31/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/31/2014	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		624244349	manufacture(49967-196)

Revised: 12/2023

L'Oreal USA Products Inc