

ALLERGY RELIEF- diphenhydramine hcl tablet
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCL 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms of the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

| | |
|---------------------------------------|---------------------|
| adults and children 12 years and over | take 1 to 2 tablets |
| children 6 to under 12 years | take 1 tablet |
| children under 6 years | do not use |

Other information

- **each tablet contains:** calcium 25mg
- store between 20-25°C (68-77°F)
- protect from light and moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to the active ingredient in Benadryl® Allergy Ultratab® Tablets**

Allergy Relief

Diphenhydramine HCL 25 mg

Antihistamine

Relieves:

- Sneezing

- Itchy throat
- Runny nose
- Itchy, watery eyes

Tablets

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor Benadryl® Allergy Ultratab® Tablets

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETSVILLE, TN 37072

Product Label

Allergy Relief

Diphenhydramine HCl, 25 mg
Antihistamine

DG™ | health

Compare to the
active ingredient of
Benadryl® Allergy
Ultratab® Tablets**

Allergy Relief

Diphenhydramine HCl, 25 mg
Antihistamine

DO NOT USE IF CARTON IS OPENED OR IF BLISTER
BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

OR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts

Active ingredient (in each tablet) Diphenhydramine HCl 25 mg.....Antihistamine
Purpose

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
- runny nose ■ sneezing

Warnings

- Do not use
- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking

- sedatives or tranquilizers.
- When using this product
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over take 1 to 2 tablets
children 6 to under 12 years take 1 tablet
children under 6 years do not use

Other information

- each tablet contains: calcium 25 mg
- store between 20-25°C (68-77°F)
- protect from light and moisture

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

Call 1-888-309-9030

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy Ultratab® Tablets.

Relieves:

• Sneezing

• Runny nose

• Itchy throat

• Itchy, watery eyes

25

mg each

24 Tablets

Actual Tablet Size

TAMPER EVIDENT:
UNIT IS TORN, E

KEEP OUTER CARTON FC

Lot No.:
Exp. Date:

DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100%

Satisfaction
Guaranteed!

(888) 309-9030

A0773

3 59726 69030 0

PLD-C587B
FC006153

DOLLAR GENERAL HEALTH Allergy Relief

ALLERGY RELIEF

diphenhydramine hcl tablet

| Product Information | | | |
|--|----------------|----------------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55910-766 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M) | | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |
| Inactive Ingredients | | | |
| Ingredient Name | | | Strength |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | | | |
| D&C RED NO. 27 (UNII: 2LRS185U6K) | | | |
| CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP) | | | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |

Product Characteristics

| | | | |
|----------|---------|--------------|----------|
| Color | pink | Score | no score |
| Shape | CAPSULE | Size | 11mm |
| Flavor | | Imprint Code | T;061 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:55910-766-24 | 24 in 1 CARTON | 10/30/2019 | 12/31/2025 |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M009 | 10/30/2019 | 12/31/2025 |

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)