# METZ 0.5% IODINE 5.0% GLYCERINE TEAT DIP- iodine solution Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Metz 0.5% Iodine 5.0% Glycerine Teat Dip

METZ 0.5% IODINE 5.0% GLYCERINE TEAT DIP

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

PRODUCT #: 630800

## **DIRECTIONS:**

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towerl to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDIULUTED solution of 0.5% Iodine 5.0% Glycerine Teat Dip. Allow to air dry. Do not wipe.

## **CAUTION:**

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

## **INGREDIENTS:**

**ACTIVE:** Iodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).

5% Emollients

## **FIRST AID:**

**IF SPLASHED IN EYES:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention irritation occurs.

If ON SKIN (or hair): Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if symptons occur.

IF INHALED: Move to fresh air. If symptons persist, call a physician.

**IF SWALLOWED:** Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconcious person. Consult a physician if necessary.

## KEEP OUT OF REACH OF CHILDREN!

Surpass Chemical Company, Inc. Phone: (518) 434-8101

24 HOUR EMERGENCY SERVICE

www.surpasschemical.com Email: (518) 434-

CHEMTREC 1-800-424-9300 2798

1254 Broadway Albany NY 12204 Email:

**KEEP OUT OF REACH OF** customerservice@surpasschemical.com


CHILDREN



# **METZ 0.5% IODINE 5.0% GLYCERINE TEAT DIP**



AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



### CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize

## INGREDIENTS

ACTIVE: lodine complex (Provides 0.5% titratable iodine. Equivalent to 5.000 ppm)

5% Emollients

<u>DIRECTIONS</u>
Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in al UNDILUTED solution of Metz 0.5% Iodine 5.0% Glycerine Teat Dip. Allow to air dry. Do not wipe.

FIRST AID IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.



Surpass Chemical Company, Inc. 1254 Broadway Albany NY, 12204

Phone: (518) 434-8101

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

**NPE** 



## **METZ 0.5% IODINE 5.0%** GLYCERINE TEAT DIP

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensits.

INGREDIENTS
ACTIVE: lodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm). 5% Emollients

DIRECTIONS

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% lodine 5.0% Glycenine Teat Dip. Allow to air dry. Do not vipe.

FIRST JOB TEST AND THE SPEAKED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

FON SKIN (or Jail): Wash of immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician

IF <u>SWALLOWED</u>: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

KEEP OUT OF REACH OF CHILDREN!

PRODUCT #: 630800

Surpass Chemical Company, Inc. 1254 Broadway Albany NY, 12204

Phone: (518)434-8101 Email: customerservice@surpasschemical.com Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.



# **METZ 0.5% IODINE 5.0% GLYCERINE TEAT DIP**



AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

### CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize

### INGREDIENTS

ACTIVE: lodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).

### 5% Emollients

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel

to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% Iodine 5.0% Glycerine Teat Dip. Allow to air dry. Do not wipe.

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary



Surpass Chemical Company, Inc. 1254 Broadway Albany NY, 12204

Phone: (518) 434-8101 Email: customerservice@surpasschemical.com Fax: (518) 434-2798 BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE: CHEMTREC 1-800-424-9300

> **NPE** FREE




**NPE** 

**FREE** 

## **METZ 0.5% IODINE 5.0%** NORTH COUNTRY GLYCERINE TEAT DIP

LOT NUMBER

NET CONTENTS



### CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensits.

### INGREDIENTS

ACTIVE: lodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).

DIRECTIONS

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% lodine 5.0% Glycenine Teat Dip. Allow to air dry. Do not vipe.

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs dical attention if irritation occur

The ON SKIM (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.



KEEP OUT OF REACH OF CHILDREN!

PRODUCT #: 630800

Surpass Chemical Company, Inc. www.surpasschemical.com 1254 Broadway Albany NY, 12204 Phone: (518)434-8101 Email: customerservice@surpasschemical.com Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:

CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL. READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

# **METZ 0.5% IODINE 5.0% GLYCERINE TEAT DIP**

iodine solution

## **Product Information Product Type** OTC ANIMAL DRUG Item Code (Source) NDC:86067-0124 **Route of Administration TOPICAL**

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
lodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	lodine	0.0232 kg in 1 kg	

## **Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.8941 kg in 1 kg
<b>C9-11 PARETH-3</b> (UNII: 8O4974OMUO)	0.03 kg in 1 kg
GLYCERIN (UNII: PDC6A3C0OX)	0.0487 kg in 1 kg
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	0.004 kg in 1 kg

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86067- 0124-2	4 in 1 BOX		
1	NDC:86067- 0124-1	3.88 kg in 1 JUG		
2	NDC:86067- 0124-3	19.05 kg in 1 PAIL		
3	NDC:86067- 0124-4	58.06 kg in 1 DRUM		
4	NDC:86067- 0124-5	116.35 kg in 1 DRUM		
5	NDC:86067- 0124-6	213.19 kg in 1 PACKAGE		
6	NDC:86067- 0124-7	1241.03 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		05/15/2023		
oulei				

# Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment				
Name	Address	ID/FEI	Business Operations	
Surpass Chemical. Company, Inc.		002075133	manufacture, api manufacture	

Revised: 5/2024 Surpass Chemical. Company, Inc.