

VITAMIN B12 3000 - cyanocobalamin injection
Sparhawk Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

VITAMIN B12 INJECTION 3000 mcg

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS

For use as a supplemental nutritive source of vitamin B₁₂ in cattle, horses, swine, sheep, dogs and cats.

DOSAGE AND ADMINISTRATION

Inject subcutaneously or intramuscularly. May be injected intravenously at the discretion of the veterinarian.

Cattle, Horses, Swine and Sheep--1 to 2 mL.

Dogs and Cats--0.25 to 0.5 mL.

Suggested dosage may be repeated at 1 to 2 week intervals, as indicated by condition and response.

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

Each mL of sterile aqueous solution contains:

Cyanocobalamin (B₁₂) 3000 mcg with sodium chloride 0.22% w/v, ammonium sulfate 0.1% w/v, citric acid 0.01% w/v, sodium citrate 0.008% w/v, and benzyl alcohol 1.0% v/v (preservative).

Store at controlled room temperature between 15° to 30° C (59° - 86° F).

Avoid exposure to light.

INDICATIONS: For use as a supplemental nutritive source of vitamin B₁₂ in cattle, horses, swine, sheep, dogs and cats.

DOSAGE AND ADMINISTRATION: Inject subcutaneously or intramuscularly. May be injected intravenously at the discretion of the veterinarian.

Cattle, Horses, Swine and Sheep- 1 to 2 mL.

Dogs and Cats- 0.25 to 0.5 mL.

Suggested dosage may be repeated at 1 to 2 week intervals, as indicated by condition and response.

TAKE TIME



OBSERVE LABEL DIRECTIONS

V-0426-05

Rev. 09-10

VITAMIN B₁₂

INJECTION 3000 mcg

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NET CONTENTS: 250 mL



COMPOSITION: Each mL of sterile aqueous solution contains: Cyanocobalamin (B₁₂) 3000 mcg with sodium chloride 0.22% w/v, ammonium sulfate 0.1% w/v, citric acid 0.01% w/v, sodium citrate 0.008% w/v, and benzyl alcohol 1.0% v/v (preservative).

Store at controlled room temperature between 15° to 30°C (59°-86°F).

Avoid exposure to light.

LOT NO.:

EXP. DATE:

MANUFACTURED BY

LENEXA, KS 66215 USA

VITAMIN B₁₂ 3000

cyanocobalamin injection

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:58005-426
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	3000 ug in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58005-426-04	100 mL in 1 VIAL		
2	NDC:58005-426-05	250 mL in 1 VIAL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/11/1995	

Labeler - Sparhawk Laboratories, Inc. (147979082)

