ACTAEA SPICATA- actaea spicata pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACTAEA SPICATA 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as vomiting. Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients:

00000

sucrose

ACTAEA SPICATA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, (

ACTAEA SPICATA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, o

ACTAEA SPICATA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ACTAEA SPICATA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

rwist to open - tise only if seal.

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ACTAEA SPICATA 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACTAEA SPICATA 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

ACTAEA SPICATA

actaea spicata pellet

	 _	
Droa	ntorm	STIAN
FICO	nform	alkii

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-3456

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3456-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
2	NDC:37662- 3456-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			
3	NDC:37662- 3456-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			

Marketing Information				
Marketing End Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category	
	06/28/2023		unapproved homeopathic	
		Citation	unapproved	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3459	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	100 [hp_C]	

Inactive Ingredients Ingredient Name Strength

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

F	Packaging					
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3459-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
2	NDC:37662- 3459-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
3	NDC:37662- 3459-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			
4	NDC:37662- 3459-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/28/2023		

ACTAEA SPICATA

SUCROSE (UNII: C151H8M554)

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3461	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains	Contains			

Packaging	ackaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:37662-3461-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
NDC:37662- 3461-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
3 NDC:37662- 3461-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			
4 NDC:37662- 3461-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/28/2023	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3460	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	200 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3460-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023		
2	NDC:37662- 3460-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023		
3	NDC:37662- 3460-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023		
4	NDC:37662- 3460-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/28/2023		

ACTAEA SPICATA

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3463
Route of Administration	ORAL		

	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
l	ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	10 [hp_M]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 3463-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023		
2	NDC:37662- 3463-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023		
3	NDC:37662- 3463-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023		
4	NDC:37662- 3463-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023		

Marketing Information				
Marketing Application Number or Monograph Marketi Category Citation Da			Marketing End Date	
unapproved homeopathic		06/28/2023		

actaea spicata pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3462	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	1 [hp_M]	

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:37662- 3462-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023	
2	NDC:37662- 3462-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023	
3	NDC:37662- 3462-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023	
4	NDC:37662- 3462-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing End Date	
	06/28/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3458
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	

Flavor	Imprint Code	
Contains		

	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37662- 3458-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023	
l	NDC:37662- 3458-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023	
	NDC:37662- 3458-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023	
	NDC:37662- 3458-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/28/2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3457	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety		
	Ingredient Name	Basis of Strength	Strength
	ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	12 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3457-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/28/2023			
2	NDC:37662- 3457-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			
3	NDC:37662- 3457-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/28/2023			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		06/28/2023			

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3457, 37662-3456, 37662-3458, 37662-3459, 37662-3460, 37662-3461, 37662-3462, 37662-3463)

Revised: 6/2023 Hahnemann Laboratories, INC.