

## **GENITAL WART REMOVER OINTMENT.- genital wart remover cream cream Consilii LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Active Ingredient**

Salicylic acid 1%  
Chlorhexidine di(acetate) 1%

### **Purpose**

Wart Remover

### **Use**

for the removal of common and plantar warts  
the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface  
the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

### **Warnings**

For external use only.  
Keep away from fire and flame.

### **Do not use**

on irritated skin or on any area that is infected or reddened  
on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

### **When Using**

avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes  
avoid inhaling vapors  
cap the bottle tightly  
out of direct sunlight and store at room temperature away from heat

### **Stop Use**

if discomfort persists.  
if you have diabetes or poor blood circulation.

**Ask Doctor**

if discomfort persists.  
if you have diabetes or poor blood circulation.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

wash the affected area  
may soak the wart in warm water for 5 minutes  
dry area thoroughly  
using the applicator(cotton swab), apply a layer of ointment to sufficiently cover each wart  
allow it to fully absorb and cover it with a bandage as needed.  
repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks


**Inactive ingredients**

Alcohol, Borneol, Carthamus tinctorius l., Cetostearyl alcohol, Cnidium monnieri, Cortex dictamni, Fructus kochiae scopariae, Fructus xanthii, Houttuynia cordata thunb., Isatis indigotica fortune, Lonicera japonica thunb, Radix isatidis, Sophora flavescens, Thenardite

**Questions**

1 914-608-1258

**PACKAGE LABEL - PRINCIPAL DISPLAY PANEL**



## GENITAL WART REMOVER OINTMENT.

genital wart remover cream cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83299-009
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLOROACETIC ACID</b> (UNII: 5GD84Y125G) (CHLOROACETIC ACID - UNII:5GD84Y125G)	CHLOROACETIC ACID	1 g in 100 g
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BASSIA SCOPARIA FRUIT</b> (UNII: 04W97Z676Y)	
<b>HOUTTUYNIA CORDATA WHOLE</b> (UNII: O3E12ZLW5T)	
<b>SODIUM SULFATE ANHYDROUS</b> (UNII: 36KCS0R750)	
<b>PAEONIA SUFFRUTICOSA ROOT</b> (UNII: 7M7E9A2C8J)	
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>CNIDIUM MONNIERI FRUIT</b> (UNII: V1A3S3CUS)	
<b>LONICERA JAPONICA WHOLE</b> (UNII: UV4X7MQQ43)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

<b>XANTHIUM STRUMARIUM FRUIT</b> (UNII: TN770YC17C)	
<b>CARTHAMUS TINCTORIUS WHOLE</b> (UNII: 5EMV416J82)	
<b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)	
<b>ISATIS TINCTORIA ROOT</b> (UNII: 8S10GFI6DX)	
<b>CABBAGE</b> (UNII: GW0W1Y9I97)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83299-009-01	20 g in 1 BOTTLE; Type 0: Not a Combination Product	06/29/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M016	06/29/2023	

### Labeler - Consilii LLC (118891890)

### Establishment

Name	Address	ID/FEI	Business Operations
Consilii LLC		118891890	label(83299-009) , manufacture(83299-009)

Revised: 6/2023

Consilii LLC