

EPSOM SALT- magnesium sulfate granule, for solution
Valu Merchandisers, Co.

Best Choice 602.002/602AA
Epsom Salt

Active ingredient

Magnesium sulfate USP (heptahydrate) 100%

Purpose

Saline Laxative

Use

Uses for Laxative

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily

children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily

children under 6 years - consult a doctor

Inactive Ingredient

None

Other information

- magnesium content 495 mg per teaspoon (5 grams)

Epsom Salt

Magnesium Sulfate USP $MgSO_4 \cdot 7H_2O$

Tamper Evident Packaging:

Caution: this package has been sealed for your protection.

Do not use if package is open, torn or mutilated

For external use as a soaking aid for minor sprains and bruises.

DIRECTIONS: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or toweling for 30 minutes up to three times a day. For less intensive soak, use 1 or 2 cupfuls in a bath. Use warm water for best results.

CAUTION: If prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

Proudly Distributed By:

Valu Merchandisers, Co.

5000 Kansas Ave

Kansas City, KS 66106

www.bestchoicebrand.com

L0014784PA

principal display panel

Cut along dotted line and press zipper to reseal.

Best Choice

Epsom Salt

Magnesium Sulfate U.S.P.

MgSO₄ 7H₂O

- Saline Laxative For relief of Occasional Constipation
- Soaking Aid For Minor Sprains and Bruises

NET WT. 4 LB. (1.81 kg)

Tamper Evident Packaging:
Caution: this package has been sealed for your protection. Do not use if package is open, torn or mutilated

Epsom Salt

Magnesium Sulfate U.S.P.
MgSO₄ • 7H₂O

ZIPPER PLACEMENT

Best Choice

Epsom Salt

Magnesium Sulfate U.S.P.
MgSO₄ • 7H₂O

- Saline Laxative For Relief of Occasional Constipation
- Soaking Aid For Minor Sprains and Bruises

NET WT. 4 LB. (1.81 kg)

Drug Facts

Active ingredient	Purpose
Magnesium sulfate USP (heptahydrate) 100%.....	Saline laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste.

adults and children 12 years and over	2 to 6 level teaspoons (10 to 30 grams) daily
children 6 to under 12 years	1 to 2 level teaspoons (5 to 10 grams) daily
children under 6 years	consult a doctor

Other information

- magnesium content 495 mg per teaspoon (5 grams)

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

Best Choice
100% Guaranteed

www.bestchoicebrand.com

EPSOM SALT

magnesium sulfate granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-602
Route of Administration	ORAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	1 g in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-602-43	454 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2014	
2	NDC:63941-602-07	1814 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/15/2014	

Labeler - Valu Merchandisers, Co. (868703513)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(63941-602)

Revised: 9/2024

Valu Merchandisers, Co.